```
namespace Meditech.App.CommonService.Reports
     partial class rptCongNo
            /// <summarv>
           /// Required designer variable.
            /// </summary>
           private System.ComponentModel.IContainer components = null;
            /// Clean up any resources being used.
           /// </summary>
            /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
           protected override void Dispose(bool disposing)
                 if (disposing && (components != null))
                       components.Dispose();
                 base.Dispose(disposing);
           }
           #region Designer generated code
            /// <summarv>
           /// Required method for Designer support - do not modify
            /// the contents of this method with the code editor.
           /// </summary>
           private void InitializeComponent()
                 this.components = new System.ComponentModel.Container();
                 DevExpress.XtraReports.UI.XRSummary xrSummary1 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary2 = new DevExpress.XtraReports.UI.XRSummary();
                 DevExpress.XtraReports.UI.XRSummary xrSummary3 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.DataAccess.Sql.StoredProcQuery storedProcQuery1 = new DevExpress.DataAccess.Sql.StoredProcQuery();
                 DevExpress.DataAccess.Sql.QueryParameter queryParameter1 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter2 = new DevExpress.DataAccess.Sql.QueryParameter();
                 DevExpress.DataAccess.Sql.QueryParameter queryParameter3 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter4 = new DevExpress.DataAccess.Sql.QueryParameter();
                 DevExpress.DataAccess.Sql.QueryParameter queryParameter5 = new DevExpress.DataAccess.Sql.QueryParameter();
                 System.ComponentModel.ComponentResourceManager resources = new System.ComponentModel.ComponentResourceManager(typeof(rptCongNo)); this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand(); this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
                 this.Detail = new DevExpress.XtraReports.UI.DetailBand();
                 this.xrTable2 = new DevExpress.XtraReports.UI.XRTable();
this.xrTableRow2 = new DevExpress.XtraReports.UI.XRTableRow();
                  this.xrTableCell6 = new DevExpress.XtraReports.UI.XRTableCell();
                 this.xrTableCell7 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell8 = new DevExpress.XtraReports.UI.XRTableCell();
                 this.xrTableCell9 = new DevExpress.XtraReports.UI.XRTableCell(
                 this.xrTableCell10 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
this.ReportHeader = new DevExpress.XtraReports.UI.ReportHeaderBand();
                 this.xrLabel4 = new DevExpress.XtraReports.UI.XRLabel();
                 this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel2 = new DevExpress.XtraReports.UI.XRLabel();
                 this.ReportFooter = new DevExpress.XtraReports.UI.ReportFooterBand();
                 this.xrTable3 = new DevExpress.XtraReports.UI.XRTable();
this.xrTableRow3 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell12 = new DevExpress.XtraReports.UI.XRTableCell();
                 this.xrTableCell13 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell14 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell15 = new DevExpress.XtraReports.UI.XRTableCell();
                 this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
                 this.xrLabel8 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
                 this.xrLabel5 = new DevExpress.XtraReports.UI.XRLabel();
                 this.soyte = new DevExpress.XtraReports.Parameters.Parameter();
this.tendonvi = new DevExpress.XtraReports.Parameters.Parameter();
                 this.tungaydenngay = new DevExpress.XtraReports.Parameters.Parameter();
                 this.xrTable1 = new DevExpress.XtraReports.UI.XRTable();
this.xrTableRow1 = new DevExpress.XtraReports.UI.XRTableRow()
                 this.xrTableCell1 = new DevExpress.XtraReports.UI.XRTableCell();
                 this.xrTableCell2 = new DevExpress.XtraReports.UI.XRTableCell();
                 this.xrTableCell3 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell4 = new DevExpress.XtraReports.UI.XRTableCell();
                 this.xrTableCell5 = new DevExpress.XtraReports.UI.XRTableCell();
this.GroupHeader1 = new DevExpress.XtraReports.UI.GroupHeaderBand();
                 this.tungay = new DevExpress.XtraReports.Parameters.Parameter();
                 this.denngay = new DevExpress.XtraReports.Parameters.Parameter();
                 this.ct = new DevExpress.XtraReports.Parameters.Parameter();
this.loai = new DevExpress.XtraReports.Parameters.Parameter();
this.sqlDataSource1 = new DevExpress.DataAccess.Sql.SqlDataSource(this.components);
                  ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).BeginInit();
                 ((System.ComponentModel.ISupportInitialize)(this.xrTable3)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable1)).BeginInit();
                 ((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
                 // TopMargin
                 this.TopMargin.HeightF = 25F;
this.TopMargin.Name = "TopMargin";
                 // BottomMargin
                 this.BottomMargin.HeightF = 27.08333F;
                 this.BottomMargin.Name = "BottomMargin";
                 // Detail
                 this.Detail.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
                 this.xrTable2});
                 this.Detail.HeightF = 25F;
                 this.Detail.Name = "Detail";
                 // xrTable2
```

```
this.xrTable2.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable2.Name = "xrTable2";
this.xrTable2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F); this.xrTable2.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow2});
this.xrTable2.SizeF = new System.Drawing.SizeF(1117F, 25F);
this.xrTable2.StylePriority.UseFont = false;
this.xrTable2.StylePriority.UseTextAlignment = false;
this.xrTable2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrTableRow2
this.xrTableRow2.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell6,
this.xrTableCell7,
this.xrTableCell8,
this.xrTableCell9,
this.xrTableCell10});
this.xrTableRow2.Name = "xrTableRow2";
this.xrTableRow2.Weight = 1D;
// xrTableCell6
this.xrTableCell6.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
   DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell6.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[makk]")});
    this.xrTableCell6.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);

    this.xrTableCell6.Wiltibles.Trails.
this.xrTableCell6.Multiline = true;
this.xrTableCell6.Name = "xrTableCell6";
this.xrTableCell6.StylePriority.UseBorders = false;
this.xrTableCell6.StylePriority.UseFont = false;
this.xrTableCell6.Weight = 1D;
// xrTableCell7
this.xrTableCell7.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
   DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom()));
this.xrTableCell7.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tenkk]")});
this.xrTableCell7.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrTableCell7.Multiline = true;
this.xrTableCell7.Multiline = true;
this.xrTableCell7.Name = "xrTableCell7";
this.xrTableCell7.StylePriority.UseBorders = false;
this.xrTableCell7.StylePriority.UseFont = false;
this.xrTableCell7.StylePriority.UseTextAlignment = false;
this.xrTableCell7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell7.Weight = 6.6770831298828126D;
///
// xrTableCell8
.
this.xrTableCell8.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
   DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Rattom));
| DevExpress.XtraPrinting.BorderSide.Bottom));
| this.xrTableCell8.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
| new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[nodauky]")});
| this.xrTableCell8.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
| this.xrTableCell8.Multiline = true;
| this.xrTableCell8.Name = "xrTableCell8";
| this.xrTableCell8.StylePriority.UseBorders = false;
| this.xrTableCell8.StylePriority.UseBorders = false;
| this.xrTableCell8.StylePriority.UseForders = false;
this.xrTableCell8.StylePriority.UseFont = false;
this.xrTableCell8.StylePriority.UseTextAlignment = false;
this.xrTableCell8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell8.TextFormatString = "{0:N0}"; this.xrTableCell8.Weight = 1.1666668701171874D;
// xrTableCell9
.
this.xrTableCell9.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
   DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom))); this.xrTableCell9.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
this.xrlableCell9.kxpressionBindings.AddRange(new Devkxpress.XtraReports.UI.kxpressionI new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[trongky]")}); this.xrTableCell9.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F); this.xrTableCell9.Multiline = true; this.xrTableCell9.Name = "xrTableCell9"; this.xrTableCell9.StylePriority.UseBorders = false; this.xrTableCell9.StylePriority.UseFort = false; this.xrTableCell9.StylePriority.UseToxtAlianment = false;
this.xrTableCell9.StylePriority.UseTextAlignment = false;
this.xrTableCell9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell9.TextFormatString = "{0:N0}"; this.xrTableCell9.Weight = 1.125D;
// xrTableCell10
this.xrTableCell10.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
   DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell10.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
tnis.xriablecell10.expressionsindings.Addkange(new Devexpress.xtrakeports.U1.expression)
new Devexpress.Xtrakeports.U1.expressionBinding("BeforePrint", "Text", "[nocuoiky]")});
this.xrTableCell10.Font = new Devexpress.Drawing.DXFont("times New Roman", 11F);
this.xrTableCell10.Multiline = true;
this.xrTableCell10.Name = "xrTableCell10";
this.xrTableCell10.StylePriority.UseBorders = false;
this.xrTableCell10.StylePriority.UseFont = false;
this.xrTableCell10.StylePriority.UseFont = false;
this.xrTableCell10.StylePriority.UseTextAlignment = false;
this.xrTableCell10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell10.TextFormatString = "{0:N0}"; this.xrTableCell10.Weight = 1.2012512207031252D;
//
// xrLabel1
this.xrLabel1.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(311.4583F, 47.91667F);
this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel1.SizeF = new System.Drawing.SizeF(522.9166F, 23F);
```

```
this.xrLabel1.StylePriority.UseFont = false;
this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "BÁO CÁO CÔNG NỢ KHÁCH HÀNG";
this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.ReportHeader.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrLabel4,
this.xrLabel3,
this.xrLabel2
this.xrLabel1});
this.ReportHeader.Name = "ReportHeader";
// xrLabel4
This.xrLabel4.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tungaydenngay")});
    this.xrLabel4.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Italic);
    this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(311.4583F, 70.91667F);
this.xrLabel4.Multiline = true;
this.xrLabel4.Name = "xrLabel4";
this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel4.SizeF = new System.Drawing.SizeF(522.9166F, 23F);
this.xrLabel4.StylePriority.UseFont = false;
this.xrLabel4.StylePriority.UseTextAlignment = false;
this.xrLabel4.Text = "xrLabel4";
this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel3
this.xrLabel3.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] \{
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tendonvi")});
this.xrLabel3.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 23F);
this.xrLabel3.Multiline = true;
this.xrLabel3.Name = "xrLabel3";
this.xrLabel3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel3.SizeF = new System.Drawing.SizeF(346.875F, 23F);
this.xrLabel3.StylePriority.UseFont = false;
this.xrLabel3.StylePriority.UseTextAlignment = false;
this.xrLabel3.Text = "xrLabel3";
this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel2
this.xrLabel2.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?soyte")});
    this.xrLabel2.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel2.Multiline = true;
this.xrLabel2.Name = "xrLabel2"
this.xrLabel2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel2.SizeF = new System.Drawing.SizeF(346.875F, 23F);
this.xrLabel2.StylePriority.UseFont = false;
this.xrLabel2.StylePriority.UseTextAlignment = false;
this.xrLabel2.Text = "xrLabel2";
this.xrLabel2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// ReportFooter
this.ReportFooter.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable3,
this.xrLabel7.
this.xrLabel8,
this.xrLabel6,
this.xrLabel5});
this.ReportFooter.HeightF = 144.7917F;
this.ReportFooter.Name = "ReportFooter";
// xrTable3
this.xrTable3.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable3.Name = "xrTable3";
this.xrTable3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable3.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow3});
this.xrTable3.SizeF = new System.Drawing.SizeF(1117F, 25F);
this.xrTable3.StylePriority.UseFont = false;
this.xrTable3.StylePriority.UseTextAlignment = false;
this.xrTable3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrTableRow3
this.xrTableRow3.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell12,
this.xrTableCell13,
this.xrTableCell14,
this.xrTableCell15});
this.xrTableRow3.Name = "xrTableRow3":
this.xrTableRow3.Weight = 1D;
// xrTableCell12
this.xrTableCell12.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell12.Multiline = true;
this.xrTableCell12.Name = "xrTableCell12";
this.xrTableCell12.StylePriority.UseBorders = false;
this.xrTableCell12.Text = "Cộng tổng";
this.xrTableCell12.Weight = 7.6770831298828126D;
//
// xrTableCell13
this.xrTableCell13.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell13.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([nodauky])")});
```

```
this.xrTableCell13.Multiline = true;
this.xrTableCell13.Name = "xrTableCell13";
this.xrTableCell13.Name = xrTableCell13.Name = xrTableCell13.StylePriority.UseBorders = false;
this.xrTableCell13.StylePriority.UseTextAlignment = false;
xrSummary1.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell13.Summary = xrSummary1;
this.xrTableCell13.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell13.TextFormatString = "{0:#.00}";
this.xrTableCell13.Weight = 1.1666668701171874D;
// xrTableCell14
this.xrTableCell14.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
    DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
this.xrTableCell14.expressionsIndings.Addrange(new Devexpress.Xtrakeports.UI.expressionBind.
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([trongky])")));
this.xrTableCell14.Multiline = true;
this.xrTableCell14.Name = "xrTableCell14";
this.xrTableCell14.StylePriority.UseBorders = false;
this.xrTableCell14.StylePriority.UseTextAlignment = false;
xrSummary2.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell14.Summary = xrSummary2;
this.xrTableCell14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell14.TextFormatString = "{0:N0}";
this.xrTableCell14.Weight = 1.125D;
//
// xrTableCell15
this.xrTableCell15.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
    DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xr Table Cell 15. Expression Bindings. Add Range (new Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev Express. Xtra Reports. UI. Expression Binding) \} \ \{ (new Dev E
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([nocuoiky])")});
this.xrTableCell15.Multiline = true;
this.xrTableCell15.Name = "xrTableCell15";
this.xrTableCell15.StylePriority.UseBorders = false;
this.xrTableCell15.StylePriority.UseTextAlignment = false;
xrSummary3.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell15.Summary = xrSummary3;
this.xrTableCell15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell15.TextFormatString = "\{0:N0\}";
this.xrTableCell15.Weight = 1.2012512207031252D;
// xrLabel7
this.xrLabel7.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(805.2083F, 31.87501F);
this.xrLabel7.Name = "xrLabel7";
this.xrLabel7.Name = "xrLabel7";
this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel7.SizeF = new System.Drawing.SizeF(191.6667F, 23F);
this.xrLabel7.StylePriority.UseFont = false;
this.xrLabel7.StylePriority.UseTextAlignment = false;
this.xrLabel7.Text = "Giám đốc";
this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel8
this.xrLabel8.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel8.LocationFloat = new DevExpress.Utils.PointFloat(805.2083F, 54.87499F);
this.xrLabel8.Multiline = true;
this.xrLabel8.Name = "xrLabel8"
this.xrLabel8.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel8.SizeF = new System.Drawing.SizeF(191.6667F, 23F);
this.xrLabel8.StylePriority.UseFont = false;
this.xrLabel8.StylePriority.UseTextAlignment = false;
this.xrLabel8.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel6
this.xrLabel6.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel6.LocationFloat = new DevExpress.Utils.PointFloat(128.125F, 54.87499F);
this.xrLabel6.Multiline = true;
this.xrLabel6.Name = "xrLabel6"
this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel6.SizeF = new System.Drawing.SizeF(191.6667F, 23F);
this.xrLabel6.StylePriority.UseFont = false;
this.xrLabel6.StylePriority.UseTextAlignment = false;
this.xrLabel6.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel5
this.xrLabel5.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel5.LocationFloat = new DevExpress.Utils.PointFloat(128.125F, 31.87501F);
this.xrLabel5.Multiline = true;
this.xrLabel5.Name = "xrLabel5"
this.xrLabel5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel5.SizeF = new System.Drawing.SizeF(191.6667F, 23F); this.xrLabel5.StylePriority.UseFont = false;
this.xrLabel5.StylePriority.UseTextAlignment = false;
this.xrLabel5.Text = "Người lập biểu";
this.xrLabel5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// soyte
this.soyte.Description = "soyte";
this.soyte.Name = "soyte";
//
// tendonvi
this.tendonvi.Description = "tendonvi";
this.tendonvi.Name = "tendonvi";
// tungaydenngay
this.tungaydenngay.Description = "tungaydenngay";
this.tungaydenngay.Name = "tungaydenngay";
```

```
// xrTable1
this.xrTable1.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable1.Name = "xrTable1";
this.xrTable1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable1.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow1));
this.xrTable1.SizeF = new System.Drawing.SizeF(1117F, 25F);
this.xrTable1.StylePriority.UseFont = false;
this.xrTable1.StylePriority.UseTextAlignment = false;
this.xrTable1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrTableRow1
this.xrTableRow1.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell1
this.xrTableCell2.
this.xrTableCell3,
this.xrTableCell4
this.xrTableCell5});
this.xrTableRow1.Name = "xrTableRow1";
this.xrTableRow1.Weight = 1D;
//
// xrTableCell1
this.xrTableCell1.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell1.Multiline = true;
this.xrTableCell1.Name = "xrTableCell1";
this.xrTableCell1.StylePriority.UseBorders = false;
this.xrTableCell1.Text = "Mã khách";
this.xrTableCell1.Weight = 1D;
// xrTableCell2
this.xrTableCell2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell2.Multiline = true;
this.xrTableCell2.Name = "xrTableCell2";
this.xrTableCell2.StylePriority.UseBorders = false;
this.xrTableCell2.Text = "Tên khách hàng";
this.xrTableCell2.Weight = 6.6770831298828126D;
// xrTableCell3
//
this.xrTableCell3.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
| DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell3.Multiline = true;
this.xrTableCell3.Name = "xrTableCell3";
this.xrTableCell3.StylePriority.UseBorders = false;
this.xrTableCell3.Text = "Nø đầu kỳ";
this.xrTableCell3.Weight = 1.1666668701171874D;
//
// xrTableCell4
this.xrTableCell4.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
 DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell4.Multiline = true;
this.xrTableCell4.Name = "xrTableCell4";
this.xrTableCell4.StylePriority.UseBorders = false;
this.xrTableCell4.Text = "Trong kỳ";
this.xrTableCell4.Weight = 1.125D;
// xrTableCell5
this.xrTableCell5.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTableCell5.Multiline = true;
this.xrTableCell5.Name = "xrTableCell5";
this.xrTableCell5.StylePriority.UseBorders = false;
this.xrTableCell5.Text = "Cuối kỳ";
this.xrTableCell5.Weight = 1.2012512207031252D;
// GroupHeader1
this.GroupHeader1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable1});
this.GroupHeader1.HeightF = 25F;
this.GroupHeader1.Name = "GroupHeader1";
//
// tungay
this.tungay.Description = "tungay";
this.tungay.Name = "tungay";
this.tungay.Type = typeof(global::System.DateTime);
this.tungay.ValueInfo = "2024-05-14";
// denngay
this.denngay.Description = "denngay";
this.denngay.Name = "denngay";
this.denngay.Type = typeof(global::System.DateTime);
this.denngay.ValueInfo = "2024-05-14";
//
// ct
this.ct.Description = "ct";
this.ct.Name = "ct";
this.ct.Type = typeof(int);
this.ct.ValueInfo = "0";
//
// loai
this.loai.Description = "loai";
this.loai.Name = "loai";
```

```
this.loai.Type = typeof(int);
       this.loai.ValueInfo = "0";
       // sqlDataSource1
      //
this.sqlDataSource1.ConnectionName = "SaleDatabase";
this.sqlDataSource1.Name = "sqlDataSource1";
storedProcQuery1.Name = "spCongNoKhachHang";
queryParameter1.Name = "@tungay";
       queryParameter1.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter1.Value = new DevExpress.DataAccess.Expression("?tungay", typeof(System.DateTime));
       queryParameter2.Name = "@denngay";
queryParameter2.Name = "@denngay";
queryParameter2.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter2.Value = new DevExpress.DataAccess.Expression("?denngay", typeof(System.DateTime));
queryParameter3.Name = "@ct";
queryParameter3.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter3.Value = new DevExpress.DataAccess.Expression("?ct", typeof(int));
       queryParameter4.Name = "@loai"
       queryParameter4.Type = typeof(global::DevExpress.DataAccess.Expression);
       queryParameter4.Value = new DevExpress.DataAccess.Expression("?loai", typeof(int));
queryParameter5.Name = "@SearchText";
queryParameter5.Type = typeof(string);
       storedProcQuery1.Parameters.AddRange(new DevExpress.DataAccess.Sql.QueryParameter[] {
       queryParameter1,
       queryParameter2,
       queryParameter3,
       queryParameter4
       quervParameter5}):
       storedProcQuery1.StoredProcName = "spCongNoKhachHang";
       this.sqlDataSource1.Queries.AddRange(new DevExpress.DataAccess.Sql.SqlQuery[] {
       storedProcQuery1});
       this.sqlDataSource1.ResultSchemaSerializable = resources.GetString("sqlDataSource1.ResultSchemaSerializable");
       // rptCongNo
       this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
       this.TopMargin,
       this.BottomMargin
       this.Detail,
       this.ReportHeader,
       this.ReportFooter
       this.GroupHeader1);
       this.ComponentStorage.AddRange(new System.ComponentModel.IComponent[] {
       this.sqlDataSource1});
this.DataMember = "spCongNoKhachHang";
this.DataSource = this.sqlDataSource1;
       this.Font = new DevExpress.Drawing.DXFont("Arial", 9.75F);
       this.Landscape = true;
       this.Margins = new DevExpress.Drawing.DXMargins(25F, 27F, 25F, 27.08333F);
       this.PageHeight = 827;
this.PageWidth = 1169;
this.PaperKind = System.Drawing.Printing.PaperKind.A4;
       this. Parameter Pane \'1 Layout Items. Add Range \'(new 'Dev Express'. Xtra Reports. Parameters. Parameter Pane 1 Layout Item [] \{ 100 MeV = 100 M
       new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.soyte, DevExpress.XtraReports.Parameters.Orientation.Horizontal), new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.tendonvi, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
       new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.tungaydenngay, DevExpress.XtraReports.Parameters.Orientation.Horizontal)});
       this.Parameters.AddRange(new DevExpress.XtraReports.Parameters.Parameter[]
       this.soyte,
       this.tendonvi,
       this.tungaydenngay,
       this.tungay,
       this.denngay,
       this.ct,
       this.loai});
       this. Version = "22.2";
       ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).EndInit();
        ((System.ComponentModel.ISupportInitialize)(this.xrTable3)).EndInit();
        ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this)).EndInit();
}
#endregion
private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
private DevExpress.XtraReports.UI.DetailBand Detail;
private DevExpress.XtraReports.UI.XRLabel xrLabel1;
private DevExpress.XtraReports.UI.ReportHeaderBand ReportHeader;
private DevExpress.XtraReports.UI.ReportFooterBand ReportFooter;
private DevExpress.XtraReports.Parameters.Parameter soyte;
private DevExpress.XtraReports.Parameters.Parameter tendonvi;
private DevExpress.XtraReports.Parameters.Parameter tungaydenngay;
private DevExpress.XtraReports.UI.XRLabel xrLabel4;
private DevExpress.XtraReports.UI.XRLabel xrLabel3;
private DevExpress.XtraReports.UI.XRLabel xrLabel2;
private DevExpress.XtraReports.UI.XRLabel xrLabel7;
private DevExpress.XtraReports.UI.XRLabel xrLabel8;
private DevExpress.XtraReports.UI.XRLabel xrLabel6;
private DevExpress.XtraReports.UI.XRLabel xrLabel5;
private DevExpress.XtraReports.UI.XRTable xrTable1;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell1
private DevExpress.XtraReports.UI.XRTableCell xrTableCell2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell3;
private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader1;
private DevExpress.XtraReports.UI.XRTable xrTable2;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell6;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell7;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell8;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell9;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell10;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell4;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell5;
private DevExpress.XtraReports.Parameters.Parameter tungay;
private DevExpress.XtraReports.Parameters.Parameter denngay;
private DevExpress.XtraReports.Parameters.Parameter ct;
private DevExpress.XtraReports.Parameters.Parameter loai;
private DevExpress.XtraReports.UI.XRTable xrTable3;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow3;
```

```
private DevExpress.XtraReports.UI.XRTableCell xrTableCell12;
  private DevExpress.XtraReports.UI.XRTableCell xrTableCell13;
  private DevExpress.XtraReports.UI.XRTableCell xrTableCell14;
  private DevExpress.XtraReports.UI.XRTableCell xrTableCell15;
  private DevExpress.DataAccess.Sql.SqlDataSource sqlDataSource1;
}
```

}