```
namespace Meditech.App.CommonService.Reports.BaoCao
     partial class rptBCDoanhThu
          /// <summary:
         /// Required designer variable.
         /// </summary>
         private System.ComponentModel.IContainer components = null;
          /// <summary>
          /// Clean up any resources being used.
          /// </summary>
         /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
         protected override void Dispose(bool disposing)
              if (disposing && (components != null))
                   components.Dispose();
              base.Dispose(disposing);
         }
         #region Designer generated code
          /// Required method for Designer support - do not modify
         /// the contents of this method with the code editor.
          /// </summary:
         private void InitializeComponent()
              this.components = new System.ComponentModel.Container();
              DevExpress.XtraReports.UI.XRSummary xrSummary1 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary2 = new DevExpress.XtraReports.UI.XRSummary();
              DevExpress.DataAccess.Sql.StoredProcQuery storedProcQuery1 = new DevExpress.DataAccess.Sql.StoredProcQuery();
              DevExpress.DataAccess.Sql.QueryParameter queryParameter1 = new DevExpress.DataAccess.Sql.QueryParameter();
              DevExpress.DataAccess.Sql.QueryParameter queryParameter2 = new DevExpress.DataAccess.Sql.QueryParameter(); DevExpress.DataAccess.Sql.QueryParameter queryParameter3 = new DevExpress.DataAccess.Sql.QueryParameter();
              System.ComponentModel.ComponentResourceManager resources = new System.ComponentModel.ComponentResourceManager(typeof(rptBCDoanhThu));
              this.Detail = new DevExpress.XtraReports.UI.DetailBand();
              this.xrTable2 = new DevExpress.XtraReports.UI.XRTable();
              this.xrTableRow2 = new DevExpress.XtraReports.UI.XRTableRow()
              this.xrTableCell11 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell12 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell13 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell14 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell15 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell16 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell17 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell18 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell19 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell20 = new DevExpress.XtraReports.UI.XRTableCell();
              this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand();
              this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
              this.ReportHeader = new DevExpress.XtraReports.UI.ReportHeaderBand();
              this.xrLabel5 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel4 = new DevExpress.XtraReports.UI.XRLabel();
               this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
              this.xrLabel2 = new DevExpress.XtraReports.UI.XRLabel();
              this.ReportFooter = new DevExpress.XtraReports.UI.ReportFooterBand();
              this.xrTable3 = new DevExpress.XtraReports.UI.XRTable();
this.xrTableRow3 = new DevExpress.XtraReports.UI.XRTableRow();
               this.xrTableCell27 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell28 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell29 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell30 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrLabel8 = new DevExpress.XtraReports.UI.XRLabel();
              this.xrLabel9 = new DevExpress.XtraReports.UI.XRLabel();
              this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
              this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
              this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
              this.GroupHeader1 = new DevExpress.XtraReports.UI.GroupHeaderBand();
              this.xrTable1 = new DevExpress.XtraReports.UI.XRTable();
              this.xrTableRow1 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell1 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell2 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell3 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell4 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell5 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell6 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell10 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell7 = new DevExpress.XtraReports.UI.XRTableCell();
              this.xrTableCell8 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell9 = new DevExpress.XtraReports.UI.XRTableCell();
              this.soyte = new DevExpress.XtraReports.Parameters.Parameter();
              this.tendonvi = new DevExpress.XtraReports.Parameters.Parameter();
              this.tungay = new DevExpress.XtraReports.Parameters.Parameter()
              this.denngay = new DevExpress.XtraReports.Parameters.Parameter();
              this.tungaydenngay = new DevExpress.XtraReports.Parameters.Parameter();
this.ngayin = new DevExpress.XtraReports.Parameters.Parameter();
this.ct = new DevExpress.XtraReports.Parameters.Parameter();
              this.sqlDataSource1 = new DevExpress.DataAccess.Sql.SqlDataSource(this.components);
              ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).BeginInit();
               ((System.ComponentModel.ISupportInitialize)(this.xrTable3)).BeginInit()
               ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).BeginInit();
              ((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
              // Detail
              this.Detail.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
              this.xrTable2});
              this.Detail.HeightF = 25F;
              this.Detail.Name = "Detail":
              this.Detail.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
              this.Detail.TextAlignment = DevExpress.XtraPrinting.TextAlignment
```

```
// xrTable2
this.xrTable2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable2.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
this.xrTable2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable2.Name = "xrTable2";
this.xrTable2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable2.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow2});
this.xrTable2.SizeF = new System.Drawing.SizeF(1123F, 25F);
this.xrTable2.StylePriority.UseBorders = false;
this.xrTable2.StylePriority.UseFont = false;
this.xrTable2.StylePriority.UseTextAlignment = false;
this.xrTable2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrTableRow2
11
this.xrTableRow2.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell11,
this.xrTableCell12,
this.xrTableCell13.
this.xrTableCell14,
this.xrTableCell15,
this.xrTableCell16,
this.xrTableCell17,
this.xrTableCell18.
this.xrTableCell19
this.xrTableCell20}):
this.xrTableRow2.Name = "xrTableRow2";
this.xrTableRow2.Weight = 1D;
//
// xrTableCell11
this.xrTableCell11.Multiline = true;
this.xrTableCell11.Name = "xrTableCell11";
this.xrTableCell11.Weight = 0.45833332061767573D;
//
// xrTableCell12
this.xrTableCell12.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tenhh]")});
this.xrTableCell12.Multiline = true;
this.xrTableCell12.Name = "xrTableCell12"
this.xrTableCell12.StylePriority.UseTextAlignment = false;
this.xrTableCell12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell12.Weight = 3.64583309173584D;
// xrTableCell13
11
this.xrTableCell13.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tendonvitinh]")});
this.xrTableCell13.Multiline = true;
this.xrTableCell13.Name = "xrTableCell13";
this.xrTableCell13.Weight = 0.52083358764648446D;
//
// xrTableCell14
this.xrTableCell14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[losx]")});
this.xrTableCell14.Multiline = true;
this.xrTableCell14.Name = "xrTableCell14"
this.xrTableCell14.Weight = 0.75000000000000022D;
11
// xrTableCell15
this.xrTableCell15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[handungtext]")});
this.xrTableCell15.Multiline = true;
this.xrTableCell15.Name = "xrTableCell15"
this.xrTableCell15.Weight = 0.88541687011718762D;
// xrTableCell16
//
this.xrTableCell16.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[dongianhap]")});
this.xrTableCell16.Multiline = true;
this.xrTableCell16.Name = "xrTableCell16";
this.xrTableCell16.StylePriority.UseTextAlignment = false;
this.xrTableCell16.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell16.TextFormatString = "{0:N0}"
this.xrTableCell16.Weight = 0.92708312988281261D;
//
// xrTableCell17
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[dongia]")});
this.xrTableCell17.Multiline = true;
this.xrTableCell17.Name = "xrTableCell17";
this.xrTableCell17.StylePriority.UseTextAlignment = false;
this.xrTableCell17.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell17.TextFormatString = "{0:N0}";
this.xrTableCell17.Weight = 1.0520831298828124D;
// xrTableCell18
this.xrTableCell18.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[soluong]")});
this.xrTableCell18.Multiline = true;
this.xrTableCell18.Name = "xrTableCell18";
this.xrTableCell18.TextFormatString = "{0:N1}";
this.xrTableCell18.Weight = 0.78125D;
// xrTableCell19
```

//

```
this.xrTableCell19.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[thanhtiennhap]")});
this.xrTableCell19.Multiline = true;
this.xrTableCell19.Name = "xrTableCell19";
this.xrTableCell19.StylePriority.UseTextAlignment = false;
this.xrTableCell19.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell19.TextFormatString = "{0:N0}";
this.xrTableCell19.Weight = 1.145833740234375D;
// xrTableCell20
this.xrTableCell20.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[thanhtienban]")));
this.xrTableCell20.Multiline = true;
this.xrTableCell20.Name = "xrTableCell20";
this.xrTableCell20.StylePriority.UseTextAlignment = false;
this.xrTableCell20.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell20.TextFormatString = "{0:N0}";
this.xrTableCell20.Weight = 1.0633343505859374D;
//
// TopMargin
this.TopMargin.HeightF = 22.91667F;
this.TopMargin.Name = "TopMargin";
this.TopMargin.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
this.TopMargin.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
// BottomMargin
//
this.BottomMargin.HeightF = 22.91667F;
this.BottomMargin.Name = "BottomMargin";
this.BottomMargin.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
this.BottomMargin.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
// ReportHeader
this.ReportHeader.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrLabel5.
this.xrLabel4,
this.xrLabel3,
this.xrLabel2});
this.ReportHeader.HeightF = 102.0833F;
this.ReportHeader.Name = "ReportHeader";
//
// xrLabel5
this.xrLabel5.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel5.LocationFloat = new DevExpress.Utils.PointFloat(334.375F, 44.00002F);
this.xrLabel5.Multiline = true;
this.xrLabel5.Name = "xrLabel5";
this.xrLabel5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel5.SizeF = new System.Drawing.SizeF(465.625F, 23F); this.xrLabel5.StylePriority.UseFont = false;
this.xrLabel5.StylePriority.UseTextAlignment = false;
this.xrLabel5.Text = "BÁO CÁO DOANH THU";
this.xrLabel5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel4
//
this.xrLabel 4. Expression Bindings. Add Range (new \ Dev Express. X traReports. UI. Expression Binding [] \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. X traReports. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Express. UI. Expression Binding) \} \ \{ (new \ Dev Expression Binding) \} \ \{ (new \ 
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tungaydenngay")));
this.xrLabel4.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(334.375F, 67.00001F);
this.xrLabel4.Multiline = true;
this.xrLabel4.Name = "xrLabel4";
this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel4.SizeF = new System.Drawing.SizeF(465.625F, 23F);
this.xrLabel4.StylePriority.UseFont = false;
this.xrLabel4.StylePriority.UseTextAlignment = false;
this.xrLabel4.Text = "xrLabel4";
this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel3
this.xrLabel3.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tendonvi")});
    this.xrLabel3.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 23F);
this.xrLabel3.Multiline = true;
this.xrLabel3.Name = "xrLabel3";
this.xrLabel3.Name = xrLabel3,
this.xrLabel3.Name = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel3.SizeF = new System.Drawing.SizeF(332.2917F, 23F);
this.xrLabel3.StylePriority.UseFont = false;
this.xrLabel3.StylePriority.UseTextAlignment = false;
this.xrLabel3.Text = "xrLabel3";
this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel2
this.xrLabel2.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?soyte")));
this.xrLabel2.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel2.Multiline = true;
this.xrLabel2.Name = "xrLabel2";
this.xrLabel2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel2.SizeF = new System.Drawing.SizeF(332.2917F, 23F);
this.xrLabel2.StylePriority.UseFont = false;
this.xrLabel2.StylePriority.UseTextAlignment = false;
this.xrLabel2.Text = "xrLabel2";
this.xrLabel2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// ReportFooter
//
this.ReportFooter.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable3,
this.xrLabel8,
```

```
this.xrLabel9,
this.xrLabel7.
this.xrLabel6,
this.xrLabel1});
this.ReportFooter.HeightF = 165.625F;
this.ReportFooter.Name = "ReportFooter";
11
// xrTable3
this.xrTable3.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
    DevExpress.XtraPrinting.BorderSide.Right)
    DevExpress.XtraPrinting.BorderSide.Bottom)));
 this.xrTable3.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable3.Name = "xrTable3";
this.xrTable3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable3.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow3});
this.xrTable3.SizeF = new System.Drawing.SizeF(1123F, 25F);
this.xrTable3.StylePriority.UseBorders = false;
this.xrTable3.StylePriority.UseFont = false;
this.xrTable3.StylePriority.UseTextAlignment = false;
this.xrTable3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
11
// xrTableRow3
//
this.xrTableRow3.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell27,
this.xrTableCell28.
this.xrTableCell29,
this.xrTableCell30);
this.xrTableRow3.Name = "xrTableRow3";
this.xrTableRow3.Weight = 1D;
// xrTableCell27
this.xrTableCell27.Multiline = true;
this.xrTableCell27.Name = "xrTableCell27";
this.xrTableCell27.StylePriority.UseTextAlignment = false;
this.xrTableCell27.Text = "Cộng tổng";
this.xrTableCell27.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableCell27.Weight = 8.2395831298828117D;
//
// xrTableCell28
this.xrTableCell28.Multiline = true;
this.xrTableCell28.Name = "xrTableCell28";
this.xrTableCell28.Weight = 0.78125D;
// xrTableCell29
this.xrTable Cell 29. Expression Bindings. Add Range (new Dev Express. XtraReports. UI. Expression Binding [] \ \{ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ (1.1) \} \ 
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([thanhtiennhap])")));
this.xrTableCell29.Multiline = true;
this.xrTableCell29.Name = "xrTableCell29"
this.xrTableCell29.StylePriority.UseTextAlignment = false; xrSummary1.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell29.Summary = xrSummary1;
this.xrTableCell29.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell29.TextFormatString = "{0:N0}";
this.xrTableCell29.Weight = 1.145833740234375D;
//
// xrTableCell30
this.xr Table Cell 30. Expression Bindings. Add Range (new Dev Express. XtraReports. UI. Expression Binding [] \ \{ (1.5) \} and the properties of the prope
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sum([thanhtienban])")});
this.xrTableCell30.Multiline = true;
this.xrTableCell30.Name = "xrTableCell30";
this.xrTableCell30.StylePriority.UseTextAlignment = false;
xrSummary2.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell30.Summary = xrSummary2;
this.xrTableCell30.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell30.TextFormatString = "{0:N0}'
this.xrTableCell30.Weight = 1.0633343505859374D;
//
// xrLabel8
this.xrLabel8.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel8.LocationFloat = new DevExpress.Utils.PointFloat(62.08337F, 53.83332F);
this.xrLabel8.Multiline = true:
this.xrLabel8.Name = "xrLabel8";
this.xrLabel8.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel8.SizeF = new System.Drawing.SizeF(280.2084F, 23F);
this.xrLabel8.StylePriority.UseFont = false;
this.xrlabel8.StylePriority.UseTextAlignment = false;
this.xrLabel8.Text = "NGUÖI LẬP";
this.xrLabel8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel9
//
this.xrLabel9.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel9.LocationFloat = new DevExpress.Utils.PointFloat(62.08337F, 76.83328F);
this.xrLabel9.Nultiline = true;
this.xrLabel9.Name = "xrLabel9";
this.xrLabel9.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel9.SizeF = new System.Drawing.SizeF(280.2084F, 23F);
this.xrLabel9.StylePriority.UseFont = false;
this.xrLabel9.StylePriority.UseTextAlignment = false;
this.xrLabel9.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel7
this.xrLabel7.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(818.75F, 76.83334F);
this.xrLabel7.Multiline = true;
this.xrLabel7.Name = "xrLabel7";
```

```
this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel7.SizeF = new System.Drawing.SizeF(280.2084F, 23F);
this.xrLabel7.StylePriority.UseFont = false;
this.xrLabel7.StylePriority.UseTextAlignment = false;
this.xrLabel7.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel6
this.xrLabel6.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel6.LocationFloat = new DevExpress.Utils.PointFloat(818.75F, 53.83332F);
this.xrLabel6.Multiline = true;
this.xrLabel6.Name = "xrLabel6";
this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel6.SizeF = new System.Drawing.SizeF(280.2084F, 23F);
this.xrLabel6.StylePriority.UseFont = false;
this.xrLabel6.StylePriority.UseTextAlignment = false;
this.xrLabel6.Text = "GIÁM ĐỐC";
this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel1
this.xrLabel1.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?ngayin")});
    this.xrLabel1.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
    this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(818.75F, 30.83331F);
this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel1.SizeF = new System.Drawing.SizeF(280.2084F, 23F);
this.xrLabel1.StylePriority.UseFont = false;
this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "xrLabel1";
this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// GroupHeader1
this.GroupHeader1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable1});
this.GroupHeader1.HeightF = 25F;
this.GroupHeader1.Name = "GroupHeader1";
11
// xrTable1
//
this.xrTable1.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)))
this.xrTable1.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold); this.xrTable1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable1.Name = "xrTable1";
this.xrTable1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable1.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow1});
this.xrTable1.SizeF = new System.Drawing.SizeF(1123F, 25F);
this.xrTable1.StylePriority.UseBorders = false;
this.xrTable1.StylePriority.UseFort = false;
this.xrTable1.StylePriority.UseTextAlignment = false;
this.xrTable1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
this.xrTableRow1.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell1,
this.xrTableCell2,
this.xrTableCell3,
this.xrTableCell4.
this.xrTableCell5,
this.xrTableCell6,
this.xrTableCell10,
this.xrTableCell7,
this.xrTableCell8
this.xrTableCell9});
this.xrTableRow1.Name = "xrTableRow1";
this.xrTableRow1.Weight = 1D;
11
// xrTableCell1
this.xrTableCell1.Multiline = true;
this.xrTableCell1.Name = "xrTableCell1";
this.xrTableCell1.Text = "STT";
this.xrTableCell1.Weight = 0.45833332061767573D;
// xrTableCell2
//
this.xrTableCell2.Multiline = true:
this.xrTableCell2.Name = "xrTableCell2";
this.xrTableCell2.Text = "Tên thuốc, nồng độ, hàm lượng";
this.xrTableCell2.Weight = 3.64583309173584D;
11
// xrTableCell3
this.xrTableCell3.Multiline = true;
this.xrTableCell3.Name = "xrTableCell3";
this.xrTableCell3.Text = "ĐVT";
this.xrTableCell3.Weight = 0.52083358764648446D;
// xrTableCell4
this.xrTableCell4.Multiline = true:
this.xrTableCell4.Name = "xrTableCell4";
this.xrTableCell4.Text = "Lô SX";
this.xrTableCell4.Weight = 0.75000000000000022D;
// xrTableCell5
this.xrTableCell5.Multiline = true;
this.xrTableCell5.Name = "xrTableCell5";
```

```
this.xrTableCell5.Text = "Hạn SD";
this.xrTableCell5.Weight = 0.88541687011718762D;
// xrTableCell6
//
this.xrTableCell6.Multiline = true;
this.xrTableCell6.Name = "xrTableCell6";
this.xrTableCell6.Text = "Đơn giá nhập";
this.xrTableCell6.Weight = 0.92708312988281261D;
//
// xrTableCell10
//
this.xrTableCell10.Multiline = true;
this.xrTableCell10.Name = "xrTableCell10";
this.xrTableCell10.Text = "Don giá bán";
this.xrTableCell10.Weight = 1.0520831298828124D;
// xrTableCell7
//
this.xrTableCell7.Multiline = true;
this.xrTableCell7.Name = "xrTableCell7";
this.xrTableCell7.Text = "Số lượng";
this.xrTableCell7.Weight = 0.78125D;
//
// xrTableCell8
//
this.xrTableCell8.Multiline = true;
this.xrTableCell8.Name = "xrTableCell8";
this.xrTableCell8.Text = "Tiền nhập";
this.xrTableCell8.Weight = 1.145833740234375D;
// xrTableCell9
//
this.xrTableCell9.Multiline = true;
this.xrTableCell9.Name = "xrTableCell9";
this.xrTableCell9.Text = "Tien bán";
this.xrTableCell9.Weight = 1.0633343505859374D;
//
// soyte
//
this.soyte.Description = "soyte";
this.soyte.Name = "soyte";
//
// tendonvi
//
this.tendonvi.Description = "tendonvi";
this.tendonvi.Name = "tendonvi";
// tungay
this.tungay.Description = "tungay";
this.tungay.Name = "tungay";
this.tungay.Type = typeof(global::System.DateTime);
this.tungay.ValueInfo = "2024-05-23";
//
// denngay
//
this.denngay.Description = "denngay";
this.denngay.Name = "denngay";
this.denngay.Type = typeof(global::System.DateTime);
this.denngay.ValueInfo = "2024-05-23";
//
// tungaydenngay
this.tungaydenngay.Description = "tungaydenngay";
this.tungaydenngay.Name = "tungaydenngay";
11
// ngayin
this.ngayin.Description = "ngayin";
this.ngayin.Name = "ngayin";
//
// ct
this.ct.Description = "ct";
this.ct.Name = "ct";
this.ct.Type = typeof(int);
this.ct.ValueInfo = "0";
//
// sqlDataSource1
this.sqlDataSource1.ConnectionName = "SaleDatabase";
this.sqlDataSource1.Name = "sqlDataSource1";
storedProcQuery1.Name = "spBCDUOC_DoanhThu";
queryParameter1.Name = "@tungay";
queryParameter1.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter1.Type = typeof(global::DevExpress.DataAccess.Expression()
queryParameter1.Value = new DevExpress.DataAccess.Expression()
queryParameter2.Name = "@denngay";
queryParameter2.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter2.Value = new DevExpress.DataAccess.Expression()
queryParameter3.Name = "@ct";
queryParameter3.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter3.Value = new DevExpress.DataAccess.Expression("?ct", typeof(int));
storedProcQuery1.Parameters.AddRange(new DevExpress.DataAccess.Sql.QueryParameter[] {
queryParameter1,
queryParameter2,
queryParameter3});
storedProcQuery1.StoredProcName = "spBCDUOC_DoanhThu";
this.sqlDataSource1.Queries.AddRange(new DevExpress.DataAccess.Sql.SqlQuery[] {
storedProcQuery1});
this.sqlDataSource1.ResultSchemaSerializable = resources.GetString("sqlDataSource1.ResultSchemaSerializable");
//
// rptBCDoanhThu
//
this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
this.Detail,
this.TopMargin,
```

```
this.BottomMargin,
    this.ReportHeader.
    this.ReportFooter
    this.GroupHeader1});
    this.ComponentStorage.AddRange(new System.ComponentModel.IComponent[] {
    this.sqlDataSource1});
this.DataMember = "spBCDUOC_DoanhThu";
    this.DataSource = this.sqlDataSource1;
    this.Landscape = true;
    this.Margins = new DevExpress.Drawing.DXMargins(25F, 21F, 22.91667F, 22.91667F);
    this.PageHeight = 827;
    this.PageWidth = 1169;
    this.PaperKind = System.Drawing.Printing.PaperKind.A4;
    this.Parameters.AddRange(new DevExpress.XtraReports.Parameters.Parameter[] {
    this.soyte,
    this.tendonvi
    this.tungay,
    this.denngay,
    this.tungaydenngay,
    this.ngavin,
    this.ct});
    this.Version = "22.2";
    ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).EndInit();
    ((System.ComponentModel.ISupportInitialize)(this.xrTable3)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable1)).EndInit();
    ((System.ComponentModel.ISupportInitialize)(this)).EndInit();
}
#endregion
private DevExpress.XtraReports.UI.DetailBand Detail;
private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
private DevExpress.XtraReports.UI.ReportHeaderBand ReportHeader;
private DevExpress.XtraReports.UI.ReportFooterBand ReportFooter;
private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader1;
private DevExpress.XtraReports.Parameters.Parameter soyte;
private DevExpress.XtraReports.Parameters.Parameter tendonvi;
private DevExpress.XtraReports.Parameters.Parameter tungay;
private DevExpress.XtraReports.Parameters.Parameter denngay;
private DevExpress.XtraReports.Parameters.Parameter tungaydenngay;
private DevExpress.XtraReports.Parameters.Parameter ngayin;
private DevExpress.XtraReports.UI.XRLabel xrLabel5;
private DevExpress.XtraReports.UI.XRLabel xrLabel4;
private DevExpress.XtraReports.UI.XRLabel xrLabel3;
private DevExpress.XtraReports.UI.XRLabel xrLabel2;
private DevExpress.XtraReports.UI.XRLabel xrLabel1;
private DevExpress.XtraReports.UI.XRLabel xrLabel8;
private DevExpress.XtraReports.UI.XRLabel xrLabel9;
private DevExpress.XtraReports.UI.XRLabel xrLabel7;
private DevExpress.XtraReports.UI.XRLabel xrLabel6;
private DevExpress.XtraReports.UI.XRTable xrTable1;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow1
private DevExpress.XtraReports.UI.XRTableCell xrTableCell1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell3;
private DevExpress.XtraReports.UI.XRTable xrTable2;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow2
private DevExpress.XtraReports.UI.XRTableCell xrTableCell11;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell12;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell13;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell14;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell15;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell16;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell17;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell18;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell19;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell20;
private DevExpress.XtraReports.UI.XRTable xrTable3;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow3
private DevExpress.XtraReports.UI.XRTableCell xrTableCell27;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell28;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell29;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell30;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell4;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell5;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell6
private DevExpress.XtraReports.UI.XRTableCell xrTableCell10;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell7;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell8;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell9;
private DevExpress.XtraReports.Parameters.Parameter ct;
private DevExpress.DataAccess.Sql.SqlDataSource sqlDataSource1;
```

}