```
namespace Meditech.App.CommonService.Reports.BaoCao
     partial class rptBangKeXuat
            /// <summarv>
           /// Required designer variable.
            /// </summary>
           private System.ComponentModel.IContainer components = null;
            /// Clean up any resources being used.
            /// </summary>
            /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
           protected override void Dispose(bool disposing)
                  if (disposing && (components != null))
                        components.Dispose();
                  base.Dispose(disposing);
           #region Designer generated code
            /// <summarv>
           /// Required method for Designer support - do not modify
            /// the contents of this method with the code editor.
           /// </summary>
           private void InitializeComponent()
                  this.components = new System.ComponentModel.Container();
                 DevExpress.DataAccess.Sql.StoredProcQuery storedProcQuery1 = new DevExpress.DataAccess.Sql.StoredProcQuery();
DevExpress.DataAccess.Sql.QueryParameter queryParameter1 = new DevExpress.DataAccess.Sql.QueryParameter();
                  DevExpress.DataAccess.Sql.QueryParameter queryParameter2 = new DevExpress.DataAccess.Sql.QueryParameter();
                  DevExpress.DataAccess.Sql.QueryParameter queryParameter3 = new DevExpress.DataAccess.Sql.QueryParameter();
                  DevExpress.DataAccess.Sql.QueryParameter queryParameter4 = new DevExpress.DataAccess.Sql.QueryParameter();
                  DevExpress.DataAccess.Sql.QueryParameter queryParameter5 = new DevExpress.DataAccess.Sql.QueryParameter();
                 DevExpress.DataAccess.Sql.QueryParameter queryParameter6 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter7 = new DevExpress.DataAccess.Sql.QueryParameter();
                  DevExpress.DataAccess.Sql.QueryParameter queryParameter8 = new DevExpress.DataAccess.Sql.QueryParameter();
                 DevExpress.DataAccess.Sql.QueryParameter queryParameter9 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter10 = new DevExpress.DataAccess.Sql.QueryParameter();
DevExpress.DataAccess.Sql.QueryParameter queryParameter11 = new DevExpress.DataAccess.Sql.QueryParameter();
                  System.ComponentModel.ComponentResourceManager resources = new System.ComponentModel.ComponentResourceManager(typeof(rptBangKeXuat));
                 DevExpress.XtraReports.UI.XRGroupSortingSummary xrGroupSortingSummary1 = new DevExpress.XtraReports.UI.XRGroupSortingSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary1 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary2 = new DevExpress.XtraReports.UI.XRSummary();
                 DevExpress.XtraReports.UI.XRSummary xrSummary3 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary4 = new DevExpress.XtraReports.UI.XRSummary();
                  DevExpress.XtraReports.UI.XRGroupSortingSummary xrGroupSortingSummary2 = new DevExpress.XtraReports.UI.XRGroupSortingSummary();
                 DevExpress.XtraReports.UI.XRSummary xrSummary5 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary6 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary7 = new DevExpress.XtraReports.UI.XRSummary();
                  DevExpress.XtraReports.UI.XRSummary xrSummary8 = new DevExpress.XtraReports.UI.XRSummary();
                 DevExpress.XtraReports.UI.XRGroupSortingSummary xrGroupSortingSummary3 = new DevExpress.XtraReports.UI.XRGroupSortingSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary9 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary10 = new DevExpress.XtraReports.UI.XRSummary();
                 DevExpress.XtraReports.UI.XRSummary xrSummary11 = new DevExpress.XtraReports.UI.XRSummary();
DevExpress.XtraReports.UI.XRSummary xrSummary12 = new DevExpress.XtraReports.UI.XRSummary();
this.Detail = new DevExpress.XtraReports.UI.DetailBand();
                  this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand();
this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
this.ReportHeader = new DevExpress.XtraReports.UI.ReportHeaderBand();
                  this.xrLabel11 = new DevExpress.XtraReports.UI.XRLabel();
                  this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel2 = new DevExpress.XtraReports.UI.XRLabel();
                  this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
                  this.xrLabel4 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel5 = new DevExpress.XtraReports.UI.XRLabel();
                  this.ReportFooter = new DevExpress.XtraReports.UI.ReportFooterBand();
                 this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
                  this.xrLabel10 = new DevExpress.XtraReports.UI.XRLabel();
                  this.xrLabel8 = new DevExpress.XtraReports.UI.XRLabel();
                  this.xrLabel9 = new DevExpress.XtraReports.UI.XRLabel();
                  this.tungay = new DevExpress.XtraReports.Parameters.Parameter();
                  this.denngay = new DevExpress.XtraReports.Parameters.Parameter();
                  this.ngayin = new DevExpress.XtraReports.Parameters.Parameter();
this.makk = new DevExpress.XtraReports.Parameters.Parameter();
                  this.donvinhan = new DevExpress.XtraReports.Parameters.Parameter();
                  this.malydoxuat = new DevExpress.XtraReports.Parameters.Parameter();
                  this.madoituong = new DevExpress.XtraReports.Parameters.Parameter();
this.maloaidichvu = new DevExpress.XtraReports.Parameters.Parameter();
                  this.mahh = new DevExpress.XtraReports.Parameters.Parameter();
this.nhom = new DevExpress.XtraReports.Parameters.Parameter();
this.soyte = new DevExpress.XtraReports.Parameters.Parameter();
                  this.tendonvi = new DevExpress.XtraReports.Parameters.Parameter();
                  this.GroupHeader1 = new DevExpress.XtraReports.UI.GroupHeaderBand();
this.xrTable1 = new DevExpress.XtraReports.UI.XRTable();
                  this.xrTableRow1 = new DevExpress.XtraReports.UI.XRTableRow()
                  this.xrTableCell1 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell2 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell3 = new DevExpress.XtraReports.UI.XRTableCell();
                  this.xrTableCell4 = new DevExpress.XtraReports.UI.XRTableCell();
                  this.xrTableCell5 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell6 = new DevExpress.XtraReports.UI.XRTableCell();
                  this.xrTableCell7 = new DevExpress.XtraReports.UI.XRTableCell();
                  this.xrTableCell10 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell8 = new DevExpress.XtraReports.UI.XRTableCell();
                  this.xrTableCell9 = new DevExpress.XtraReports.UI.XRTableCell();
                  this.xrTableCell11 = new DevExpress.XtraReports.UI.XRTableCell();
                  this.sqlDataSource1 = new DevExpress.DataAccess.Sql.SqlDataSource(this.components);
this.ct = new DevExpress.XtraReports.Parameters.Parameter();
                  this.DetailReport = new DevExpress.XtraReports.UI.DetailReportBand();
                  this.Detail1 = new DevExpress.XtraReports.UI.DetailBand();
this.xrTable2 = new DevExpress.XtraReports.UI.XRTable();
                  this.xrTableRow2 = new DevExpress.XtraReports.UI.XRTableRow();
```

```
this.xrTableCell12 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell13 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell14 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell15 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell16 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell17 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell18 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell19 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell20 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell21 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell22 = new DevExpress.XtraReports.UI.XRTableCell();
this.GroupHeader2 = new DevExpress.XtraReports.UI.GroupHeaderBand();
this.xrTable4 = new DevExpress.XtraReports.UI.XRTable();
this.xrTableRow5 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell32 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell34 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell35 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell36 = new DevExpress.XtraReports.UI.XRTableCell();
this.GroupHeader3 = new DevExpress.XtraReports.UI.GroupHeaderBand();
this.xrTable3 = new DevExpress.XtraReports.UI.XRTable();
this.xrTableRow3 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell23 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell24 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell25 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell26 = new DevExpress.XtraReports.UI.XRTableCell();
this.GroupHeader4 = new DevExpress.XtraReports.UI.GroupHeaderBand();
this.xrTable5 = new DevExpress.XtraReports.UI.XRTable();
this.xrTableRow4 = new DevExpress.XtraReports.UI.XRTableRow();
this.xrTableCell27 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell28 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell29 = new DevExpress.XtraReports.UI.XRTableCell();
this.xrTableCell30 = new DevExpress.XtraReports.UI.XRTableCell();
this.nhomdulieu = new DevExpress.XtraReports.Parameters.Parameter();
((System.ComponentModel.ISupportInitialize)(this.xrTable1)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable2)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable4)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable3)).BeginInit(); ((System.ComponentModel.ISupportInitialize)(this.xrTable5)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
//
// Detail
this.Detail.HeightF = 0F;
this.Detail.Name = "Detail";
this.Detail.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
this.Detail.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
//
// TopMargin
this.TopMargin.HeightF = 27.08333F;
this.TopMargin.Name = "TopMargin";
this.TopMargin.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
this.TopMargin.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
//
// BottomMargin
this.BottomMargin.HeightF = 28.125F;
this.BottomMargin.Name = "BottomMargin";
this.BottomMargin.Padding = new DevExpress.XtraPrinting.PaddingInfo(0, 0, 0, 0, 100F);
this.BottomMargin.TextAlignment = DevExpress.XtraPrinting.TextAlignment.TopLeft;
// ReportHeader
this.ReportHeader.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrLabel11,
this.xrLabel1,
this.xrLabel2.
this.xrLabel3.
this.xrLabel4,
this.xrLabel5});
this.ReportHeader.HeightF = 115F;
this.ReportHeader.Name = "ReportHeader";
// xrLabel11
this.xrLabel 11. Expression Bindings. Add Range (new \ Dev Express. XtraReports. UI. Expression Binding [] \ \{ (new \ Dev Express. At a Report \ Address \
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spBCDUOC_BKX].[Result1].[denngay]")});
this.xrLabel11.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel11.LocationFloat = new DevExpress.Utils.PointFloat(535.4167F, 69.00002F);
this.xrLabel11.Nultiline = true;
this.xrLabel11.Nultiline = true;
this.xrLabel11.Name = "xrLabel11";
this.xrLabel11.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel11.SizeF = new System.Drawing.SizeF(581.5834F, 23F);
this.xrLabel11.StylePriority.UseFont = false;
this.xrLabel11.StylePriority.UseTextAlignment = false;
this.xrLabel11.Text = "xrLabel3";
this.xrLabel11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft; this.xrLabel11.TextFormatString = "den ngay {0:dd/MM/yyyy}";
// xrLabel1
This.xrLabel1.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spBCDUOC_BKX].[Result1].[tensoyte]")});
    this.xrLabel1.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
    this.xrLabel1.ForeColor = System.Drawing.Color.Red;
    this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel1.SizeF = new System.Drawing.SizeF(379.1667F, 23F);
this.xrlabel1.StylePriority.UseFont = false;
this.xrlabel1.StylePriority.UseForeColor = false;
this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "xrLabel1";
this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel2
this.xrLabel2.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spBCDUOC_BKX].[Result1].[tendonvi]")});
    this.xrLabel2.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
```

```
this.xrLabel2.ForeColor = System.Drawing.Color.Blue;
this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 22.99999F);
this.xrLabel2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 22.99999F);
this.xrLabel2.Multiline = true;
this.xrLabel2.Name = "xrLabel2";
this.xrLabel2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel2.SizeF = new System.Drawing.SizeF(379.1667F, 23F);
this.xrLabel2.StylePriority.UseFont = false;
this.xrLabel2.StylePriority.UseForeColor = false;
this.xrLabel2.StylePriority.UseTextAlignment = false;
this.xrLabel2.Text = "xrLabel2";
this.xrLabel2.Text = "xrLabel2";
 this.xrLabel2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 // xrLabel3
// this.xrLabel3.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spBCDUOC_BKX].[Result1].[tungay]")});
    this.xrLabel3.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
    this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 69.00001F);
this.xrLabel3.Nultiline = true;
this.xrLabel3.Name = "xrLabel3";
this.xrLabel3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel3.SizeF = new System.Drawing.SizeF(535.4167F, 23F);
this.xrLabel3.StylePriority.UseFont = false;
 this.xrLabel3.StylePriority.UseTextAlignment = false;
this.xrLabel3.Text = "xrLabel3";
 this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
 this.xrLabel3.TextFormatString = "Từ ngày {0:dd/MM/yyyy}";
 // xrLabel4
This.xrLabel4.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {

new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[spBCDUOC_BKX].[Result1].[tenkho]")});

this.xrLabel4.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);

this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(6.357829E-05F, 92.00002F);

this.xrLabel4.Multiline = true;

this.xrLabel4.Name = "xrLabel4";
 this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel4.SizeF = new System.Drawing.SizeF(1115F, 23F);
 this.xrLabel4.StylePriority.UseFont = false;
this.xrLabel4.StylePriority.UseTextAlignment = false;
this.xrLabel4.Text = "xrLabel4";
this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 this.xrLabel4.TextFormatString = "Kho xuất: {0}";
 // xrLabel5
this.xrLabel5.Font = new DevExpress.Drawing.DXFont("Times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel5.LocationFloat = new DevExpress.Utils.PointFloat(0.0001192093F, 46F);
this.xrLabel5.Name = "xrLabel5";
this.xrLabel5.Padding = new DevExpress.Utils.PointFloat(0.0001192093F, 46F);
this.xrLabel5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel5.SizeF = new System.Drawing.SizeF(1117F, 23F);
 this.xrLabel5.StylePriority.UseFont = false;
 this.xrLabel5.StylePriority.UseTextAlignment = false;
this.xrLabel5.Text = "BÅNG KÊ XUÁT";
 this.xrLabel5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// ReportFooter
 this. ReportFooter. Controls. Add Range (new \ DevExpress. XtraReports. UI. XR Control [] \ \{ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) \ (1.5) 
 this.xrLabel6,
 this.xrLabel7,
 this.xrLabel10,
 this.xrLabel8.
 this.xrLabel9});
this.ReportFooter.HeightF = 158.7917F;
this.ReportFooter.Name = "ReportFooter";
 // xrLabel6
 this.xrLabel6.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
tnis.xrLabelo.ExpressionBindings.AddKange(new DevExpress.Xtrakeports.UI.ExpressionBinding[] {
    new DevExpress.Xtrakeports.UI.ExpressionBinding("BeforePrint", "Text", "?ngayin")});
    this.xrLabelo.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
    this.xrLabelo.LocationFloat = new DevExpress.Utils.PointFloat(828.1251F, 0F);
    this.xrLabelo.Multiline = true;
 this.xrLabel6.Name = "xrLabel6"
 this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel6.SizeF = new System.Drawing.SizeF(286.8749F, 23F);
this.xrLabel6.StylePriority.UseFont = false;
this.xrLabel6.StylePriority.UseTextAlignment = false;
this.xrLabel6.Text = "xrLabel6";
 this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
 this.xrLabel6.TextFormatString = "Ngày {0:dd} tháng {0:MM} năm {0:yyyy}";
//
// xrLabel7
this.xrLabel7.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(828.1251F, 22.99999F);
this.xrLabel7.Noame = "xrLabel7";
this.xrLabel7.Name = "xrLabel7";
this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel7.SizeF = new System.Drawing.SizeF(286.8749F, 23F);
 this.xrLabel7.StylePriority.UseFont = false;
this.xrLabel7.StylePriority.UseTextAlignment = false;
this.xrLabel7.Text = "GIÁM ĐỐC";
 this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel10
 this.xrLabel10.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9F, DevExpress.Drawing.DXFontStyle.Italic);
 this.xrLabel10.LocationFloat = new DevExpress.Utils.PointFloat(828.1251F, 46F);
 this.xrLabel10.Multiline = true;
this.xrLabel10.Name = "xrLabel10";
this.xrLabel10.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel10.SizeF = new System.Drawing.SizeF(286.8749F, 23F);
 this.xrLabel10.StylePriority.UseFont = false;
 this.xrLabel10.StylePriority.UseTextAlignment = false;
this.xrLabel10.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
 // xrLabel8
```

```
this.xrLabel8.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel8.LocationFloat = new DevExpress.Utils.PointFloat(123.9583F, 22.99999F);
this.xrLabel8.Multiline = true;
this.xrLabel8.Name = "xrLabel8";
this.xrLabel8.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel8.SizeF = new System.Drawing.SizeF(255.2083F, 23F);
this.xrLabel8.StylePriority.UseFont = false;
this.xrLabel8.StylePriority.UseTextAlignment = false;
this.xrLabel8.Text = "NGUÖI LÄP";
this.xrLabel8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel9
//
this.xrLabel9.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel9.LocationFloat = new DevExpress.Utils.PointFloat(123.9583F, 46F);
this.xrLabel9.Multiline = true;
this.xrLabel9.Name = "xrLabel9"
this.xrLabel9.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel9.SizeF = new System.Drawing.SizeF(255.2083F, 23F);
this.xrLabel9.StylePriority.UseFont = false;
this.xrLabel9.StylePriority.UseTextAlignment
this.xrLabel9.Text = "(Ký, ghi rõ họ tên)";
this.xrLabel9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// tungay
this.tungay.AllowNull = true;
this.tungay.Description = "tungay";
this.tungay.Name = "tungay";
this.tungay.Type = typeof(global::System.DateTime);
// denngay
//
this.denngay.AllowNull = true;
this.denngay.Description = "denngay";
this.denngay.Name = "denngay";
this.denngay.Type = typeof(global::System.DateTime);
// ngayin
this.ngayin.Description = "ngayin";
this.ngayin.Name = "ngayin";
//
// makk
this.makk.Description = "makk";
this.makk.Name = "makk";
//
// donvinhan
this.donvinhan.Description = "donvinhan";
this.donvinhan.Name = "donvinhan";
//
// malydoxuat
this.malydoxuat.Description = "malydoxuat";
this.malydoxuat.Name = "malydoxuat";
// madoituong
this.madoituong.Description = "madoituong";
this.madoituong.Name = "madoituong";
//
// maloaidichvu
this.maloaidichvu.Description = "maloaidichvu";
this.maloaidichvu.Name = "maloaidichvu";
//
// mahh
this.mahh.Description = "mahh";
this.mahh.Name = "mahh";
//
// nhom
this.nhom.Description = "nhom";
this.nhom.Name = "nhom";
// soyte
this.soyte.Description = "soyte";
this.soyte.Name = "soyte";
//
// tendonvi
this.tendonvi.Description = "tendonvi";
this.tendonvi.Name = "tendonvi";
//
// GroupHeader1
this.GroupHeader1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable1});
this.GroupHeader1.HeightF = 25F;
this.GroupHeader1.Name = "GroupHeader1";
// xrTable1
this.xrTable1.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable1.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable1.Name = "xrTable1";
this.xrTable1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable1.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow1});
this.xrTable1.SizeF = new System.Drawing.SizeF(1117F, 25F);
this.xrTable1.StylePriority.UseBorders = false;
this.xrTable1.StylePriority.UseTextAlignment = false;
this.xrTable1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
```

```
// xrTableRow1
this.xrTableRow1.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell1,
this.xrTableCell2,
this.xrTableCell3,
this.xrTableCell4,
this.xrTableCell5,
this.xrTableCell6,
this.xrTableCell7
this.xrTableCell10.
this.xrTableCell8,
this.xrTableCell9
this.xrTableCell11);
this.xrTableRow1.Name =
                           "xrTableRow1";
this.xrTableRow1.Weight = 1D;
//
// xrTableCell1
this.xrTableCell1.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell1.Multiline = true;
this.xrTableCell1.Name = "xrTableCell1";
this.xrTableCell1.StylePriority.UseFont = false;
this.xrTableCell1.Text = "STT";
this.xrTableCell1.Weight = 0.4375D;
// xrTableCell2
.
this.xrTableCell2.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell2.Multiline = true;
this.xrTableCell2.Name = "xrTableCell2":
this.xrTableCell2.StylePriority.UseFont = false;
this.xrTableCell2.Text = "Mã số"
this.xrTableCell2.Weight = 0.80208335876464842D;
this.xrTableCell3.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell3.Multiline = true;
this.xrTableCell3.Name = "xrTableCell3";
this.xrTableCell3.StylePriority.UseFont = false;
this.xrTableCell3.Text = "Tên thuốc, nồng độ, hàm lượng";
this.xrTableCell3.Weight = 2.5520831884812454D;
// xrTableCell4
this.xrTableCell4.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell4.Multiline = true;
this.xrTableCell4.Name = "xrTableCell4";
this.xrTableCell4.StylePriority.UseFont = false;
this.xrTableCell4.Text = "DVT";
this.xrTableCell4.Weight = 0.58333343000272508D;
// xrTableCell5
.
this.xrTableCell5.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell5.Multiline = true;
this.xrTableCell5.Name = "xrTableCell5";
this.xrTableCell5.StylePriority.UseFont = false;
this.xrTableCell5.Text = "Lô SX"
this.xrTableCell5.Weight = 0.97916685747752508D;
// xrTableCell6
.
this.xrTableCell6.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell6.Multiline = true;
this.xrTableCell6.Name = "xrTableCell6";
this.xrTableCell6.StylePriority.UseFont = false;
this.xrTableCell6.Text = "HSD";
this.xrTableCell6.Weight = 1.0937499842004359D;
// xrTableCell7
this.xrTableCell7.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell7.Multiline = true;
this.xrTableCell7.Name = "xrTableCell7";
this.xrTableCell7.StylePriority.UseFont = false;
this.xrTableCell7.Text = "Don giá";
this.xrTableCell7.Weight = 0.916666250917878D;
//
// xrTableCell10
this.xrTableCell10.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell10.Multiline = true;
this.xrTableCell10.Name = "xrTableCell10";
this.xrTableCell10.StylePriority.UseFont = false;
this.xrTableCell10.Text = "Đơn giá bán";
this.xrTableCell10.Weight = 0.91666686126940344D;
//
// xrTableCell8
//
.
this.xrTableCell8.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell8.Multiline = true;
this.xrTableCell8.Name = "xrTableCell8";
this.xrTableCell8.StylePriority.UseFont = false;
this.xrTableCell8.Text = "Số lượng"
this.xrTableCell8.Weight = 0.90708244724999809D;
//
// xrTableCell9
this.xrTableCell9.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell9.Multiline = true;
this.xrTableCell9.Name = "xrTableCell9";
this.xrTableCell9.StylePriority.UseFont = false;
this.xrTableCell9.Text = "Thành tiền"
this.xrTableCell9.Weight = 0.96000049654989339D;
// xrTableCell11
this.xrTableCell11.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTableCell11.Multiline = true;
```

```
this.xrTableCell11.Name = "xrTableCell11";
this.xrTableCell11.StylePriority.UseFont = false;
this.xrTableCell11.Text = "Thành tiền bán";
this.xrTableCell11.Weight = 1.0216676681014931D;
//
this.sqlDataSource1.ConnectionName = "SaleDatabase";
this.sqlDataSource1.Name = "sqlDataSource1";
storedProcQuery1.Name = "spBCDUOC_BKX";
queryParameter1.Name = "@tungay";
queryParameter1.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter1.Value = new DevExpress.DataAccess.Expression("?tungay", typeof(System.DateTime));
queryParameter2.Name = "@denngay";
queryParameter2.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter2.Value = new DevExpress.DataAccess.Expression("?denngay", typeof(System.DateTime));
queryParameter3.Name = "@makk";
queryParameter3.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter3.Value = new DevExpress.DataAccess.Expression("?makk", typeof(string));
queryParameter4.Name = "@mahh";
queryParameter4.Type = typeof(string);
queryParameter5.Name = "@maloaiphieu";
queryParameter5.Type = typeof(string);
queryParameter6.Name = "@madoituong";
queryParameter6.Type = typeof(string);
queryParameter7.Name = "@makknhan";
queryParameter7.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter7.Value = new DevExpress.DataAccess.Expression("?donvinhan", typeof(string));
queryParameter8.Name = "@maloaidichvu";
queryParameter8.Type = typeof(string);
queryParameter9.Name = "@manhomthuoc";
queryParameter9.Type = typeof(string);
queryParameter10.Name = "@nhomdulieu";
queryParameter10.Name = "@nhomdulleu";
queryParameter10.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter10.Value = new DevExpress.DataAccess.Expression("?nhomdulieu", typeof(string));
queryParameter11.Name = "@ct"
queryParameter11.Type = typeof(global::DevExpress.DataAccess.Expression);
queryParameter11.Value = new DevExpress.DataAccess.Expression("?ct", typeof(int));
storedProcQuery1.Parameters.AddRange(new DevExpress.DataAccess.Sql.QueryParameter[] {
queryParameter1,
queryParameter2,
queryParameter3,
queryParameter4,
queryParameter5,
quervParameter6.
queryParameter7,
queryParameter8
queryParameter9
queryParameter10
queryParameter11);
storedProcQuery1.StoredProcName = "spBCDUOC_BKX";
this.sqlDataSource1.Queries.AddRange(new DevExpress.DataAccess.Sql.SqlQuery[] {
this.sqlDataSource1.ResultSchemaSerializable = resources.GetString("sqlDataSource1.ResultSchemaSerializable");
//
// ct
//
this.ct.Description = "ct";
this.ct.Name = "ct";
this.ct.Type = typeof(int);
this.ct.ValueInfo = "2";
// DetailReport
this.DetailReport.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
this.Detail1,
this.GroupHeader2,
this.GroupHeader3
this.GroupHeader4);
this.DetailReport.DataMember = "spBCDUOC_BKX.Result2";
this.DetailReport.DataSource = this.sqlDataSource1;
this.DetailReport.Level = 0;
this.DetailReport.Name = "DetailReport";
//
// Detail1
this.Detail1.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable2});
this.Detail1.HeightF = 25F;
this.Detail1.Name = "Detail1";
//
// xrTable2
this.xrTable2.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
  DevExpress.XtraPrinting.BorderSide.Right)
  DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable2.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
this.xrTable2.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable2.Name = "xrTable2";
this.xrTable2.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable2.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow2});
this.xrTable2.SizeF = new System.Drawing.SizeF(1117F, 25F);
this.xrTable2.StylePriority.UseBorders = false;
this.xrTable2.StylePriority.UseFont = false;
this.xrTable2.StylePriority.UseTextAlignment = false;
this.xrTable2.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrTableRow2
this.xrTableRow2.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell12,
this.xrTableCell13,
this.xrTableCell14.
this.xrTableCell15,
this.xrTableCell16,
this.xrTableCell17.
this.xrTableCell18,
this.xrTableCell19,
this.xrTableCell20,
this.xrTableCell21,
```

```
this.xrTableCell22});
 this.xrTableRow2.Name = "xrTableRow2";
 this.xrTableRow2.Weight = 1D;
 // xrTableCell12
this.xrTableCell12.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[stt]")});
    this.xrTableCell12.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
this.xrTableCell12.Multiline = true;
this.xrTableCell12.Name = "xrTableCell12";
this.xrTableCell12.StylePriority.UseFont = false;
 this.xrTableCell12.Text = "STT'
 this.xrTableCell12.Weight = 0.4375D;
 // xrTableCell13
//
this.xrTableCell13.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[maview]")});
    this.xrTableCell13.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
this.xrTableCell13.Multiline = true;
this.xrTableCell13.Name = "xrTableCell13";
this.xrTableCell13.StylePriority.UseFont = false;
 this.xrTableCell13.StylePriority.UseTextAlignment = false;
this.xrTableCell13.Text = "Mā sõ";
this.xrTableCell13.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 this.xrTableCell13.Weight = 0.80208335876464842D;
 // xrTableCell14
this.xrTableCell14.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tenhh]")});
this.xrTableCell14.Name = "xrTableCell14";
this.xrTableCell14.StylePriority.UseFont = false;
 this.xrTableCell14.StylePriority.UseTextAlignment = false;
this.xrTableCell14.Text = "Tên thuốc, nồng độ, hàm lượng";
this.xrTableCell14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 this.xrTableCell14.Weight = 2.5520831884812454D;
 // xrTableCell15
//
this.xrTableCell15.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[tendonvitinh]")});
this.xrTableCell15.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
this.xrTableCell15.Multiline = true;
this.xrTableCell15.Name = "xrTableCell15";
this.xrTableCell15.StylePriority.UseFont = false;
 this.xrTableCell15.StylePriority.UseTextAlignment = false;
this.xrTableCell15.Text = "DVT";
this.xrTableCell15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 this.xrTableCell15.Weight = 0.58333343000272508D;
//
// xrTableCell16
this.xrTableCell16.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[losx]")});
    this.xrTableCell16.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
 this.xrTableCell16.Multiline = true;
this.xrTableCell16.Name = "xrTableCell16";
this.xrTableCell16.StylePriority.UseFont = false;
this.xrTableCell16.StylePriority.UseTextAlignment = false;
this.xrTableCell16.Text = "Lô SX";
this.xrTableCell16.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
 this.xrTableCell16.Weight = 0.97916685747752508D;
 //
 // xrTableCell17
this.xrTableCell17.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[handungtext]")});
    this.xrTableCell17.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
 this.xrTableCell17.Multiline = true;
this.xrTableCell17.Name = "xrTableCell17";
this.xrTableCell17.StylePriority.UseFont = false;
 this.xrTableCell17.Text = "HSD";
 this.xrTableCell17.Weight = 1.0937499842004359D;
 // xrTableCell18
//
this.xrTableCell18.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[dongia]")});
this.xrTableCell18.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
this.xrTableCell18.Multiline = true;
this.xrTableCell18.Name = "xrTableCell18";
this.xrTableCell18.StylePriority.UseFont = false;
this.xrTableCell18.StylePriority.UseFont = false;
this.xrTableCell18.StylePriority.UseTextAlignment = false;
this.xrTableCell18.Text = "Dơn giá";
this.xrTableCell18.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell18.TextAlignment = "{0:###,###,###,###,##0.#####}";
this.xrTableCell18.Weight = 0.916666250917878D;
 //
 // xrTableCell19
//
this.xrTableCell19.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[dongiaban]")});
this.xrTableCell19.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
this.xrTableCell19.Name = "xrTableCell19";
this.xrTableCell19.StylePriority.UseFont = false;
this.xrTableCell19.StylePriority.UseFextAlignment = false;
this.xrTableCell19.TextAlignment = DevExpress.XtraPrinting TextAlignment MiddlePight.
this.xrTableCell19.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell19.TextFormatString = "{0:###,###,###,##0.#####}"; this.xrTableCell19.Weight = 0.91666686126940344D;
 // xrTableCell20
 this.xr Table Cell 20. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new \ Dev Express) \} \ (new \
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[soluong]")});
this.xrTableCell20.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
```

```
this.xrTableCell20.Multiline = true;
this.xrTableCell20.Name = "xrTableCell20";
this.xrTableCell20.StylePriority.UseFont = false;
this.xrTableCell20.StylePriority.UseTextAlignment = false;
this.xrTableCell20.Text = "Số lượng";
this.xrTableCell20.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell20.TextAlignment = "{0:###,###,###,###,##0.#####}";
this.xrTableCell20.Weight = 0.90708244724999809D;
 // xrTableCell21
 this.xrTable Cell 21. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new \ Dev Express. Add \ Part \ Part
this.xrTableCell21.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionB:
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[thanhtien]"));
this.xrTableCell21.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
this.xrTableCell21.Multiline = true;
this.xrTableCell21.Mame = "xrTableCell21";
this.xrTableCell21.StylePriority.UseFont = false;
this.xrTableCell21.StylePriority.UseTextAlignment = false;
this.xrTableCell21.Text = "Thanh tien";
this.xrTableCell21.Text = "Thanh tien";
 this.xrTableCell21.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell21.TextFormatString = "{0:###,###,###,###,##0.#####}"; this.xrTableCell21.Weight = 0.96000049654989339D;
 // xrTableCell22
//
//
this.xrTableCell22.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[thanhtienban]")});
    this.xrTableCell22.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F);
    this.xrTableCell22.Multiline = true;
    this.xrTableCell22.Name = "xrTableCell22";
    this.xrTableCell22.StylePriority.UseFont = false;
    this.xrTableCell22.StylePriority.UseTextAlignment = false;
    this.xrTableCell22.Text = "Thanh tiền bán";
    this.xrTableCell22.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
    this.xrTableCell22.TextFormatString = "{0:##, ###, ###, ###, ###, ######}";
    this.xrTableCell22.Weight = 1.0216676681014931D:
 this.xrTableCell22.Weight = 1.0216676681014931D;
 //
// GroupHeader2
 this.GroupHeader2.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
 this.xrTable4}):
this.GroupHeader2.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Visible", "Iif(Contains(Lower(ToStr(?nhomdulieu)), \'/sophieugr/\'),true , false)")});
    this.GroupHeader2.GroupFields.AddRange(new DevExpress.XtraReports.UI.GroupField[] {
        new DevExpress.XtraReports.UI.GroupField("sophieugr", DevExpress.XtraReports.UI.XRColumnSortOrder.Ascending)});
new Devexpress.xtrakeports.UI.GroupField( sopnleugr , Devexpress.xtrakeports.UI.XRcolumn: this.GroupHeader2.HeightF = 25F; this.GroupHeader2.Name = "GroupHeader2"; xrGroupSortingSummary1.Enabled = true; xrGroupSortingSummary1.FieldName = "sophleugr"; xrGroupSortingSummary1.FieldName = "sophleugr"; xrGroupSortingSummary1.Function = DevExpress.XtraReports.UI.SortingSummaryFunction.DSum; this.GroupHeader2 SortingSummary = xrGroupSortingSummary1.
 this.GroupHeader2.SortingSummary = xrGroupSortingSummary1;
 // xrTable4
 //
this.xrTable4.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
      DevExpress.XtraPrinting.BorderSide.Right)
 DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable4.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable4.LocationFloat = new DevExpress.Utils.PointFloat(0.0002276103F, 0F);
 this.xrTable4.Name = "xrTable4";
this.xrTable4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
 this.xrTable4.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
 this.xrTableRowS));
this.xrTable4.SizeF = new System.Drawing.SizeF(1117F, 25F);
this.xrTable4.StylePriority.UseBorders = false;
 this.xrTable4.StylePriority.UseFont = false;
 //
 // xrTableRow5
 this.xrTableRow5.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
 this.xrTableCell32,
 this.xrTableCell34,
 this.xrTableCell35
 this.xrTableCell36});
 this.xrTableRow5.Name = "xrTableRow5";
 this.xrTableRow5.Weight = 1D;
 //
// xrTableCell32
 this.xrTableCell32.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] { new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[sophieugr]")});
 this.xrTableCell32.Multiline = true;
 this.xrTableCell32.Name = "xrTableCell32";
this.xrTableCell32.StylePriority.UseTextAlignment = false;
xrSummary1.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
 this.xrTableCell32.Summary = xrSummary1;
 this.xrTableCell32.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft; this.xrTableCell32.Weight = 8.2812481689453126D;
 // xrTableCell34
 //
this.xrTableCell34.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([soluong])")});
 this.xrTableCell34.Multiline = true;
this.xrTableCell34.Name = "xrTableCell34"
 this.xrTableCell34.Name = xrTableCell34;
his.xrTableCell34.StylePriority.UseTextAlignment = false;
xrSummary2.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell34.Summary = xrSummary2;
this.xrTableCell34.Text = "xrTableCell34";
 this.xrTableCell34.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell34.TextFormatString = "{0:###,###,###,##0.#####}"; this.xrTableCell34.Weight = 0.90708251953124963D;
 // xrTableCell35
 //
this.xrTableCell35.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([thanhtien])")});
 this.xrTableCell35.Multiline = true;
 this.xrTableCell35.Name = "xrTableCell35";
 this.xrTableCell35.StylePriority.UseTextAlignment = false;
 xrSummary3.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
```

```
this.xrTableCell35.Summary = xrSummary3;
this.xrTableCell35.Text = "xrTableCell35";
this.xrTableCell35.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell35.TextFormatString = "{0:###,###,###,##0.#####}"; this.xrTableCell35.Weight = 0.96D;
 // xrTableCell36
 ///
this.xrTableCell36.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
  new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([thanhtienban])")}););
this.xrTableCell36.Multiline = true;
this.xrTableCell36.Name = "xrTableCell36"
this.xrTableCell36.Name = xrTableCell36;
this.xrTableCell36.StylePriority.UseTextAlignment = false;
xrSummary4.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell36.Summary = xrSummary4;
this.xrTableCell36.Text = "xrTableCell36";
this.xrTableCell36.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell36.TextFormatString = "{0:###,###,###,###,##0.#####}"; this.xrTableCell36.Weight = 1.0216705322265625D;
// GroupHeader3
 this.GroupHeader3.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
 this.xrTable3});
 this.GroupHeader3.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
 new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Visible", "Iif(Contains(Lower(ToStr(?nhomdulieu)), \'/ngaygr/\'),true , false)")});
this.GroupHeader3.GroupFields.AddRange(new DevExpress.XtraReports.UI.GroupField[] {
    new DevExpress.XtraReports.UI.GroupField("ngaygr", DevExpress.XtraReports.UI.XRColumnSortOrder.Ascending)});
 this.GroupHeader3.HeightF = 25F;
this.GroupHeader3.Level = 1;
this.GroupHeader3.Name = "GroupHeader3";
xrGroupSortingSummary2.Enabled = true;
 xrGroupSortingSummary2.FieldName = "ngaygr";
this.GroupHeader3.SortingSummary = xrGroupSortingSummary2;
 // xrTable3
 this.xrTable3.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
     DevExpress.XtraPrinting.BorderSide.Right)
     DevExpress.XtraPrinting.BorderSide.Bottom)));
 this.xrTable3.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold); this.xrTable3.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable3.Name = "xrTable3";
this.xrTable3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
 this.xrTable3.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
 this.xrTableRow3});
this.xrTable3.SizeF = new System.Drawing.SizeF(1117F, 25F);
this.xrTable3.StylePriority.UseBorders = false;
 this.xrTable3.StylePriority.UseFont = false;
 // xrTableRow3
 this.xrTableRow3.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
 this.xrTableCell23,
 this.xrTableCell24,
 this.xrTableCell25
this.xrTableCell26});
this.xrTableRow3.Name = "xrTableRow3";
 this.xrTableRow3.Weight = 1D;
//
// xrTableCell23
this.xrTableCell23.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[ngaygr]")});
    this.xrTableCell23.Multiline = true;
this.xrTableCell23.Name = "xrTableCell23";
this.xrTableCell23.StylePriority.UseTextAlignment = false;
xrSummary5.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell23.Summary = xrSummary5;
this.xrTableCell23.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell23.TextFormatString = "{0:dd/MM/yyyy}";
this.xrTableCell23.Weight = 8.2812481689453126D;
 // xrTableCell24
 this.xr Table Cell 24. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new \ Dev Express) \} \ (new \
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([soluong])")});
this.xrTableCell24.Multiline = true;
this.xrTableCell24.Name = "xrTableCell24";
this.xrTableCell24.StylePriority.UseTextAlignment = false;
xrSummary6.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
xrsummaryo.kuniing = Devexpress.ktrakeports.di.summaryo.kuniing.group;
this.xrTableCell24.Summary = xrSummary6;
this.xrTableCell24.Text = "xrTableCell34";
this.xrTableCell24.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell24.TextFormatString = "{0:###,###,###,###,##0.#####}";
 this.xrTableCell24.Weight = 0.90708251953124963D;
 // xrTableCell25
this.xrTableCell25.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([thanhtien])")});
    this.xrTableCell25.Multiline = true;
    this.xrTableCell25.Name = "xrTableCell25";
this.xrTableCell25.Name = "xrTableCell25";
this.xrTableCell25.StylePriority.UseTextAlignment = false;
xrSummary7.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell25.Summary = xrSummary7;
this.xrTableCell25.Text = "xrTableCell35";
this.xrTableCell25.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
 this.xrTableCell25.TextFormatString = "{0:###,###,###,###,###,##0.#####}";
 this.xrTableCell25.Weight = 0.96D;
 //
 // xrTableCell26
this.xrTableCell26.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([thanhtienban])")));
 this.xrTableCell26.Multiline = true;
this.xrTableCell26.Name = "xrTableCell26"
 this.xrTableCell26.StylePriority.UseTextAlignment = false;
 xrSummary8.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
 this.xrTableCell26.Summary = xrSummary8;
this.xrTableCell26.Text = "xrTableCell36"
```

```
this.xrTableCell26.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell26.TextFormatString = "{0:###,###,###,###,##0.#####}";
this.xrTableCell26.Weight = 1.0216705322265625D;
//
// GroupHeader4
this.GroupHeader4.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
this.xrTable5}):
tnis.Kriaoles);
this.GroupHeader4.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Visible", "Tif(Contains(Lower(ToStr(?nhomdulieu)), \'/donvinhangr/\'),true , false)")});
this.GroupHeader4.GroupFields.AddRange(new DevExpress.XtraReports.UI.GroupField[] {
    new DevExpress.XtraReports.UI.GroupField("donvinhangr", DevExpress.XtraReports.UI.XRColumnSortOrder.Ascending)});
this.GroupHeader4.HeightF = 25F;
this.GroupHeader4.Level = 2;
this.GroupHeader4.Name = "GroupHeader4";
xrGroupSortingSummary3.Enabled = true;
xrGroupSortingSummary3.FieldName = "donvinhangr";
this.GroupHeader4.SortingSummary = xrGroupSortingSummary3;
// xrTable5
this.xrTable5.Borders = ((DevExpress.XtraPrinting.BorderSide)((((DevExpress.XtraPrinting.BorderSide.Left | DevExpress.XtraPrinting.BorderSide.Top)
    DevExpress.XtraPrinting.BorderSide.Right)
DevExpress.XtraPrinting.BorderSide.Bottom)));
this.xrTable5.Font = new DevExpress.Drawing.DXFont("Times New Roman", 9.75F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrTable5.LocationFloat = new DevExpress.Utils.PointFloat(0F, 0F);
this.xrTable5.Name = "xrTable5";
this.xrTable5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 96F);
this.xrTable5.Rows.AddRange(new DevExpress.XtraReports.UI.XRTableRow[] {
this.xrTableRow4});
this.xrTable5.SizeF = new System.Drawing.SizeF(1117F, 25F);
this.xrTable5.StylePriority.UseBorders = false;
this.xrTable5.StylePriority.UseFont = false;
// xrTableRow4
this.xrTableRow4.Cells.AddRange(new DevExpress.XtraReports.UI.XRTableCell[] {
this.xrTableCell27
this.xrTableCell28,
this.xrTableCell29
this.xrTableCell30});
this.xrTableRow4.Name = "xrTableRow4";
this.xrTableRow4.Weight = 1D;
// xrTableCell27
this.xrTableCell27.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "[donvinhangr]")});
this.xrTableCell27.Multiline = true;
this.xrTableCell27.Name = "xrTableCell27";
this.xrTableCell27.StylePriority.UseTextAlignment = false;
xrSummary9.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell27.Summary = xrSummary9;
this.xrTableCell27.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
this.xrTableCell27.Weight = 8.2812481689453126D;
// xrTableCell28
this.xrTableCell28.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([soluong])")});
this.xrTableCell28.Multiline = true;
this.xrTableCell28.Name = "xrTableCell28";
this.xrTableCell28.StylePriority.UseTextAlignment = false;
xrSummary10.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell28.Summary = xrSummary10;
this.xrTableCell28.Text = "xrTableCell34";
this.xrTableCell28.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell28.TextFormatString = "{0:###,###,###,###,##0.#####}";
this.xrTableCell28.Weight = 0.90708251953124963D;
// xrTableCell29
this.xr Table Cell 29. Expression Bindings. Add Range (new Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (1.5, 1.5) \} \ and the property of the p
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([thanhtien])")});
this.xrTableCell29.Multiline = true;
this.xrTableCell29.Name = "xrTableCell29"
this.xrTableCell29.StylePriority.UseTextAlignment = false;
xrSummary11.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell29.Summary = xrSummary11;
this.xrTableCell29.Text = "xrTableCell35";
this.xrTableCell29.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight;
this.xrTableCell29.TextFormatString = "{0:###,###,###,###,##0.#####}";
this.xrTableCell29.Weight = 0.96D;
//
// xrTableCell30
this.xrTableCell30.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] { new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "sumSum([thanhtienban])")});
this.xrTableCell30.Multiline = true;
this.xrTableCell30.Name = "xrTableCell30"
this.xrTableCell30.Name = "xrTableCell30";
this.xrTableCell30.StylePriority.UseTextAlignment = false;
xrSummary12.Running = DevExpress.XtraReports.UI.SummaryRunning.Group;
this.xrTableCell30.Summary = xrSummary12;
this.xrTableCell30.Text = "xrTableCell36";
this.xrTableCell30.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleRight; this.xrTableCell30.TextFormatString = "{0:###,###,###,###,##0.####}"; this.xrTableCell30.Weight = 1.0216705322265625D;
// nhomdulieu
this.nhomdulieu.Description = "nhomdulieu";
this.nhomdulieu.Name = "nhomdulieu";
// rptBangKeXuat
this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
this.Detail,
this.TopMargin,
this.BottomMargin,
this.ReportHeader,
this.ReportFooter,
```

```
this.GroupHeader1
     this.DetailReport});
     this.ComponentStorage.AddRange(new System.ComponentModel.IComponent[] {
     this.sqlDataSource1});
this.DataSource = this.sqlDataSource1;
this.Landscape = true;
     this.Margins = new DevExpress.Drawing.DXMargins(28F, 24F, 27.08333F, 28.125F);
     this.PageHeight = 827;
     this.PageWidth = 1169;
     this.PaperKind = System.Drawing.Printing.PaperKind.A4;
     this.ParameterPanelLayoutItems.AddRange(new DevExpress.XtraReports.Parameters.ParameterPanelLayoutItem[] {
     new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.tungay, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
     new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.denngay, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
     new DevExpress.XtraReports.Parameters.ParametersLayoutItem(this.ngayin, DevExpress.XtraReports.Parameters.Orientation.Horizontal), new DevExpress.XtraReports.Parameters.ParametersLayoutItem(this.makk, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
     new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.donvinhan, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
     new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.nhomdulieu, DevExpress.XtraReports.Parameters.Orientation.Horizontal), new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.malydoxuat, DevExpress.XtraReports.Parameters.Orientation.Horizontal), new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.madoituong, DevExpress.XtraReports.Parameters.Orientation.Horizontal)
     new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.maloaidichvu, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
     new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.mahh, DevExpress.XtraReports.Parameters.Orientation.Horizontal), new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.nhom, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
     new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.soyté, DevExpress.XtraReports.Parameters.Orientation.Horizontal),
     new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.tendonvi, DevExpress.XtraReports.Parameters.Orientation.Horizontal), new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.ct, DevExpress.XtraReports.Parameters.Orientation.Horizontal)});
     this.Parameters.AddRange(new DevExpress.XtraReports.Parameters.Parameter[] {
     this.tungay, this.denngay,
     this.ngayin,
     this.makk,
     this.donvinhan.
     this.nhomdulieu,
     this.malydoxuat
     this.madoituong
     this.maloaidichvu,
     this.mahh,
     this.nhom
     this.sovte
     this.tendonvi,
     this.ct});
     this. Version = "22.2"
     ((System.ComponentModel.ISupportInitialize)(this.xrTable1)).EndInit();
     ((System.ComponentModel.ISupportInitialize)(this.xrTable2)).EndInit();
     ((System.ComponentModel.ISupportInitialize)(this.xrTable4)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable3)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.xrTable5)).EndInit();
     ((System.ComponentModel.ISupportInitialize)(this)).EndInit();
}
#endregion
private DevExpress.XtraReports.UI.DetailBand Detail;
private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
private DevExpress.XtraReports.UI.ReportHeaderBand ReportHeader;
private DevExpress.XtraReports.UI.ReportFooterBand ReportFooter;
private DevExpress.XtraReports.Parameters.Parameter tungav
private DevExpress.XtraReports.Parameters.Parameter denngay;
private DevExpress.XtraReports.Parameters.Parameter ngayin;
private DevExpress.XtraReports.Parameters.Parameter makk:
private DevExpress.XtraReports.Parameters.Parameter donvinhan;
private DevExpress.XtraReports.Parameters.Parameter malydoxuat;
private DevExpress.XtraReports.Parameters.Parameter madoituong
private DevExpress.XtraReports.Parameters.Parameter maloaidichvu;
private DevExpress.XtraReports.Parameters.Parameter mahh;
private DevExpress.XtraReports.Parameters.Parameter nhom;
private DevExpress.XtraReports.Parameters.Parameter sovte:
private DevExpress.XtraReports.Parameters.Parameter tendonvi;
private DevExpress.XtraReports.UI.XRLabel xrLabel9;
private DevExpress.XtraReports.UI.XRLabel xrLabel8;
private DevExpress.XtraReports.UI.XRLabel xrLabel11;
private DevExpress.XtraReports.UI.XRLabel xrLabel1;
private DevExpress.XtraReports.UI.XRLabel xrLabel2;
private DevExpress.XtraReports.UI.XRLabel xrLabel3;
private DevExpress.XtraReports.UI.XRLabel xrLabel4;
private DevExpress.XtraReports.UI.XRLabel xrLabel5;
private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader1;
private DevExpress.XtraReports.UI.XRTable xrTable1;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell1;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell3;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell4;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell5;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell6;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell7;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell10;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell8;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell9
private DevExpress.XtraReports.UI.XRTableCell xrTableCell11;
private DevExpress.DataAccess.Sql.SqlDataSource sqlDataSource1;
private DevExpress.XtraReports.Parameters.Parameter ct;
private DevExpress.XtraReports.UI.XRLabel xrLabel6;
private DevExpress.XtraReports.UI.XRLabel xrLabel7;
private DevExpress.XtraReports.UI.XRLabel xrLabel10;
private DevExpress.XtraReports.UI.DetailReportBand DetailReport;
private DevExpress.XtraReports.UI.DetailBand Detail1;
private DevExpress.XtraReports.UI.XRTable xrTable2;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow2;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell12;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell13;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell14;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell15;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell16;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell17;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell18;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell19;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell20;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell21
```

private DevExpress.XtraReports.UI.XRTableCell xrTableCell22;

```
private DevExpress.XtraReports.UI.STable xrTable4;
private DevExpress.XtraReports.UI.XRTable xrTable4;
private DevExpress.XtraReports.UI.XRTable xrTable6;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell32;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell34;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell34;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell36;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell36;
private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader3;
private DevExpress.XtraReports.UI.GroupHeaderBand GroupHeader4;
private DevExpress.XtraReports.UI.XRTable xrTable3;
private DevExpress.XtraReports.UI.XRTableRow xrTableRow3;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell24;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell24;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell26;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell26;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell27;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell28;
private DevExpress.XtraReports.UI.XRTableCell xrTableCell29;
```

}