```
namespace Meditech.App.CommonService.Reports
    partial class rptPhieuChi
        /// <summary>
        /// Required designer variable.
        /// </summary>
        private System.ComponentModel.IContainer components = null;
        /// <summary>
        /// Clean up any resources being used.
        /// </summary>
        /// <param name="disposing">true if managed resources should be disposed; otherwise, false.</param>
        protected override void Dispose(bool disposing)
            if (disposing && (components != null))
                components.Dispose();
            base.Dispose(disposing);
        }
        #region Designer generated code
        /// <summary>
        /// Required method for Designer support - do not modify
        /// the contents of this method with the code editor.
        /// </summary>
        private void InitializeComponent()
        {
            this.TopMargin = new DevExpress.XtraReports.UI.TopMarginBand();
            this.BottomMargin = new DevExpress.XtraReports.UI.BottomMarginBand();
            this.Detail = new DevExpress.XtraReports.UI.DetailBand();
            this.xrLabel24 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel22 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel21 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel20 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel19 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel18 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel17 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel16 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel15 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel14 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel13 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel12 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel11 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel10 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel9 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel8 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel7 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel6 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel1 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel4 = new DevExpress.XtraReports.UI.XRLabel();
            this.xrLabel3 = new DevExpress.XtraReports.UI.XRLabel();
            this.soyte = new DevExpress.XtraReports.Parameters.Parameter();
            this.tendonvi = new DevExpress.XtraReports.Parameters.Parameter();
            this.tenphieu = new DevExpress.XtraReports.Parameters.Parameter();
            this.sophieu = new DevExpress.XtraReports.Parameters.Parameter();
            this.sohoadon = new DevExpress.XtraReports.Parameters.Parameter();
            this.ngay = new DevExpress.XtraReports.Parameters.Parameter();
            this.hoten = new DevExpress.XtraReports.Parameters.Parameter();
            this.sotien = new DevExpress.XtraReports.Parameters.Parameter();
            this.noidung = new DevExpress.XtraReports.Parameters.Parameter();
            this.bangchu = new DevExpress.XtraReports.Parameters.Parameter();
            this.diachi = new DevExpress.XtraReports.Parameters.Parameter();
            this.ngayin = new DevExpress.XtraReports.Parameters.Parameter();
            this.hinhthuctt = new DevExpress.XtraReports.Parameters.Parameter();
            this.xrLabel5 = new DevExpress.XtraReports.UI.XRLabel();
            ((System.ComponentModel.ISupportInitialize)(this)).BeginInit();
            // TopMargin
            this.TopMargin.HeightF = 25F;
            this.TopMargin.Name = "TopMargin";
            //
            // BottomMargin
            //
            this.BottomMargin.HeightF = 28.125F;
            this.BottomMargin.Name = "BottomMargin";
            // Detail
            this.Detail.Controls.AddRange(new DevExpress.XtraReports.UI.XRControl[] {
            this.xrLabel5,
            this.xrLabel24
            this.xrLabel22
            this.xrLabel21
            this.xrLabel20
            this.xrLabel19
            this.xrLabel18,
            this.xrLabel17,
            this.xrLabel16,
```

```
this.xrLabel15,
this.xrLabel14,
this.xrLabel13,
this.xrLabel12,
this.xrLabel11,
this.xrLabel10,
this.xrLabel9,
this.xrLabel8.
this.xrLabel7,
this.xrLabel6,
this.xrLabel1,
this.xrLabel4,
this.xrLabel3});
this.Detail.HeightF = 340.625F;
this.Detail.Name = "Detail";
// xrLabel24
//
this.xrLabel24.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel24.LocationFloat = new DevExpress.Utils.PointFloat(574.0833F, 22.99997F);
this.xrLabel24.Multiline = true;
this.xrLabel24.Name = "xrLabel24";
this.xrLabel24.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel24.SizeF = new System.Drawing.SizeF(68.95844F, 22.99998F);
this.xrLabel24.StylePriority.UseFont = false;
this.xrLabel24.StylePriority.UseTextAlignment = false;
this.xrLabel24.Text = "Ngày:";
this.xrLabel24.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel22
//
this.xrLabel22.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel22.LocationFloat = new DevExpress.Utils.PointFloat(574.0834F, 0F);
this.xrLabel22.Multiline = true:
this.xrLabel22.Name = "xrLabel22";
this.xrLabel22.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel22.SizeF = new System.Drawing.SizeF(68.95844F, 22.99998F);
this.xrLabel22.StylePriority.UseFont = false;
this.xrLabel22.StylePriority.UseTextAlignment = false;
this.xrLabel22.Text = "Số phiếu:";
this.xrLabel22.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel21
//
this.xrLabel21.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel21.LocationFloat = new DevExpress.Utils.PointFloat(2F, 223.9167F);
this.xrLabel21.Multiline = true;
this.xrLabel21.Name = "xrLabel21";
this.xrLabel21.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel21.SizeF = new System.Drawing.SizeF(164.375F, 22.99998F);
this.xrLabel21.StylePriority.UseFont = false;
this.xrLabel21.StylePriority.UseTextAlignment = false;
this.xrLabel21.Text = "Hình thức thanh toán:"
this.xrLabel21.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel20
11
this.xrLabel20.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?hinhthuctt")});
this.xrLabel20.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel20.LocationFloat = new DevExpress.Utils.PointFloat(178.25F, 223.9167F);
this.xrLabel20.Multiline = true;
this.xrLabel20.Name = "xrLabel20";
this.xrLabel20.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel20.SizeF = new System.Drawing.SizeF(580.7501F, 23F);
this.xrLabel20.StylePriority.UseFont = false;
this.xrLabel20.StylePriority.UseTextAlignment = false;
this.xrLabel20.Text = "xrLabel20";
this.xrLabel20.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel19
this.xrLabel19.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel19.LocationFloat = new DevExpress.Utils.PointFloat(2F, 198.9167F);
this.xrLabel19.Multiline = true;
this.xrLabel19.Name = "xrLabel19";
this.xrLabel19.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel19.SizeF = new System.Drawing.SizeF(112.7083F, 22.99998F);
this.xrLabel19.StylePriority.UseFont = false;
this.xrLabel19.StylePriority.UseTextAlignment = false;
this.xrLabel19.Text = "Nội dung:";
this.xrLabel19.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel18
//
this.xrLabel18.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel18.LocationFloat = new DevExpress.Utils.PointFloat(2F, 173.9166F);
this.xrLabel18.Multiline = true;
this.xrLabel18.Name = "xrLabel18";
this.xrLabel18.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel18.SizeF = new System.Drawing.SizeF(112.7083F, 22.99998F);
this.xrLabel18.StylePriority.UseFont = false;
this.xrLabel18.StylePriority.UseTextAlignment = false;
this.xrLabel18.Text = "Bằng chữ:";
this.xrLabel18.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
```

```
// xrLabel17
this.xrLabel17.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel17.LocationFloat = new DevExpress.Utils.PointFloat(2F, 148.9167F);
this.xrLabel17.Multiline = true;
this.xrLabel17.Name = "xrLabel17";
this.xrLabel17.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel17.SizeF = new System.Drawing.SizeF(112.7083F, 22.99998F);
this.xrLabel17.StylePriority.UseFont = false;
this.xrLabel17.StylePriority.UseTextAlignment = false;
this.xrLabel17.Text = "Số tiền:";
this.xrLabel17.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel16
//
this.xrLabel16.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel16.LocationFloat = new DevExpress.Utils.PointFloat(2F, 123.9166F);
this.xrLabel16.Multiline = true;
this.xrLabel16.Name = "xrLabel16";
this.xrLabel16.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel16.SizeF = new System.Drawing.SizeF(112.7083F, 22.99998F);
this.xrLabel16.StylePriority.UseFont = false;
this.xrLabel16.StylePriority.UseTextAlignment = false;
this.xrLabel16.Text = "Đia chỉ:";
this.xrLabel16.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
11
// xrLabel15
//
this.xrLabel15.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel15.LocationFloat = new DevExpress.Utils.PointFloat(2F, 98.91666F);
this.xrLabel15.Multiline = true;
this.xrLabel15.Name = "xrLabel15";
this.xrLabel15.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel15.SizeF = new System.Drawing.SizeF(112.7083F, 22.99998F);
this.xrLabel15.StylePriority.UseFont = false;
this.xrLabel15.StylePriority.UseTextAlignment = false;
this.xrLabel15.Text = "Khách hàng:";
this.xrLabel15.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
11
// xrLabel14
//
this.xrLabel 14. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (new \ Dev Express) \} \} and the property of 
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?bangchu")});
this.xrLabel14.Font = new DevExpress.Drawing.DXFont("times New Roman", 11);
this.xrLabel14.LocationFloat = new DevExpress.Utils.PointFloat(129.2917F, 173.9167F);
this.xrLabel14.Multiline = true;
this.xrLabel14.Name = "xrLabel14";
this.xrLabel14.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel14.SizeF = new System.Drawing.SizeF(629.7084F, 23F);
this.xrLabel14.StylePriority.UseFont = false;
this.xrLabel14.StylePriority.UseTextAlignment = false;
this.xrLabel14.Text = "xrLabel14";
this.xrLabel14.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel13
//
this.xrLabel13.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold); this.xrLabel13.LocationFloat = new DevExpress.Utils.PointFloat(546.0417F, 293.5417F);
this.xrLabel13.Multiline = true;
this.xrLabel13.Name = "xrLabel13";
this.xrLabel13.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel13.SizeF = new System.Drawing.SizeF(220.9582F, 27.0833F);
this.xrLabel13.StylePriority.UseFont = false;
this.xrLabel13.StylePriority.UseTextAlignment = false;
this.xrLabel13.Text = "Kế toán";
this.xrLabel13.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel12
//
this.xrLabel12.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel12.LocationFloat = new DevExpress.Utils.PointFloat(101.25F, 293.5417F);
this.xrLabel12.Multiline = true;
this.xrLabel12.Name = "xrLabel12";
this.xrLabel12.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel12.SizeF = new System.Drawing.SizeF(144.7917F, 27.08333F);
this.xrLabel12.StylePriority.UseFont = false;
this.xrLabel12.StylePriority.UseTextAlignment = false;
this.xrLabel12.Text = "Khách hàng";
this.xrLabel12.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
//
// xrLabel11
//
this.xrLabel11.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?ngayin")});
this.xrLabel11.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Italic);
this.xrLabel11.LocationFloat = new DevExpress.Utils.PointFloat(546.0417F, 270.5417F);
this.xrLabel11.Multiline = true;
this.xrLabel11.Name = "xrLabel11";
this.xrLabel11.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel11.SizeF = new System.Drawing.SizeF(220.9582F, 23F);
this.xrLabel11.StylePriority.UseFont = false;
this.xrLabel11.StylePriority.UseTextAlignment = false;
this.xrLabel11.Text = "xrLabel11";
this.xrLabel11.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
// xrLabel10
```

```
this.xrLabel10.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?ngay")});
    this.xrLabel10.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel10.LocationFloat = new DevExpress.Utils.PointFloat(643.0416F, 23F);
this.xrLabel10.Multiline = true;
this.xrLabel10.Name = "xrLabel10";
this.xrLabel10.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel10.SizeF = new System.Drawing.SizeF(123.9583F, 23F);
this.xrLabel10.StylePriority.UseFont = false;
this.xrLabel10.StylePriority.UseTextAlignment = false;
this.xrLabel10.Text = "xrLabel10";
this.xrLabel10.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
11
// xrLabel9
this.xr Label 9. Expression Bindings. Add Range (new \ Dev Express. X traReports. UI. Expression Binding [] \ \{ (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) 
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?noidung")});
this.xrLabel9.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel9.LocationFloat = new DevExpress.Utils.PointFloat(129.2917F, 198.9167F);
this.xrLabel9.Multiline = true;
this.xrLabel9.Name = "xrLabel9";
this.xrLabel9.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel9.SizeF = new System.Drawing.SizeF(629.7084F, 23F);
this.xrLabel9.StylePriority.UseFont = false;
this.xrLabel9.StylePriority.UseTextAlignment = false;
this.xrLabel9.Text = "xrLabel9";
this.xrLabel9.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel8
//
this.xrLabel8.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?sotien")});
this.xrLabel8.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel8.LocationFloat = new DevExpress.Utils.PointFloat(129.2917F, 148.9167F);
this.xrLabel8.Multiline = true;
this.xrLabel8.Name = "xrLabel8";
this.xrLabel8.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel8.SizeF = new System.Drawing.SizeF(423.9583F, 23F);
this.xrLabel8.StylePriority.UseFont = false;
this.xrLabel8.StylePriority.UseTextAlignment = false;
this.xrLabel8.Text = "xrLabel8";
this.xrLabel8.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
11
// xrLabel7
//
this.xrLabel7.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?diachi")}); this.xrLabel7.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel7.LocationFloat = new DevExpress.Utils.PointFloat(129.2917F, 123.9166F);
this.xrLabel7.Multiline = true;
this.xrLabel7.Name = "xrLabel7";
this.xrLabel7.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel7.SizeF = new System.Drawing.SizeF(627.7084F, 23F);
this.xrLabel7.StylePriority.UseFont = false;
this.xrLabel7.StylePriority.UseTextAlignment = false;
this.xrLabel7.Text = "xrLabel7";
this.xrLabel7.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel6
this.xrLabel6.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?hoten")});
this.xrLabel6.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel6.LocationFloat = new DevExpress.Utils.PointFloat(129.2917F, 98.91666F);
this.xrLabel6.Multiline = true;
this.xrLabel6.Name = "xrLabel6";
this.xrLabel6.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F); this.xrLabel6.SizeF = new System.Drawing.SizeF(423.9583F, 23F);
this.xrLabel6.StylePriority.UseFont = false;
this.xrLabel6.StylePriority.UseTextAlignment = false;
this.xrLabel6.Text = "xrLabel6";
this.xrLabel6.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel1
//
this.xrLabel1.ExpressionBindings.AddRange(new DevExpress.XtraReports.UI.ExpressionBinding[] {
    new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?sophieu")});
    this.xrLabel1.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F);
this.xrLabel1.LocationFloat = new DevExpress.Utils.PointFloat(643.0417F, 0F);
this.xrLabel1.Multiline = true;
this.xrLabel1.Name = "xrLabel1";
this.xrLabel1.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel1.SizeF = new System.Drawing.SizeF(123.9583F, 23F);
this.xrLabel1.StylePriority.UseFont = false;
this.xrLabel1.StylePriority.UseTextAlignment = false;
this.xrLabel1.Text = "xrLabel1";
this.xrLabel1.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
// xrLabel4
11
this.xrLabel 4. Expression Bindings. Add Range (new \ Dev Express. Xtra Reports. UI. Expression Binding [] \ \{ (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (1.5) (
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?tendonvi")});
this.xrLabel4.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel4.LocationFloat = new DevExpress.Utils.PointFloat(2F, 23F);
this.xrLabel4.Multiline = true;
```

```
this.xrLabel4.Name = "xrLabel4";
this.xrLabel4.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel4.SizeF = new System.Drawing.SizeF(259.375F, 23F);
this.xrLabel4.StylePriority.UseFont = false;
this.xrLabel4.StylePriority.UseTextAlignment = false;
this.xrLabel4.Text = "xrLabel4";
this.xrLabel4.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// xrLabel3
//
new DevExpress.XtraReports.UI.ExpressionBinding("BeforePrint", "Text", "?soyte")});
this.xrLabel3.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel3.LocationFloat = new DevExpress.Utils.PointFloat(2F, 0F);
this.xrLabel3.Multiline = true;
this.xrLabel3.Name = "xrLabel3";
this.xrLabel3.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel3.SizeF = new System.Drawing.SizeF(259.375F, 23F);
this.xrLabel3.StylePriority.UseFont = false;
this.xrLabel3.StylePriority.UseTextAlignment = false;
this.xrLabel3.Text = "xrLabel3";
this.xrLabel3.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleLeft;
//
// soyte
//
this.soyte.Description = "soyte";
this.soyte.Name = "soyte";
//
// tendonvi
//
this.tendonvi.Description = "tendonvi";
this.tendonvi.Name = "tendonvi";
//
// tenphieu
//
this.tenphieu.Description = "tenphieu";
this.tenphieu.Name = "tenphieu";
//
// sophieu
//
this.sophieu.Description = "sophieu";
this.sophieu.Name = "sophieu";
// sohoadon
//
this.sohoadon.Description = "sohoadon";
this.sohoadon.Name = "sohoadon";
// ngay
//
this.ngay.Description = "ngay";
this.ngay.Name = "ngay";
// hoten
this.hoten.Description = "hoten";
this.hoten.Name = "hoten";
//
// sotien
//
this.sotien.Description = "sotien";
this.sotien.Name = "sotien";
// noidung
//
this.noidung.Description = "noidung";
this.noidung.Name = "noidung";
//
// bangchu
this.bangchu.Description = "bangchu";
this.bangchu.Name = "bangchu";
//
// diachi
this.diachi.Description = "diachi";
this.diachi.Name = "diachi";
//
// ngayin
this.ngayin.Description = "ngayin";
this.ngayin.Name = "ngayin";
//
// hinhthuctt
this.hinhthuctt.Description = "hinhthuctt";
this.hinhthuctt.Name = "hinhthuctt";
this.xrLabel5.Font = new DevExpress.Drawing.DXFont("times New Roman", 11F, DevExpress.Drawing.DXFontStyle.Bold);
this.xrLabel5.LocationFloat = new DevExpress.Utils.PointFloat(192.4166F, 56.87501F);
this.xrLabel5.Multiline = true;
this.xrLabel5.Name = "xrLabel5":
this.xrLabel5.Padding = new DevExpress.XtraPrinting.PaddingInfo(2, 2, 0, 0, 100F);
this.xrLabel5.SizeF = new System.Drawing.SizeF(360.8334F, 22.99998F);
```

```
this.xrLabel5.StylePriority.UseFont = false;
      this.xrLabel5.StylePriority.UseTextAlignment = false;
      this.xrLabel5.Text = "PHIEU CHI";
      this.xrLabel5.TextAlignment = DevExpress.XtraPrinting.TextAlignment.MiddleCenter;
      //
      // rptPhieuChi
      this.Bands.AddRange(new DevExpress.XtraReports.UI.Band[] {
      this.TopMargin,
      this.BottomMargin,
      this.Detail});
      this.Font = new DevExpress.Drawing.DXFont("Arial", 9.75F);
      this.Landscape = true;
      this.Margins = new DevExpress.Drawing.DXMargins(30F, 30F, 25F, 28.125F);
      this.PageHeight = 583;
      this.PageWidth = 827;
      this.PaperKind = System.Drawing.Printing.PaperKind.A5;
      this. Parameter Panel Layout Items. Add Range (new DevExpress. Xtra Reports. Parameters. Parameter Panel Layout Item [] \ \{ parameter Panel Layout Item \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Xtra Reports. Parameter Panel Layout Item) \} \ Add Range (new DevExpress. Ytem) \} \ A
      new DevExpress.XtraReports.Parameters.ParameterLayoutItem(this.soyte, DevExpress.XtraReports.Parameters.Orientation.Horizontal)});
      this.Parameters.AddRange(new DevExpress.XtraReports.Parameters.Parameter[] {
      this.soyte,
      this.tendonvi,
      this.tenphieu,
      this.sophieu.
      this.sohoadon,
      this.ngay,
      this.hoten,
      this.sotien,
      this.noidung.
      this.bangchu,
      this.diachi,
      this.ngavin.
      this.hinhthuctt});
this.Version = "22.2";
      ((System.ComponentModel.ISupportInitialize)(this)).EndInit();
#endregion
private DevExpress.XtraReports.UI.TopMarginBand TopMargin;
private DevExpress.XtraReports.UI.BottomMarginBand BottomMargin;
private DevExpress.XtraReports.UI.DetailBand Detail;
private DevExpress.XtraReports.Parameters.Parameter soyte;
private DevExpress.XtraReports.UI.XRLabel xrLabel4;
private DevExpress.XtraReports.UI.XRLabel xrLabel3;
private DevExpress.XtraReports.Parameters.Parameter tendonvi;
private DevExpress.XtraReports.Parameters.Parameter tenphieu;
private DevExpress.XtraReports.Parameters.Parameter sophieu;
private DevExpress.XtraReports.Parameters.Parameter sohoadon;
private DevExpress.XtraReports.Parameters.Parameter ngay;
private DevExpress.XtraReports.Parameters.Parameter hoten;
private DevExpress.XtraReports.Parameters.Parameter sotien;
private DevExpress.XtraReports.Parameters.Parameter noidung;
private DevExpress.XtraReports.Parameters.Parameter bangchu;
private DevExpress.XtraReports.Parameters.Parameter diachi;
private DevExpress.XtraReports.UI.XRLabel xrLabel11;
private DevExpress.XtraReports.UI.XRLabel xrLabel10;
private DevExpress.XtraReports.UI.XRLabel xrLabel9;
private DevExpress.XtraReports.UI.XRLabel xrLabel8;
private DevExpress.XtraReports.UI.XRLabel xrLabel7;
private DevExpress.XtraReports.UI.XRLabel xrLabel6;
private DevExpress.XtraReports.UI.XRLabel xrLabel1;
private DevExpress.XtraReports.Parameters.Parameter ngayin;
private DevExpress.XtraReports.UI.XRLabel xrLabel13;
private DevExpress.XtraReports.UI.XRLabel xrLabel12;
private DevExpress.XtraReports.UI.XRLabel xrLabel14;
private DevExpress.XtraReports.UI.XRLabel xrLabel19;
private DevExpress.XtraReports.UI.XRLabel xrLabel18;
private DevExpress.XtraReports.UI.XRLabel xrLabel17;
private DevExpress.XtraReports.UI.XRLabel xrLabel16;
private DevExpress.XtraReports.UI.XRLabel xrLabel15;
private DevExpress.XtraReports.UI.XRLabel xrLabel21;
private DevExpress.XtraReports.UI.XRLabel xrLabel20;
private DevExpress.XtraReports.Parameters.Parameter hinhthuctt;
private DevExpress.XtraReports.UI.XRLabel xrLabel24;
private DevExpress.XtraReports.UI.XRLabel xrLabel22;
private DevExpress.XtraReports.UI.XRLabel xrLabel5;
```

}