

Part 2: Quantitative data analysis

Quantitative Session of the 2026 HUSOE ELPS Methods and Data Institute

Nathan Alexander, PhD

Table of contents

0.0.1	The Big Picture	1
0.1	Discussion: What types of statistical tests will you be using in your dissertation? . .	3
0.2	Case Study: HBCUs and Educational Geography	3
0.2.1	Step 1: Load Packages	4
0.2.2	Step 2: Load the data	4
0.2.3	Step 3: Clean the data	5
0.2.4	Step 4: Basic Exploration	5
0.2.5	Step 5: Historical Analysis	6
0.2.6	Step 6: Geographic Distribution	7
0.2.7	Step 7: Mapping	8
0.3	Case Study: Data on State School Districts	9
0.3.1	Step 1: Load the libraries	9
0.3.2	Step 2: Load the data	9
0.3.3	Step 3: Clean the data	12
0.3.4	Step 4: Feature engineering	13
0.4	Recommended readings	15

0.0.1 The Big Picture

Prior to jumping into more details about data analysis, and how we might be more critical in our analyses, it will be important to gather a “big picture” view of the field. This big picture view will provide us with a high-level description of the various topics we will cover in the course.

0.0.1.1 Population parameter

A number which summarizes the entire group.

0.0.1.2 Sample statistic

A single number that summarizes a subset of data, or the sample.

0.0.1.3 Confidence interval (CI)

- Range of likely or plausible values for a population parameter.
 - Based on a sample and statistics from that sample.
 - *Margin of error* represents the number of standard deviations on a statistic.
-

0.0.1.4 Hypothesis testing

Statistical procedure used to test an existing claim about a population.

- Test is based on data; most ideally data collected via probability sampling.
 - H_0 - Null hypothesis: If data supports the claim, fail to reject H_0
 - H_a - Alternative hypothesis: If data does not support claim, reject H_0
-

0.0.1.5 Analysis of variance (ANOVA)

Comparing means of more than two populations.

F-statistic is a ratio that is used to compare variability between sets.

0.0.1.5.1 Multiple comparison procedures

Set of statistical tests that compare means to each other.

- Examples include Turkey's test, Least significant difference (LSD), pairwise t-test
 - These tests are only conducted if you analysis of variance identifies differences
-

0.0.1.6 Interaction effects

Interaction effects are relevant to statistical models that use two or more variables.

0.0.1.7 Correlation

Measures the strength and direction of a linear relationship between two variables.

0.0.1.8 Linear regression

Helps make predictions for one variable based on the values of another.

There are multiple types of regression:

- Simple linear regression
 - Multiple linear regression
 - Logistic regression
 - Non-linear regression
-

0.0.1.9 Chi-square test

When using correlation and regression analyses, one core assumption is that the variables are quantitative in nature.

We use a chi-square test to study categorical variables.

0.1 Discussion: What types of statistical tests will you be using in your dissertation?

0.2 Case Study: HBCUs and Educational Geography

In this section, we analyze data on Historically Black Colleges and Universities (HBCUs) to explore patterns in location, institutional type, and founding history.

0.2.1 Step 1: Load Packages

```
#install.packages("tidyverse")
#install.packages("lubridate")
library(tidyverse)
library(lubridate)
```

We'll start with a guided example using data on Historically Black Colleges and Universities.

0.2.2 Step 2: Load the data

```
library(tidyverse)
hbcu <- read_csv("https://raw.githubusercontent.com/quant-shop/intro-comp-educ-soc/refs/heads/main/data/hbcu.csv")

# View the first few rows
head(hbcu)
```

```
# A tibble: 6 x 7
  name                city      state founded   lat   lon type
  <chr>              <chr>    <chr>   <dbl> <dbl> <dbl> <chr>
1 Alabama A&M University Normal    AL      1875  34.8 -86.6 Public, 4 Year
2 Alabama State University Montgomery AL      1867  32.4 -86.3 Public, 4 Year
3 Albany State University Albany     GA      1903  31.6 -84.2 Public, 4 Year
4 Alcorn State University Lorman     MS      1871  31.9 -91.1 Public, 4 Year
5 Allen University      Columbia  SC      1870  34.0 -81.0 Private, 4 Year
6 American Baptist College Nashville TN       1924  36.2 -86.8 Private, 4 Year
```

```
# Check structure
glimpse(hbcu)
```

Rows: 102

Columns: 7

```
$ name      <chr> "Alabama A&M University", "Alabama State University", "Albany ~
$ city      <chr> "Normal", "Montgomery", "Albany", "Lorman", "Columbia", "Nashv~
$ state     <chr> "AL", "AL", "GA", "MS", "SC", "TN", "AR", "SC", "NC", "FL", "A~
$ founded   <dbl> 1875, 1867, 1903, 1871, 1870, 1924, 1884, 1870, 1873, 1904, 19~
$ lat       <dbl> 34.7834, 32.3643, 31.5785, 31.8769, 34.0298, 36.1659, 34.7465,~
$ lon       <dbl> -86.5683, -86.2952, -84.1543, -91.1458, -81.0115, -86.7844, -9~
$ type      <chr> "Public, 4 Year", "Public, 4 Year", "Public, 4 Year", "Public,~
```

```
# Summary statistics
summary(hbcu)
```

name	city	state	founded
Length:102	Length:102	Length:102	Min. :1837
Class :character	Class :character	Class :character	1st Qu.:1870
Mode :character	Mode :character	Mode :character	Median :1886
			Mean :1895
			3rd Qu.:1905
			Max. :1988

lat	lon	type
Min. :18.34	Min. :-98.50	Length:102
1st Qu.:32.48	1st Qu.: -90.13	Class :character
Median :34.02	Median :-84.64	Mode :character
Mean :34.31	Mean :-85.13	
3rd Qu.:36.17	3rd Qu.: -80.78	
Max. :39.93	Max. :-64.96	

0.2.3 Step 3: Clean the data

```
hbcu <- hbcu %>%
  mutate(
    founded = as.numeric(founded),
    type = as.factor(type),
    state = as.factor(state)
  )
```

0.2.4 Step 4: Basic Exploration

How many institutions are in the data set?

```
nrow(hbcu)
```

```
[1] 102
```

What is the distribution by HBCU type?


```
hbcu %>%
  count(type) %>%
  arrange(desc(n))
```

```
# A tibble: 5 x 2
  type                n
  <fct>              <int>
1 Private, 4 Year    45
2 Public, 4 Year     40
3 Public, 2 Year     11
4 Private, Specialized 4
5 Private, 2 Year     2
```

0.2.5 Step 5: Historical Analysis

When were the HBCUs founded?

```
hbcu %>%
  ggplot(aes(x = founded)) +
  geom_histogram(binwidth = 10, fill = "steelblue", color = "white") +
  labs(
    title = "Founding Years of HBCUs",
    x = "Year Founded",
    y = "Number of Institutions"
  )
```



0.2.6 Step 6: Geographic Distribution


HBCUs by state

```
hbcu %>%  
  count(state, sort = TRUE)
```

```
# A tibble: 21 x 2  
  state      n  
  <fct> <int>  
1 AL      14  
2 GA      10  
3 NC      10  
4 TX       9  
5 SC       8  
6 MS       7  
7 LA       6  
8 TN       6  
9 AR       4  
10 FL       4  
# i 11 more rows
```

Basic visualization of HBCUs by state

```
hbcu %>%  
  count(state) %>%  
  ggplot(aes(x = reorder(state, n), y = n)) +  
  geom_col(fill = "darkgreen") +  
  coord_flip() +  
  labs(  
    title = "Number of HBCUs by State",  
    x = "State",  
    y = "Count"  
  )
```




0.2.7 Step 7: Mapping

```
#install.packages("maps", repos = "http://cran.us.r-project.org")  
library(maps)
```

```
hbcu %>%  
  ggplot(aes(x = lon, y = lat)) +  
  borders("state") +  
  geom_point(color = "red", alpha = 0.6) +  
  coord_fixed(1.3) +  
  labs(  
    title = "Geographic Distribution of HBCUs in the U.S.",  
    x = "Longitude",  
    y = "Latitude"  
  )
```


Geographic Distribution of HBCUs in the U.S.



0.3 Case Study: Data on State School Districts

0.3.1 Step 1: Load the libraries

```
library(dplyr)
library(readr)
library(stringr)
library(janitor)
```

0.3.2 Step 2: Load the data

```
district <- read_csv(
  "https://raw.githubusercontent.com/quant-shop/intro-comp-educ-soc/refs/heads/main/data/state-district-data.csv"
  show_col_types = FALSE
)

# district <- read_csv("../data/state-district-data.csv")

str(district)
```

```
spc_tbl_ [57 x 36] (S3: spec_tbl_df/tbl_df/tbl/data.frame)
 $ State Name
```

```
: chr [1:57] "ALABAMA" "
```

\$ State Abbr	: chr [1:57]	"AL" "AK" "A
\$ ANSI/FIPS State Code [State] Latest available year	: chr [1:57]	"01" "02" "
\$ Total Number Operational School Districts [District] 2023-24	: num [1:57]	156 54 1 68
\$ Total Number Operational Schools [Public School] 2023-24	: num [1:57]	1524 494 29
\$ Total Number Operational Charter Schools [Public School] 2023-24	: chr [1:57]	"18" "31" "
\$ Prekindergarten Students [State] 2023-24	: chr [1:57]	"21924" "33
" "20810" ...		
\$ Kindergarten Students [State] 2023-24	: chr [1:57]	"55881" "92
" "72320" ...		
\$ Grades 1-8 Students [State] 2023-24	: chr [1:57]	"447317" "7
" "654843" ...		
\$ Grades 9-12 Students [State] 2023-24	: chr [1:57]	"223528" "3
" "369124" ...		
\$ Grade 13 Students [State] 2023-24	: chr [1:57]	"†" "†" "†
\$ Ungraded Students [State] 2023-24	: chr [1:57]	"†" "†" "†
\$ American Indian/Alaska Native Students [State] 2023-24	: chr [1:57]	"5997" "282
" "46878" ...		
\$ Asian or Asian/Pacific Islander Students [State] 2023-24	: chr [1:57]	"11016" "64
" "35975" ...		
\$ Hispanic Students [State] 2023-24	: chr [1:57]	"84196" "10
" "539087" ...		
\$ Black or African American Students [State] 2023-24	: chr [1:57]	"236304" "2
" "64938" ...		
\$ White Students [State] 2023-24	: chr [1:57]	"381550" "6
" "378320" ...		
\$ Nat. Hawaiian or Other Pacific Isl. Students [State] 2023-24	: chr [1:57]	"831" "4148
" "4017" ...		
\$ Two or More Races Students [State] 2023-24	: chr [1:57]	"28756" "17
" "48415" ...		
\$ Total Enrollment (Exclude AE) for SY 2014-15 onward [State] 2023-24	: chr [1:57]	"748650" "1
" "1117630" ...		
\$ Full-Time Equivalent (FTE) Teachers [State] 2023-24	: chr [1:57]	"42857.92" "
" "49260.47" ...		
\$ Pupil/Teacher Ratio [State] 2023-24	: chr [1:57]	"17.47" "18
" "22.69" ...		
\$ State Name [State] 2023-24	: chr [1:57]	"ALABAMA" "A
\$ Total Number of Districts with Enrollment [District] 2023-24	: num [1:57]	150 54 0 66
\$ Total Number of School Districts [District] 2023-24	: num [1:57]	159 54 1 72
\$ Total Number of Public Schools [Public School] 2023-24	: num [1:57]	1527 498 29
\$ Male Students [State] 2023-24	: chr [1:57]	"384500" "6
\$ Female Students [State] 2023-24	: chr [1:57]	"364150" "6
\$ Black or African American - male [State] 2023-24	: chr [1:57]	"120605" "1
" "33191" ...		
\$ Black or African American - female [State] 2023-24	: chr [1:57]	"115699" "1
" "31747" ...		
\$ White - male [State] 2023-24	: chr [1:57]	"197384" "3
" "194292" ...		
\$ White - female [State] 2023-24	: chr [1:57]	"184166" "2

```

" "184028" ...
$ Grade 12 Students - Black or African American [State] 2023-24      : chr [1:57] "15413" "24
" "5876" ...
$ Secondary Teachers [State] 2023-24                                : chr [1:57] "20188.71"
" "15996.72" ...
$ Elementary Teachers [State] 2023-24                                : chr [1:57] "18395.46"
" "30478.09" ...
$ Full-Time Equivalent (FTE) Staff [State] 2023-24                  : chr [1:57] "79963.90"
" "109199.43" ...
- attr(*, "spec")=
.. cols(
..   `State Name` = col_character(),
..   `State Abbr` = col_character(),
..   `ANSI/FIPS State Code [State] Latest available year` = col_character(),
..   `Total Number Operational School Districts [District] 2023-24` = col_double(),
..   `Total Number Operational Schools [Public School] 2023-24` = col_double(),
..   `Total Number Operational Charter Schools [Public School] 2023-24` = col_character(),
..   `Prekindergarten Students [State] 2023-24` = col_character(),
..   `Kindergarten Students [State] 2023-24` = col_character(),
..   `Grades 1-8 Students [State] 2023-24` = col_character(),
..   `Grades 9-12 Students [State] 2023-24` = col_character(),
..   `Grade 13 Students [State] 2023-24` = col_character(),
..   `Ungraded Students [State] 2023-24` = col_character(),
..   `American Indian/Alaska Native Students [State] 2023-24` = col_character(),
..   `Asian or Asian/Pacific Islander Students [State] 2023-24` = col_character(),
..   `Hispanic Students [State] 2023-24` = col_character(),
..   `Black or African American Students [State] 2023-24` = col_character(),
..   `White Students [State] 2023-24` = col_character(),
..   `Nat. Hawaiian or Other Pacific Isl. Students [State] 2023-24` = col_character(),
..   `Two or More Races Students [State] 2023-24` = col_character(),
..   `Total Enrollment (Exclude AE) for SY 2014-15 onward [State] 2023-24` = col_character(),
..   `Full-Time Equivalent (FTE) Teachers [State] 2023-24` = col_character(),
..   `Pupil/Teacher Ratio [State] 2023-24` = col_character(),
..   `State Name [State] 2023-24` = col_character(),
..   `Total Number of Districts with Enrollment [District] 2023-24` = col_double(),
..   `Total Number of School Districts [District] 2023-24` = col_double(),
..   `Total Number of Public Schools [Public School] 2023-24` = col_double(),
..   `Male Students [State] 2023-24` = col_character(),
..   `Female Students [State] 2023-24` = col_character(),
..   `Black or African American - male [State] 2023-24` = col_character(),
..   `Black or African American - female [State] 2023-24` = col_character(),
..   `White - male [State] 2023-24` = col_character(),
..   `White - female [State] 2023-24` = col_character(),
..   `Grade 12 Students - Black or African American [State] 2023-24` = col_character(),
..   `Secondary Teachers [State] 2023-24` = col_character(),
..   `Elementary Teachers [State] 2023-24` = col_character(),
..   `Full-Time Equivalent (FTE) Staff [State] 2023-24` = col_character()
.. )

```

```
- attr(*, "problems")=<externalptr>
```

0.3.3 Step 3: Clean the data

```
district_clean <- district %>%

# Make long variable names easier to use
clean_names() %>%

# Trim whitespace in all text fields
mutate(across(where(is.character), str_trim)) %>%

# Convert measure columns stored as character text to numeric.
# Keep state identifiers as character variables.
mutate(
  across(
    where(is.character) &
    !all_of(c(
      "state_name",
      "state_abbr",
      "state_name_state_2023_24"
    )),
    ~ parse_number(.x, na = c("", "NA", "-", "†"))
  )
) %>%

# Keep one state-name variable rather than two identical versions
select(-state_name_state_2023_24)

glimpse(district_clean)
```

Rows: 57

Columns: 35

\$ state_name	<chr> "ALABA~
\$ state_abbr	<chr> "AL", ~
\$ ansi_fips_state_code_state_latest_available_year	<dbl> 1, 2, ~
\$ total_number_operational_school_districts_district_2023_24	<dbl> 156, 5~
\$ total_number_operational_schools_public_school_2023_24	<dbl> 1524, ~
\$ total_number_operational_charter_schools_public_school_2023_24	<dbl> 18, 31~
\$ prekindergarten_students_state_2023_24	<dbl> 21924,~
\$ kindergarten_students_state_2023_24	<dbl> 55881,~
\$ grades_1_8_students_state_2023_24	<dbl> 447317~
\$ grades_9_12_students_state_2023_24	<dbl> 223528~
\$ grade_13_students_state_2023_24	<dbl> NA, NA~
\$ ungraded_students_state_2023_24	<dbl> NA, NA~

```

$ american_indian_alaska_native_students_state_2023_24 <dbl> 5997, ~
$ asian_or_asian_pacific_islander_students_state_2023_24 <dbl> 11016,~
$ hispanic_students_state_2023_24 <dbl> 84196,~
$ black_or_african_american_students_state_2023_24 <dbl> 236304~
$ white_students_state_2023_24 <dbl> 381550~
$ nat_hawaiian_or_other_pacific_isl_students_state_2023_24 <dbl> 831, 4~
$ two_or_more_races_students_state_2023_24 <dbl> 28756,~
$ total_enrollment_exclude_ae_for_sy_2014_15_onward_state_2023_24 <dbl> 748650~
$ full_time_equivalent_fte_teachers_state_2023_24 <dbl> 42857.~
$ pupil_teacher_ratio_state_2023_24 <dbl> 17.47,~
$ total_number_of_districts_with_enrollment_district_2023_24 <dbl> 150, 5~
$ total_number_of_school_districts_district_2023_24 <dbl> 159, 5~
$ total_number_of_public_schools_public_school_2023_24 <dbl> 1527, ~
$ male_students_state_2023_24 <dbl> 384500~
$ female_students_state_2023_24 <dbl> 364150~
$ black_or_african_american_male_state_2023_24 <dbl> 120605~
$ black_or_african_american_female_state_2023_24 <dbl> 115699~
$ white_male_state_2023_24 <dbl> 197384~
$ white_female_state_2023_24 <dbl> 184166~
$ grade_12_students_black_or_african_american_state_2023_24 <dbl> 15413,~
$ secondary_teachers_state_2023_24 <dbl> 20188.~
$ elementary_teachers_state_2023_24 <dbl> 18395.~
$ full_time_equivalent_fte_staff_state_2023_24 <dbl> 79963.~

```

0.3.4 Step 4: Feature engineering

We can create variables that answer educational questions.

```
str(district_clean)
```

```

tibble [57 x 35] (S3: tbl_df/tbl/data.frame)
 $ state_name           : chr [1:57] "ALABAMA" "ALASKA" "ALABAMA" "ALASKA"
 $ state_abbr           : chr [1:57] "AL" "AK" "AS" "AK"
 $ ansi_fips_state_code_state_latest_available_year : num [1:57] 1 2 60 4 5 59 6
 $ total_number_operational_school_districts_district_2023_24 : num [1:57] 156 54 1 685 30
 $ total_number_operational_schools_public_school_2023_24 : num [1:57] 1524 494 29 242
 $ total_number_operational_charter_schools_public_school_2023_24 : num [1:57] 18 31 NA 571 10
 $ prekindergarten_students_state_2023_24 : num [1:57] 21924 3320 NA 20
 $ kindergarten_students_state_2023_24 : num [1:57] 55881 9257 NA 7
 $ grades_1_8_students_state_2023_24 : num [1:57] 447317 78890 NA
 $ grades_9_12_students_state_2023_24 : num [1:57] 223528 39776 NA
 $ grade_13_students_state_2023_24 : num [1:57] NA NA NA NA NA
 $ ungraded_students_state_2023_24 : num [1:57] NA NA NA 533 17
 $ american_indian_alaska_native_students_state_2023_24 : num [1:57] 5997 28284 NA 4
 $ asian_or_asian_pacific_islander_students_state_2023_24 : num [1:57] 11016 6458 NA 3
 $ hispanic_students_state_2023_24 : num [1:57] 84196 10076 NA 1

```

```

$ black_or_african_american_students_state_2023_24      : num [1:57] 236304 2955 NA 6
$ white_students_state_2023_24                          : num [1:57] 381550 61502 NA
$ nat_hawaiian_or_other_pacific_isl_students_state_2023_24 : num [1:57] 831 4148 NA 401
$ two_or_more_races_students_state_2023_24             : num [1:57] 28756 17820 NA 4
$ total_enrollment_exclude_ae_for_sy_2014_15_onward_state_2023_24 : num [1:57] 748650 131243 NA
$ full_time_equivalent_fte_teachers_state_2023_24      : num [1:57] 42858 7221 NA 4
$ pupil_teacher_ratio_state_2023_24                    : num [1:57] 17.5 18.2 NA 22
$ total_number_of_districts_with_enrollment_district_2023_24 : num [1:57] 150 54 0 664 26
$ total_number_of_school_districts_district_2023_24    : num [1:57] 159 54 1 722 30
$ total_number_of_public_schools_public_school_2023_24  : num [1:57] 1527 498 29 255
$ male_students_state_2023_24                          : num [1:57] 384500 67646 NA
$ female_students_state_2023_24                        : num [1:57] 364150 63597 NA
$ black_or_african_american_male_state_2023_24         : num [1:57] 120605 1488 NA 3
$ black_or_african_american_female_state_2023_24       : num [1:57] 115699 1467 NA 3
$ white_male_state_2023_24                             : num [1:57] 197384 31786 NA
$ white_female_state_2023_24                           : num [1:57] 184166 29716 NA
$ grade_12_students_black_or_african_american_state_2023_24 : num [1:57] 15413 241 NA 58
$ secondary_teachers_state_2023_24                     : num [1:57] 20189 3673 NA 1
$ elementary_teachers_state_2023_24                     : num [1:57] 18395 2985 NA 3
$ full_time_equivalent_fte_staff_state_2023_24         : num [1:57] 79964 16423 NA
..- attr(*, "problems")= tibble [1 x 4] (S3: tbl_df/tbl/data.frame)
.. ..$ row      : int 51
.. ..$ col      : int NA
.. ..$ expected: chr "a number"
.. ..$ actual   : chr "‡"

```

```

district_features <- district_clean %>%
  mutate(
    enrollment_per_operational_district =
      if_else(
        total_number_operational_school_districts_district_2023_24 > 0,
        total_enrollment_exclude_ae_for_sy_2014_15_onward_state_2023_24 /
          total_number_operational_school_districts_district_2023_24,
        NA_real_
      ),

    schools_per_operational_district =
      if_else(
        total_number_operational_school_districts_district_2023_24 > 0,
        total_number_operational_schools_public_school_2023_24 /
          total_number_operational_school_districts_district_2023_24,
        NA_real_
      ),

    charter_school_share =
      if_else(
        total_number_operational_schools_public_school_2023_24 > 0,

```

```

        total_number_operational_charter_schools_public_school_2023_24 /
        total_number_operational_schools_public_school_2023_24,
        NA_real_
    ),

    elementary_teacher_share =
    if_else(
        full_time_equivalent_fte_teachers_state_2023_24 > 0,
        elementary_teachers_state_2023_24 /
        full_time_equivalent_fte_teachers_state_2023_24,
        NA_real_
    )
)

district_features %>%
  select(
    state_name,
    total_enrollment_exclude_ae_for_sy_2014_15_onward_state_2023_24,
    pupil_teacher_ratio_state_2023_24,
    enrollment_per_operational_district,
    schools_per_operational_district,
    charter_school_share,
    elementary_teacher_share
  ) %>%
  glimpse()

```

Rows: 57

Columns: 7

```

$ state_name <chr> "ALABA~
$ total_enrollment_exclude_ae_for_sy_2014_15_onward_state_2023_24 <dbl> 748650~
$ pupil_teacher_ratio_state_2023_24 <dbl> 17.47,~
$ enrollment_per_operational_district <dbl> 4799.0~
$ schools_per_operational_district <dbl> 9.7692~
$ charter_school_share <dbl> 0.0118~
$ elementary_teacher_share <dbl> 0.4292~

```

What kinds of questions might you answer with this data set?

0.4 Recommended readings

Knaflig, C. N. (2015). *Storytelling with data: A data visualization guide for business professionals*. Wiley.