CALYPSO

CALYPSO HELP - ACCESS PERMISSIONS

VERSION 12.0 April 2011 - First Edition

ACCESS PERMISSIONS

This page describes access permission requirements by application. Each application may require access permission functions as well as access to individual data.

- Functions are specified in the Group Access panel under Access > Functions.
- Access to individual data is specified in the Group Access panel under Access > data type. For certain data types, additional settings are required in the Book Access panel, and Product Access panel.
- For details on enabling and setting access permissions, refer to the Calypso Security User Guide.

[NOTE: Access permission functions are defined in the function domain, and restrictions are defined in the restriction domain]

Contents

- Accounting
- Admin Application
- Main Entry
- Market Conformity
- Market Data
- Messages & Matching
- Processing
- Products
- Reference Data
- Reporting & Risk
- Scheduled Tasks
- Settlements
- System
- Trading
- Trade Lifecycle
- User Access Control
- Utilities
- Workflow

1.1 ACCOUNTING

Main Entry > Configuration > Accounting	
Applications	Functions
Accounts	AddModifyAccountExternalName
	Permission to add and modify account names in the Account External Name Window.
	AddModifyAccountStatement
	Permission to add and modify account statements in the Statements panel.
	CreateAccount
© 2010-2011	Calypso Confidential - Copyright © Calypso Technology, Inc. All Rights Reserved

Calypso is a registered trademark of Calypso Technology, Inc. The Calypso logo is a trademark of Calypso Technology, Inc. All other trademarks and servicemarks are the property of their respective holders.

Applications Functions

Permission to create accounts, provided one of the following functions is also granted:

- CreateAccountCLOSING
- CreateAccountLINK
- CreateAccountNORMAL
- CreateAccountSETTLE
- CreateAccountSTOCK
- CreateCallAccount

CreateAccountCLOSING, CreateAccountLINK, CreateAccountNORMAL, CreateAccountSETTLE, CreateAccountSTOCK

Permission to create accounts of specified type (CLOSING, LINK, NORMAL, SETTLE, or STOCK) provided the CreateAccount function is also granted.

CreateAccountSETTLE does not allow creating call accounts, you need to have the function CreateCallAccount.

ModifyAccount

Permission to modify accounts provided one of the following functions is also granted:

- ModifyAccountCLOSING
- ModifyAccountLINK
- ModifyAccountNORMAL
- ModifyAccountSETTLE
- ModifyAccountSTOCK
- ModifyCallAccount

ModifyAccountCLOSING, ModifyAccountLINK, ModifyAccountNORMAL, ModifyAccountSETTLE, ModifyAccountSTOCK

Permission to modify accounts of specified type (CLOSING, LINK, NORMAL, SETTLE, or STOCK) provided the ModifyAccount function is also granted.

ModifyAccountSETTLE does not allow modifying call accounts, you need to have the function ModifyCallAccount.

ModifyALLProcessingOrgStaticData

Permission to modify accounts associated with the ALL processing org.

Without this permission, a user who has the function

ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.

ModifyOnlyProcessingOrgStaticData

Restriction to only modify the accounts associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.

[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]

ProcessAccountInterest

Permission to compute account interest on-the-fly, Process Interest button in the Interest panel.

Applications Functions RemoveAccount Permission to remove accounts, provided one of the following functions is also granted: - RemoveAccountCLOSING - RemoveAccountLINK - RemoveAccountNORMAL - RemoveAccountSETTLE - RemoveAccountSTOCK RemoveAccountCLOSING, RemoveAccountLINK, RemoveAccountNORMAL, RemoveAccountSETTLE, RemoveAccountSTOCK Permission to remove accounts of specified type (CLOSING, LINK, NORMAL, SETTLE, or STOCK) provided the RemoveAccount function is also granted. RemoveAccountSETTLE does not allow removing call accounts - Call Accounts cannot be removed. RemoveAccountStatement Permission to remove account statements from the Statements panel. ViewOnlyProcessingOrgStaticData Restriction to only view the accounts associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel. [NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added] CALL ACCOUNTS **CreateCallAccount** Permission to create call accounts provided the CreateAccount function is also granted. ModifyCallAccount Permission to modify call accounts provided the ModifyAccount function is also granted. ModifyAccountNotEditableFields Permission to modify non editable fields entered in the domain "AccountProductTemplateNotEditable" when using call account product templates. SuspendAccount Allows the user to manually change the account status to Suspended (without ActiveTo date). Do not use this access perm unless you need to temporarily suspend an account. CloseAccount Allows the user to manually change the account status from Suspended to Closed. PerformAccountClosure Allows the user to run the Account Closure process.

Applications	Functions
	UndoAccountClosure
	Allows the user to undo the account closure.
	UpdateAccountDormantDates
	Allows the user to modify the dormant date.
	CloseAccount and PerformAccountClosure functions must be combined with the appropriate Product Access permissions: Trade, product = CallAccount, Status =
	None, and Action = Modify.
Accounting Interests	AddModifyAccountInterest
	Permission to create and modify account interests.
	RemoveAccountInterest
	Permission to remove account interests.
	AddModifyIndividualAccountInterestRanges
	Permission to modify quick entry configurations.
Accounting Books	CreateAccountingBook
	Permission to create accounting books.
	RemoveAccountingBook
	Permission to remove accounting books.
Accounting Events	CreateAccountingEvent
	Permission to create accounting events.
	RemoveAccountingEvent
	Permission to remove accounting events.
Accounting Rules	CreateAccountingRule
	Permission to create accounting rules.
	ModifyAccountingRule
	Permission to modify accounting rules.
	ModifyALLProcessingOrgStaticData
	Permission to modify the accounting rules associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the accounting rules associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	RemoveAccountingRule
	Permission to remove accounting rules.
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the accounting rules associated with the processing
	, , , , , , , , , , , , , , , , , , , ,

Applications	Functions
	orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Mapping	AddModifyAccountMapping
	Permission to create and modify account mapping configurations.
	RemoveAccountMapping
	Permission to remove account mapping configurations.
Account Sweeping	AddModifyAccountSweeping
	Permission to create and modify account sweeping configurations.
	RemoveAccountSweeping
	Permission to remove account sweeping configurations.

1.2 ADMIN APPLICATION

Applications Functions

Admin

Access permissions for Admin are twofold:

- The user must be granted the functions described below as applicable.
- The user must be granted read-write access to the Admin application under Access > Application Name as applicable.

Example — To clear caches, you need the functions RunAdminMonitor, AdmClearCache, and read-write access to the Admin application.

AdmArchiveCompletedTask

Controls Admin > Clean-up > Archive All Completed Tasks.

Permission to archive completed tasks.

AdmChangeDSLogOptions

Controls Admin > Apps panel.

Permission to change log options.

AdmCheckKickoff

Controls Admin > Consistency > Check Kickoff.

Permission to check kickoff tasks.

AdmCheckTradeOpenQty

Controls Admin > Consistency > Check Trade Open Quantity.

Permission to check the trade open quantity.

AdmClearCache

Controls Admin > all functions that clear the caches.

Permission to clear caches.

AdmDeleteLoginAttempts

Controls Admin > Admin > Login Attempts.

Permission to delete login attempts.

AdmDSListActiveDataServer

Controls Admin > Data Server > List Active Data Servers.

Permission to list the active Data Servers.

AdmDSShowConnectedClient

Controls Admin > Data Server > Show Connected Clients.

Permission to display the list of connected clients.

AdmDSShowTaskStatistics

Controls Admin > Data Server > Task Stats.

Permission to display tasks statistics.

AdmPurgeConsumedEvent

Controls Admin > Clean-up > Purge Consumed Events.

Permission to purge consumed events.

AdmPurgeDBConnection

Controls Admin > Clean-up > Purge DB Connections.

Permission to purge database connections.

Applications Functions

AdmPurgeLiquidatedPosition

Controls Admin > Clean-up > Purge Liquidated Positions.

Permission to purge liquidated positions.

AdmPurgeLogFiles

Controls Admin > Admin > Publish Purge Log Files.

Permission to purge log files.

AdmPurgeLoginAttempts

Controls Admin > Admin > Login Attempts.

Permission to purge login attempts.

AdmPurgeUnConsumedEvent

Controls Admin > Clean-up > Purge Unconsumed Events.

Permission to purge unconsumed events.

AdmReleaseConnection

Controls Admin > SQL Statements panel, Release Connection button.

Permission to stop database connections.

AdmSaveEngineThread

Controls Admin > Engine Thread panel.

Permission to modify engine parameters.

AdmShowDSOptions

Controls Admin > Data Server > Display Options.

Permission to show Data Server options.

AdmShowProfiler

Controls Admin > Admin > Profiler.

Permission to run the profiler.

AdmShowSQLMonitoring

Controls Admin > Admin > Show SQL Monitoring.

Permission to monitor the SQL queries.

AdmStartStopEngines

Controls Admin > Apps panel, Engines popup menu.

Permission to Start Engine, Stop Engine, Suspend, Restart and Resume.

AdmSubscribeUnSubEvent

Controls Admin > Events panel, Subscribe and UnSubscribe buttons.

Permission to subscribe and unsubscribe to events for monitoring.

AdmUnCacheBook_Filter

Controls Admin > Cache panel, UnCache button.

Permission to remove a trade filter from the cache.

AdmUpdateDSOptions | |

Controls Admin > Data Server > Display Options.

Permission to update Data Server options.

Applications	Functions
	AdmUpdateTrace
	Controls Admin > Apps panel, Update Trace button.
	Permission to update the trace.
	AuthorizeDisconnectClients
	Controls Admin > Monitoring panel, Stop menu item from the popup Application Menu.
	Permission to stop client applications.
	RunAdminMonitor
	Permission to run Admin.
	ViewUnconsumedEvent
	Controls Admin > Clean-up > View Unconsumed Events.
	Permission to display the View Unconsumed Events menu so that you can
	open the Unconsumed Events window in read-only mode.
Admin > Clean-up > Clean- up Database	AdmArchivingArchive
up Database	Permission to archive data.
	AdmArchivingRestore
	Permission to restore archived data.
	AdmArchivingDeletePermanently
	Permission to delete data.
	AdmArchivingDeleteFromArchive
	Permission to delete archived data.
	AdmCleanupDatabase
	Permission to run "Clean-up Database".
	AdmPurgeProductTemplates
	Permission to delete product templates. Note that you also need read-write access to individual product templates.
Admin > Execute SQL panel	Access permissions for using SQL query templates are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual SQL query templates under Access > SQL Query Templates as applicable.
	Example — To execute the SQL query template called MySelectSQLTmpl, you need the functions AdmExecuteQuery, AllowExecuteSQLSelect, and you need read-only or read-write access to MySelectSQLTmpl. (Note that you also need permission to run Admin).
	AdmExecuteQuery
	Controls the Execute button.
	Permission to execute SQL queries for non-admin users, provided one of the following functions is also granted:
	- AllowExecuteSQLDelete
	- AllowExecuteSQLInsert
	- AllowExecuteSQLSelect
	- AllowExecuteSQLSelect
	Admin users do not need that function, it is implicitly granted.

Applications	Functions
	Restriction to not specify queries.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	AllowExecuteSQLDelete, AllowExecuteSQLInsert, AllowExecuteSQLSelect
	Controls the Execute button.
	Permission to execute specified types of SQL queries (DELETE, INSERT or SELECT).
	Applies to non-admin users provided the AdmExecuteQuery function is also granted, and to Admin users.

1.3 MAIN ENTRY

Applications	Functions
Main Entry	In order to run Main Entry, the user must be granted the Connect function, and must be granted read-write access to the Main Entry application under Access > Application Name.
	Connect
	Permission to run Main Entry.
Help > About	ViewDataServerInfo
	Permission to view Data Server information.

1.4 MARKET CONFORMITY

Refer to the Calypso Market Conformity Installation and User Guide for information on bringing up the Market Conformity window.

Applications	Functions
Market Conformity	ViewMarketConformity
	Permission to bring up the Market Conformity window from the Task Station or MC report.
	ViewMarketConformityDetail
	Permission to display Market Conformity values in the MC Window, but not modifying – provided ViewMarketConformity is also set.
	ModifyMarketConformityDetail
	Permission to save Market Conformity entry details from the MC Window – provided ViewMarketConformity and ViewMarketConformityDetail are also set.
	ViewMarketConformityConfigDetail
	Allows the Market Conformity tolerances window to be displayed.
	ModifyMarketConformityConfigDetail
	Allows the Market Conformity tolerances window to amend any values on the window (ViewMarketConformityConfigDetail should be enabled to allow this permission to function).

1.5 MARKET DATA

1.5.1 MARKET DATA WINDOWS

Main Entry > Market Data

Applications All market data windows (curves, volatility surfaces, correlation and covariance data)

Functions

Access permissions for market data are multifold:

- If the market data does not belong to a pricer configuration, the user must be granted the functions described below as applicable, and the user must be granted read-only or read-write access to individual market data types under Access > Market Data Types as applicable, or to market data groups under Access > Market Data Groups. Market data groups are created in the Groups panel by clicking on the button **Market Data Groups**.
- If the market data belongs to a pricer configuration, the user must be granted read-only or read-write access to the pricer configurations that contain the market data under Access > Pricer Config.
 - If the market data belongs to a read-only pricer configuration, it cannot be modified or removed, regardless of other access permissions.
 - If the market data belongs to a read-write pricer configuration, it can be
 modified or removed provided the user is granted the functions
 described below. It will be modified or removed regardless of individual
 market data type access (i.e. even if the market data type access is
 read-only).

Note that the pricer configuration control can be removed by setting the environment property DISABLE_MDI_PC_PERMISSION_INHERITANCE to true.

Examples — To create an OPEN CurveZero, you need the functions CreateCurve and CreateMarketDataOPEN, and you need read-write access to the CurveZero curve type.

To modify an OPEN CurveZero that belongs to a pricer configuration, you need read-write access to the pricer configuration, and you need the functions ModifyCurve and ModifyMarketDataOPEN.

To use a CurveZero in a pricing environment, you need read-only or read-write access to the CurveZero curve type, and read-only or read-write access to all the components of the pricing environment.

CreateCurve

Permission to create curves, provided one of the following functions is also granted:

- CreateMarketDataCLOSE
- CreateMarketDataLAST
- CreateMarketDataOPEN

CreateMarketData

Same as CreateCurve for volatility surfaces, and correlation and covariance data.

CreateMarketDataCLOSE, CreateMarketDataLAST, CreateMarketDataOPEN

Permission to create specified instances of curves (CLOSE, LAST, or OPEN) provided the CreateMarketData function is also granted.

Disallow Save Quotes From Curve Window

Restriction to disable the Save Quotes button in the Quotes panel of the Curve windows.

[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]

Applications	Functions
	ModifyCurve
	Permission to modify curves, provided one of the following functions is also granted:
	- ModifyMarketDataCLOSE
	- ModifyMarketDataLAST
	- ModifyMarketDataOPEN
	ModifyMarketData
	Same as ModifyCurve for volatility surfaces, and correlation and covariance data.
	ModifyMarketDataCLOSE, ModifyMarketDataLAST, ModifyMarketDataOPEN
	Permission to modify specified instances of curves (CLOSE, LAST, or OPEN) provided the ModifyMarketData function is also granted.
	RemoveCurve
	Permission to remove curves, provided one of the following functions is also granted:
	- RemoveMarketDataCLOSE
	- RemoveMarketDataLAST
	- RemoveMarketDataOPEN
	RemoveMarketData
	Same as RemoveCurve for volatility surfaces, and correlation and covarianc data.
	RemoveMarketDataCLOSE, RemoveMarketDataLAST, RemoveMarketDataOPEN
	Permission to remove specified instances of curves (CLOSE, LAST, or OPEN provided the RemoveMarketData function is also granted.
	ModifyMktDataQuotes
	Permission to create and modify quotes in the Quotes panel, provided one of the following functions is also granted:
	- ModifyMktDataQuotesClose
	- ModifyMktDataQuotesLast
	- ModifyMktDataQuotesOpen
	ModifyMktDataQuotesClose, ModifyMktDataQuotesLast, ModifyMktDataQuotesOpen
	Permission to create and modify specified instances of quotes (CLOSE, LAST, or OPEN) in the Quotes panel provided the ModifyMktDataQuotes function is also granted.
	RemoveMktDataQuotes
	Permission to remove quotes from the Quotes panel.
	ViewQuoteTab
	Permission to view the Quotes panel in the Zero Curve and Basis Curve
	windows.
Credit Curves > Credit Ratings	CreateLECreditRating

Applications	Functions
	Permission to create credit ratings.
	ModifyLECreditRating
	Permission to modify credit ratings.
	RemoveLECreditRating
	Permission to remove credit ratings.
	AuthorizeCreditRating
	Permission to authorize credit rating modifications for a legal entity.
Market Quotes > DTS Monitor	ViewDTSMapper
	Permission to open the DTS Monitor.
	AllowDTSMapperAmendments
	Permission to make trade amendments in the DTS Monitor.
	Note that you can add the trade workflow rule ClearDTSErrors to the workflow on a transition to be executed when a trade is amended. The DTS record is retrieved, and all messages are marked as fixed.
Market Quotes > Feed Quotes	
	Permission to open the Feed Quots window.
	PublishFeedQuotes
	Permission to publish quotes.
Market Quotes > Quotes	ModifyMktDataQuotes
	Permission to create and modify quotes, provided one of the following functions is also granted:
	- ModifyMktDataQuotesClose
	- ModifyMktDataQuotesLast
	- ModifyMktDataQuotesOpen
	ModifyMktDataQuotesClose, ModifyMktDataQuotesLast, ModifyMktDataQuotesOpen
	Permission to create and modify specified instances of quotes (CLOSE, LAST, or OPEN) provided the ModifyMktDataQuotes function is also granted.
	RemoveMktDataQuotes
	Permission to remove quotes.
Market Quotes > Security Quotes	ModifyMktDataQuotes
Quotes	Permission to create and modify quotes, provided one of the following
	functions is also granted:
	- ModifyMktDataQuotesClose- ModifyMktDataQuotesLast
	- ModifyMktDataQuotesOpen
	ModifyMktDataQuotesClose, ModifyMktDataQuotesLast,
	ModifyMktDataQuotesOpen
	Permission to create and modify specified instances of quotes (CLOSE, LAST, or OPEN) provided the ModifyMktDataQuotes function is also granted.
	Note that ModifyMktDataQuotesLast also applies to BID and ASK quotes.
	RemoveMktDataQuotes
	Permission to remove quotes.

1.5.2 MARKET DATA CONFIGURATION

Main Entry > Configuration > Market Data

Applications	Functions
Feed Configuration	ModifyFeedConfig
	Permission to create, modify and delete feed configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Feed Configuration".
Feed Address Mapping	Access permissions for feed address mapping configurations are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual feed address mapping configurations under Access > Feed Config as applicable.
	Examples — To modify the feed address mapping configuration called ReutersRFA, you need the function ModifyFeedAddress, and you need read-write access to ReutersRFA. To view ReutersRFA in the Feed Address Window, you need read-only or read-write access to ReutersRFA.
	CreateFeedAddress
	Permission to create a feed address mapping configuration.
	ModifyFeedAddress
	Permission to modify a feed address mapping configuration.
	RemoveFeedAddress
	Permission to remove a feed address mapping configuration.
Curve Underlyings	CreateCurveUnderlying
	Permission to create curve underlying instruments.
	ModifyCurveUnderlying
	Permission to modify curve underlying instruments.
	RemoveCurveUnderlying
	Permission to remove curve underlying instruments.
Market Data Server	Access permissions for market data server configurations (host name and port number) are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual market data server configurations under Access > MktData Server Config as applicable.
	CreateMktDataServerConfig
	Permission to create new market data server configurations.
	ModifyMktDataServerConfig
	Permission to modify market data server configurations.
	MktDataServerAllowForceGenerate
	Permission to allow force generating market data items on the market data server. In the trade worksheet in the Market Data panel, click the down arrow, and choose "Force generate".
	MktDataServerAllowMultiSelection

Applications	Functions
	Permission to allow selecting multiple market data server configurations. In the trade worksheet in the Market Data panel, click the down arrow, and choose "Select Market Data Server" to subscribe to a Market Data Server configuration in the list.
	RemoveMktDataServerConfig
	Permission to delete market data server configurations.
Volatility Surface	CreateVolSurfaceUnderlying
Underlyings	Permission to create volatility surface underlying instruments.
	ModifyVolSurfaceUnderlying
	Permission to modify volatility surface underlying instruments.
	RemoveVolSurfaceUnderlying
	Permission to remove volatility surface underlying instruments.
Correlation Surface	CreateCorrSurfaceUnderlying
Underlyings	Permission to create correlation surface underlying instruments.
	ModifyCorrSurfaceUnderlying
	Permission to modify correlation surface underlying instruments.
	RemoveCorrSurfaceUnderlying
	Permission to remove correlation surface underlying instruments.

1.5.3 PRICING ENVIRONMENT

Main Entry > Market Data > Pricing Environment

Applications	Functions
Pricing Environment	Access permissions for pricing environments are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual pricing environments under Access > Pricing Env.
	CreateMarketDataConfig
	Permission to create pricing environments.
	ModifyMarketDataConfig
	Permission to modify pricing environments.
	RemoveMarketDataConfig
	Permission to remove pricing environments.
Pricer Configuration	Access permissions for pricer configurations are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual pricer configurations under Access > Pricer Config.
	CreateMarketDataConfig
	Permission to create pricer configurations.
	ModifyMarketDataConfig
	Permission to modify pricer configurations.
	RemoveMarketDataConfig

Applications	Functions
	Permission to remove pricer configurations.
Quote Set	Access permissions for quote sets are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual quote sets under Access > Quote Set as applicable.
	Examples — To create OPEN quotes in a quote set called MyQuoteSet, you need the functions ModifyMktDataQuotes and ModifyMktDataQuotesOpen, and you need read-write access to MyQuoteSet. To use MyQuoteSet in a pricing environment, you need read-only or read-write access to MyQuoteSet.
	ModifyMktDataQuotes
	Permission to create and modify quotes, provided one of the following functions is also granted:
	- ModifyMktDataQuotesClose
	- ModifyMktDataQuotesLast
	- ModifyMktDataQuotesOpen
	ModifyMktDataQuotesClose, ModifyMktDataQuotesLast,
	ModifyMktDataQuotesOpen
	Permission to create and modify specified instances of quotes (CLOSE, LAST, or OPEN) provided the ModifyMktDataQuotes function is also granted.
	RemoveMktDataQuotes
	Permission to remove quotes.
Pricing Parameter Set	Access permissions for pricing parameter sets are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual pricing parameter sets under Access > Pricing_Parameter.
	CreateMarketDataConfig
	Permission to create pricing parameter sets.
	ModifyMarketDataConfig
	Permission to modify pricing parameter sets.
	RemoveMarketDataConfig
	Permission to remove pricing parameter sets.

1.6 MESSAGES & MATCHING

Main Entry > Configuration > Messages & Matching

Applications	Functions
Master Confirmations	CreateMasterConfirmation
	Permission to create a master confirmation.
	ModifyMasterConfirmation
	Permission to modify a master confirmation.
	RemoveMasterConfirmation
	Permission to remove a master confirmation.
	ModifyALLProcessingOrgStaticData
	Permission to modify master confirmations associated with the ALL

Applications	Functions
	processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the master confirmations associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the master confirmations associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Message Configuration Set-	CreateLEMessageConfig
up	Permission to create message configurations.
	ModifyLEMessageConfig
	Permission to modify message configurations.
	RemoveLEMessageConfig
	Permission to remove message configurations.
	ModifyALLProcessingOrgStaticData
	Permission to modify the message configurations associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the message configurations associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the message configurations associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
MIME Types	ModifyMimeTypes
	Permission to modify MIME types for message documents generation and export.

Applications	Functions
Incoming Status	ModifyIncomingStatusConfig
Configuration	Permission to modify incoming status configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Incoming Status Configuration".
Incoming Message	ModifyIncomingMessageConfig
Configuration	Permission to modify incoming message configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Incoming Message Configuration".
Message Sender	ModifyMessageSenderConfig
Configuration	Permission to modify create, message and delete sender configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Message Sender Configuration".
Message Grouping	ModifyConfigData
	Permission to modify message grouping configurations.
Message Group	ModifyLegalData
	Permission to modify message groups.
	RemoveLegalData
	Permission to remove message groups.
Message Rule	ModifyLegalData
	Permission to modify message rules.
	RemoveLegalData
	Permission to remove message rules.
	ModifyALLProcessingOrgStaticData
	Permission to modify message rules associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the message rules associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the message rules associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It

Applications	Functions
	has to be specifically added]

1.7 PROCESSING

Main Entry > Processing

Applications

Task Station

Functions

In general, in order to apply any action, the products must specify what workflow actions the user is allowed to perform using the Product Access panel.

In the Product Access panel, you can also specify what task handling the user is allowed to do: process, complete, pass over, etc.

AllowSplitWithoutSDI

Permission to perform a split even if the SDIs are not set.

AssignCtpyOnXfer

Controls the counterparty when applying the ASSIGN action.

Permission to change the counterparty.

AssignCptyOnXferApplyAll

Controls the button "Apply to All" when applying the ASSIGN action. Permissions to Apply to All.

AuthorizeConfirmMessage

Permission to authorize a message confirmation.

This is used in the context of a custom implementation of the 4-eye principle in the message workflow.

AuthorizeSeeConnectedClients

Controls Utilities > Show Connected Users.

Permission to view connected users. The menu item "Show Connected Users" will not appear if the function is not granted.

AuthorizeTrade

Permission to manually authorize trade workflow transitions. Trade workflow manual authorization is described under the Help menu of the Workflow Configuration.

Execute<netting_type>Netting

An Execute<netting_type>Netting access permission is created for each netting type in the nettingType domain. For example,

ExecuteCounterPartyNetting. Netting types are defined under Main Entry > Configuration > Settlements > Netting Configuration.

Permission to execute netted transfers by netting type.

[NOTE: If the user is not granted any of the Execute<netting_type>Netting function then the user has permission to execute all types of netted transfers]

FreeTaskEvenNotOwner

Permission to free a task "in process" even though the user is not the owner of the task.

ModifyAdviceDocument

Controls Inspect > Documents.

Permission to enable the Edit button. Note that the Edit action must also be

Applications Functions

configured in the workflow. Refer to the *Calypso Workflow User Guide* for details.

ModifyConfigData

Controls Configure > Task Access Config and Configure > User Config.

Permission to modify task access configurations provided the RunConfigWindow function is also granted.

Permission to configure defaults for the Task Station provided the RunConfigWindow function is also granted.

ModifyTSConfigureColumn

Controls Utilities > Configure Columns.

Permission to configure the columns of the Task Station's panels.

RestoreTaskFromTaskStation

Controls Utilities > Restore Task.

Permission to restore an archived task.

RetryPosting

Controls the RETRY action, and the SUSPENSE_POSTINGS scheduled task. Permission to retry a posting.

It is only enabled if the environment property $\mbox{\sc ACCENGINE_INVALID_LOGIC}$ is true.

RunConfigWindow

Controls Configure > Task Access Config and Configure > User Config.

Permission to run "Task Access Configuration" and permission to run "Task Station Defaults".

[NOTE: To modify data in these windows, you also need the function ModifyConfigData]

TS_CFG_LOAD_TRADES

Controls the function in the Task Station > Configure menu. Permission to Load Trades.

TS CFG LOAD TRANSFERS

Controls the function in the Task Station > Configure menu. Permission to Load Transfers.

TS_CFG_LOAD_MESSAGES

Controls the function in the Task Station > Configure menu. Permission to Load Messages.

TS_CFG_AUTO_PROCESS

Controls the function in the Task Station > Configure menu. Permission to Auto Process.

TS_CFG_AUTO_FREE

Controls the function in the Task Station > Configure menu. Permission to Auto Free.

TS_CFG_RT_UPDATE

Controls the function in the Task Station > Configure menu.

Applications	Cunctions
Applications	Functions Permission to Real Time Update.
	TS_CFG_OPEN_BO_TRADES
	Controls the function in the Task Station > Configure menu.
	Permission to Open BO with Trade.
	TS_CFG_COLUMNS
	Controls the function in the Task Station > Utilities menu.
	Permission to Configure Columns.
	TS_CFG_SORT
	Controls the function in the Task Station > Utilities menu. Permission to Configure Sort.
	TS_CHANGE_DATE_TYPE
	Controls the Date Type filed in the Task Station. Permission to change the date type.
	TS_DECREASE_TASK_PRIORITY
	Controls Priority > Decrease Priority.
	Permission to decrease the priority of a task.
	TS_INCREASE_TASK_PRIORITY
	Controls Priority > Increase Priority.
	Permission to increase the priority of a task.
	TS_FIX_TASK_PRIORITY
	Controls Priority > Fix Priority.
	Permission to set the priority of a task.
	TS_INCREASE_DATE_RANGE
	Controls the From and To dates in the Task Station.
	Permission to increase the range.
	ViewOnlyGroupTaskStation
	Controls Configure > Set User.
	Restriction to view only the tasks of users in the same group, provided you have the permission ViewOtherTaskStation.
	ViewOtherTaskStation
	Controls Configure > Set User.
	Permission to view the tasks of another user.
	ViewPendingProcessing
	Controls Utilities > all pending processing functions.
	Permission to view events that are pending processing. The menu items will not appear if the function is not granted.
	NETTING MANAGER
	NettingManagerApply
	Permission to apply a change to a netted transfer, Apply button.
	NettingManagerApplyToTrade

Applications	Functions
	Permission to apply a change to a netted transfer for a given trade, Apply to Trade button.
	DoNotAllowBeneficiaryChange
	Provided you have permission NettingManagerApplyToTrade or DoNotAllowBeneficiaryChange, you can change a netted transfer but you cannot change the beneficiary.
	This is a restriction.
	DoNotAllowNettingGroupChange
	Provided you have permission NettingManagerApplyToTrade or DoNotAllowBeneficiaryChange, you can change a netted transfer but you cannot change the netting group.
	This is a restriction.
	DoNotAllowNettingMethodChange
	Provided you have permission NettingManagerApplyToTrade or DoNotAllowBeneficiaryChange, you can change a netted transfer but you cannot change the netting method.
	This is a restriction.
	DoNotAllowSDIChange
	Provided you have permission NettingManagerApplyToTrade or DoNotAllowBeneficiaryChange, you can change a netted transfer but you cannot change the SDIs.
Process Trades	This is a restriction.
Process Trades	OperationsProcessing
	Permission to process trades provided the RunProcessTrades function is also granted.
	This permission allows performing operations in all panels.
	OperationsProcessingProcessTrade
	Permission to process trades provided the RunProcessTrades function is also granted.
	This permission only allows performing operations in the Process Trade panel.
	OperationsProcessingRegenerateEvent
	Permission to process trades provided the RunProcessTrades function is also granted.
	This permission only allows performing operations in the Generate Trade Event panel.
	OperationsProcessingMergeCounterparties
	Permission to process trades provided the RunProcessTrades function is also granted.
	This permission only allows performing operations in the Merge Counterparties panel.
	RunProcessTrades
	Permission to run "Process Trades".
	ViewOnlyMergeCounterParties
	Restriction to only merge counterparties provided the RunProcessTrades
	The state of the s

Applications	Functions
	function is also granted.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Static Data Maintenance	ModifyAccount
	Permission to modify accounts provided one of the following functions is also granted:
	- ModifyAccountCLOSING
	- ModifyAccountLINK
	- ModifyAccountNORMAL
	- ModifyAccountSETTLE
	- ModifyAccountSTOCK
	ModifyAccountCLOSING, ModifyAccountLINK,
	ModifyAccountNORMAL, ModifyAccountSETTLE,
	ModifyAccountSTOCK
	Permission to modify accounts of specified type (CLOSING, LINK, NORMAL, SETTLE, or STOCK) provided the ModifyAccount function is also granted.
	ModifyBook
	Permission to modify books. You also need read-write access to individual books and book bundles.
	ModifyLEContact
	Permission to modify LE contacts.
	ModifyLegalEntity
	Permission to modify legal entities of any status.
	ModifyLegalEntityRegistration
	Permission to modify LE registrations.
	ModifyLESDI
	Permission to modify SDIs.
	ModifyUsedSDI
	Allows overriding the behavior when the environment property USE_OLD_SDI_VALIDATION is false. In this case, the user will be able to update the existing SDI, rather than creating two SDIs with effective to and from dates.
	ModifyUserDefaults
	Permission to modify user defaults.
	ModifyStaticDataMaintenance
	Permission to run "Static Data Maintenance".
Generic Comment Editor	InvalidateGenericComment
	Permission to invalidate a comment.
	SaveGenericComment
	Permission to save a comment.
Data Authorization	Authorizations are to be performed by a different user than the user who modified or created data, unless the SameUserAuthorization function is granted.
	ApplyIndividualAuth

Applications Functions

Permission to authorize individual changes to a given entity version when multiple changes have occurred, as opposed to authorizing all the changes at once.

Make sure to select Detail next to the Refresh button in the Data Authorization window, in order to see individual changes.

[NOTE: You should also have the permission to authorize the selected entity]

AuthorizeAccount

Permission to authorize new and modified accounts specified using Main Entry > Configuration > Accounting > Accounts.

AuthorizeAccountingEventConfig

Permission to authorize new and modified accounting events specified using Main Entry > Configuration > Accounting > Accounting Events.

AuthorizeAccountingRule

Permission to authorize new and modified accounting rules specified using Main Entry > Configuration > Accounting > Accounting Rules.

AuthorizeAccountingRuleAccountConfig

Permission to authorize new and modified accounting rule configurations specified using Main Entry > Configuration > Accounting > Accounting Rules > Config panel.

AuthorizeAdviceConfig

Permission to authorize new and modified message configurations specified using Main Entry > Configuration > Messages & Matching > Message Configuration Set-up.

AuthorizeBook

Permission to authorize new and modified books specified using Main Entry > Configuration > Books & Bundles > Trading Book. Note that you also need read-write access to individual books and book bundles.

AuthorizeCDSIndexDefinition

Permission to authorize new and modified CDS index definitions specified using Main entry > Configuration > Credit Derivatives > CDS Index Definition.

AuthorizeCFDCustom

Permission to authorize new and modified CFD products and custom CFD products specified using Main Entry > Trade > Equity > Contract for Difference.

AuthorizeCountry

Permission to authorize new and modified countries specified using Main Entry > Configuration > Definitions > Countries.

AuthorizeCurrencyDefault

Permission to authorize new and modified currency defaults specified using Main Entry > Configuration > Definitions > Currency Definitions > Currency Default panel.

AuthorizeCurrencyPair

Permission to authorize new and modified currency pairs specified using

Applications Functions

Main Entry > Configuration > Definitions > Currency Definitions > Currency Pair panel.

AuthorizeFXReset

Permission to authorize new and modified FX resets specified using Main Entry > Trade Lifecycle > Reset > FX Rate Reset.

AuthorizeHoliday

Permission to authorize new and modified holiday calendars specified using Main Entry > Configuration > Definitions > Calendar Definitions.

AuthorizeKickOffCutOffConfig

Permission to authorize new and modified KickOffCutOff configurations specified using Main Entry > Configuration > Workflow > Kick-Off/Cut-Off.

AuthorizeLEAttribute

Permission to authorize new and modified LE attributes specified using Main Entry > Configuration > Legal Data > Attributes.

AuthorizeLegalAgreement

Permission to authorize new and modified legal agreements specified using Main Entry > Configuration > Legal Data > Legal Agreements.

AuthorizeLegalContact

Permission to authorize new and modified LE contacts specified using Main Entry > Configuration > Legal Data > Contact Personnel.

AuthorizeLegalEntity

Permission to authorize new and modified legal entities specified using Main Entry > Configuration > Legal Data > Legal Entities.

AuthorizeLegalEntityRelation

Permission to authorize new and modified LE relations specified using Main Entry > Configuration > Legal Data > Legal Entity Relation.

AuthorizeLERegistration

Permission to authorize new and modified LE registrations specified using Main Entry > Configuration > Legal Data > Registration Details.

AuthorizeMarginCallConfig

Permission to authorize new and modified margin call configurations specified using Main Entry > Configuration > Fees, Haircuts, & Margin Calls > Margin Call.

AuthorizeMasterConfirmation

Permission to authorize new and modified master confirmations specified using Main Entry > Configuration > Messages & Matching > Master Confirmations.

AuthorizeNettingMethod

Permission to authorize new and modified netting methods specified using Main Entry > Configuration > Settlements > Netting Method.

AuthorizePLMark

Permission to authorize new and modified marks set by the scheduled task ${\tt EOD_PLMARKING}.$

Applications Functions AuthorizeQuoteValue, AuthorizeQuoteValueLAST, AuthorizeQuoteValueOPEN, AuthorizeQuoteValueCLOSE You need to add QuoteValue to the classAuthMode domain using Main Entry > Configuration > System > Domain Values if not present. Permission to authorize all types of quotes, LAST quotes only, OPEN quotes only, CLOSE quotes only. Note that AuthorizeQuoteValueLAST also applies to BID and ASK quotes. AuthorizeRefEntityBasket Permission to authorize reference entity baskets specified using Main Entry > Configuration > Credit Derivatives > Reference Entity Basket. AuthorizeRefEntityTranche Permission to authorize reference entity tranches specified using Main Entry > Configuration > Credit Derivatives > Reference Entity Basket. AuthorizeRateIndexDefaults Permission to authorize new and modified rate index definitions specified using Main Entry > Configuration > Interest Rates > Rate Index Definitions. **AuthorizeSDI** Permission to authorize new and modified SDIs specified using Main Entry > Configuration > Settlements > Settlement Instructions. **AuthorizeSDIRelationShip** Permission to authorize new and modified SDI relationships specified using Main Entry > Configuration > Settlements > Settlement Instructions, R-Ship button. AuthorizeStaticDataFilter Permission to authorize new and modified static data filters specified using Main Entry > Configuration > Filters > Static Data Filter. Note that you also need read-write access to individual static data filters. AuthorizeSystemSettings Permission to authorize changes to the running mode (Audit, Access Permissions, Workflow, Authorization) specified using the Admin application. AuthorizeUserAccessPermission Permission to authorize new and modified access permissions specified using Main Entry > Configuration > User Access Control > Access Permissions. **AuthorizeWorkflowConfig** Permission to authorize new and modified workflow configurations specified using Main Entry > Configuration > Workflow > Workflow Configuration. ModifyOnlyProcessingOrgStaticData When a user has the restriction ModifyOnlyProcessingOrgStaticData, the user can only authorize modifications made to static data related to the user's processing organizations. SameUserAuthorization Permission for a user to authorize self-modifications. Manual Posting **CreateManualPosting** Permission to create manual postings. ONLY TWOSIDEDPOSTINGS © 2 0 1 0 - 2 0 1 1 | Calypso Confidential - Copyright © Calypso Technology, Inc. All Rights Reserved

account.

ModifyManualPosting

1.8 PRODUCTS

1.8.1 ALL PRODUCTS

Main Entry > Configuration > Product-specific menu

Applications	Functions
All product windows	Access permissions for products are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual products under Access > Products StaticData using static data filters as applicable.
	Examples — To create a bond product, you need the function CreateProduct, and you need read-write access to a static data filter that includes this bond (for example ISIN like US%). To view the bond details, you need read-only or read-write access to a static data filter that includes this bond.
	CreateProduct
	Permission to create products.
	ModifyDefaultQuoteType
	Permission to create and modify default quote types.
	ModifyProduct
	Permission to modify products.
	RemoveDefaultQuoteType
	Permission to remove default quote types.
	RemoveProduct
	Permission to remove products.

1.8.2 ASSET MANAGEMENT

Main Entry > Configuration > Asset Management

Applications	Functions
Fund	CreateFund
	Permission to create funds.
	ModifyFund
	Permission to modify funds.
	RemoveFund
	Permission to remove funds.
Strategy	CreateFundStrategyAssoc
	Permission to associate funds and strategies.
	CreateStrategy
	Permission to create strategies.
	ModifyFundStrategyAssoc
	Permission to modify associations between funds and strategies.
	Modifystrategy

Applications	Functions
	Permission to modify strategies.
	RemoveFundStrategyAssoc
	Permission to remove associations between funds and strategies.
	RemoveStrategy
	Permission to remove strategies.

1.8.3 COMMODITIES

Main Entry > Configuration > Commodities

Applications	Functions
Commodities	See "All product windows".
Commodity Indexes	See "All product windows".
Period Distribution	CreatePeriodDistribution
	Permission to create period distributions.
	RemovePeriodDistribution
	Permission to remove period distributions.
Intraday Configuration	CreateIntradayConfiguration
	Permission to create intraday configurations.
	RemoveIntradayConfiguration
	Permission to remove intraday configurations.

1.8.4 CREDIT DERIVATIVES

Main Entry > Configuration > Credit Derivatives

Applications	Functions
Reference Entity Basket	CreateReferenceEntityBasket
	Permission to create a reference entity basket.
	ModifyReferenceEntityBasket
	Permission to modify a reference entity basket.
	RemoveReferenceEntityBasket
	Permission to remove a reference entity basket.
	CreateReferenceEntityTranche
	Permission to create a reference entity tranche.
	ModifyReferenceEntityTranche
	Permission to modify a reference entity tranche.
	RemoveReferenceEntityTranche
	Permission to remove a reference entity tranche.
CDS Index Definition	See "All product windows".
	CreateCDSIndexDefinition
	Permission to create a CDS index definition, provided the function CreateProduct is also granted.

Applications	Functions
	ModifyCDSIndexDefinition
	Permission to modify a CDS index definition, provided the function ModifyProduct is also granted.
	RemoveCDSIndexDefinition
	Permission to remove a CDS index definition, provided the function RemoveProduct is also granted.
CDS ABS Index Definition	See "All product windows".
CDS ABS Index Tranche Definition	See "All product windows"
CDS Settlement Matrix	AddModifyCDSSettlementMatrix
	Permission to create and modify CDS settlement details.
	RemoveCDSSettlementMatrix
	Permission to remove CDS settlement details.

1.8.5 EQUITIES

Main Entry > Configuration > Equity

Applications	Functions
Stock	See "All product windows".
	AddDividend
	Permission to add dividends to the Dividend panel.
	RemoveDividend
	Permission to remove dividends from the Dividend panel.
Equity Indexes	See "All product windows".
CFD Contracts	ModifyCFDContractGrid
	Permission to create and modify CFD contracts.
	RemoveCFDContractGrid
	Permission to remove CFD contracts.
	ViewCFDContractGrid
	Permission to view CFD contracts.
CFD Country Grid	CreateCFDCountryGrid
	Permission to create CFD country grids.
	ModifyCFDCountryGrid
	Permission to modify CFD country grids.
	RemoveCFDCountryGrid
	Permission to remove CFD country grids.
Stock Options	See "All product windows".
Listed Index Option	See "All product windows"

1.8.6 FIXED INCOME

Applications	Functions
Bond Defaults	CreateReferenceData
	Permission to create bond defaults.
	RemoveReferenceData
	Permission to remove bond defaults.
Bond Product Definition	See "All product windows".
	AllowExoticTrade
	Permission to select the Exotic type.
	AllowReadOnlyStructuredWindow
	Restriction to bring up the Structure Window in read-only mode.
	DoNotCheckCorporateActions
	By default, any change to bond static data will trigger the message "Do you want to review corporate actions?". If you do not want to trigger this message by default, you need to grant the access permission restriction "DoNotChekcCorporateActions" to your user group.
Default Quote Type	ModifyDefaultQuoteType
	Permission to create and modify default quote types.
	RemoveDefaultQuoteType
	Permission to remove default quote types.

1.8.7 FOREIGN EXCHANGE

Main Entry > Configuration > Foreign Exchange

Applications	Functions
FX Rate Definitions	CreateReferenceData
	Permission to create FX rate definitions.
	ModifyReferenceData
	Permission to modify FX rate definitions.
	RemoveReferenceData
	Permission to remove FX rate definitions.

1.8.8 INTEREST RATES

Main Entry > Configuration > Interest Rates

Applications	Functions
Cash Settlement Defaults	AddCashSettleDefault
	Permission to add cash settle defaults.
	AmendCashSettleDefault
	Permission to amend cash settle defaults.
	RemoveCashSettleDefault
	Permission to remove cash settle defaults.
Rate Index Definitions	ModifyReferenceData
	Permission to modify reference index definitions.

Applications	Functions
	RemoveReferenceData
	Permission to remove reference index definitions.
Exotic Variables	AddModifyXSPVariable
	Permission to create and modify variables for exotic structured products.
	RemoveXSPVariable
	Permission to remove variables for exotic structured products.

1.8.9 LISTED DERIVATIVES

Main Entry > Configuration > Listed Derivatives

Applications	Functions
Option Contracts	CreateReferenceData
	Permission to create ETO contracts.
	ModifyReferenceData
	Permission to modify ETO contracts.
	RemoveReferenceData
	Permission to remove ETO contracts.
Future Contracts	CreateReferenceData
	Permission to create Future contracts.
	ModifyReferenceData
	Permission to modify Future contracts.
	RemoveReferenceData
	Permission to remove Future contracts.
Options on Future Contracts	CreateReferenceData
	Permission to create Future Option contracts.
	ModifyReferenceData
	Permission to modify Future Option contracts.
	RemoveReferenceData
	Permission to remove Future Option contracts.
Future Configuration	See "All product windows".
Future Option Configuration	See "All product windows".

1.8.10 MONEY MARKET

Main Entry > Configuration > Money Market

Applications	Functions
Loan	See "All product windows".

1.8.11 PRODUCT CONFIGURATION

Main Entry > Configuration > Product Configuration

Applications	Functions
Exotic Type Creator	CreateExoticType
	Permission to create exotic types.
	ModifyExoticType
	Permission to modify exotic types.
	RemoveExoticType
	Permission to remove exotic types.
Product Code	CreateDomains
	Permission to create product code names.
	CreateReferenceData
	Permission to create product codes.
	ModifyDomains
	Permission to modify product code names.
	RemoveReferenceData
	Permission to remove product codes.

1.9 REFERENCE DATA

1.9.1 AUTOMATED OPERATIONS

Main Entry > Configuration > Automated Operations

Applications	Functions
Back-To-Back Trades	CreateModifySalesB2BRoutingRule
	Permission to create / modify B2B configurations.
	RemoveSalesB2BRoutingRule
	Permission to remove B2B configurations.
Book Substitution	CreateModifyBookSubstitutionRoutingRule
	Permission to create / modify book substitution configurations.
	RemoveBookSubstitutionRoutingRule
	Permission to remove book substitution configurations.
Currency Splits	CreateModifyXccySplitRoutingRule
	Permission to create / modify Ccy Split configurations.
	RemoveXccySplitRoutingRule
	Permission to remove Ccy Split configurations.
Forward Risk Transfer	CreateModifyFwdRiskTransferRoutingRule
	Permission to create / modify Forward Risk Transfer configurations.
	RemoveFwdRiskTransferRoutingRule
	Permission to remove Forward Risk Transfer configurations.
Position Rollover	CreateModifyPositionRolloverRule
	Permission to create and modify position rollover rules.
	RemovePositionRolloverRule

Applications	Functions
	Permission to remove position rollover rules.
Spot Risk Transfer	CreateModifySpotRiskTransferRoutingRule
	Permission to create / modify Spot Risk Transfer configurations.
	RemoveSpotRiskTransferRoutingRule
	Permission to remove Spot Risk Transfer configurations.

1.9.2 BOOKS & BUNDLES

Main Entry > Configuration > Books & Bundles

Applications	Functions
Trading Book	Access permissions for books are multifold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual books under Access > Books as applicable.
	- The user must be granted read-only or read-write access to book bundles und Access > BookBundle if the BookBundle attribute is specified on the book.
	- The book must specify the currencies, currency pairs and products that can be traded in that book using the Book Access panel. These permissions apply regardless of the user.
	- The user must be granted read-only or read-write access to individual book attributes under Access > Book Attributes as applicable.
	Examples — To modify the attribute values of a book called MyBook, you need to functions ModifyBook and ModifyDomains, and you need read-write access to MyBook.
	To enter a USD bond trade on MyBook, you need read-write access to MyBook, and MyBook needs permission to trade the USD currency and the Bond product (Note that you also need read-write access to the Bond product type under Access > Product Types).
	To view MyBook in a report, you need read-only or read-write access to MyBook
	CreateBook
	Permission to create books.
	CreateDomains
	Permission to create book attributes.
	ModifyBook
	Permission to modify books.
	ModifyDomains
	Permission to modify book attributes.
	RemoveBook
	Permission to remove books.
	RemoveDomains
	Permission to remove book attributes.
	ModifyALLProcessingOrgStaticData
	Permission to modify the books associated with the ALL processing org.
	Without this permission, a user who has the function

Applications	Functions
	ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the books associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the books associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Book Hierarchy	Access permissions for book hierarchies are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual book hierarchies under Access > Book Hierarchy as applicable.
	Examples — To modify the book hierarchy called MyBookHchy, you need the function ModifyBookHierarchy, and you need read-write access to MyBookHchy. To view MyBookHchy in a report, you need read-only or read-write access to MyBookHchy.
	CreateBookHierarchy
	Permission to create book hierarchies.
	ModifyBookHierarchy
	Permission to modify book hierarchies.
	RemoveBookHierarchy
	Permission to remove book hierarchies.
Book Valuation Currency	ModifyBookValCcy
	Permission to create, modify, and delete book valuation currencies provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Book Valuation Currency".
Liquidation Configuration	AddModifyLiquidationInfo
Liquidation Config	Permission to create and modify liquidation configurations.
	RemoveLiquidationInfo
	Permission to remove liquidation configurations.
Trade Bundle	CreateTradeBundle
	Permission to create trade bundles.
	ModifyTradeBundle
	Permission to modify trade bundles.
	RemoveTradeBundle

Applications	Functions
	Permission to remove trade bundles.

1.9.3 DEFINITIONS

Main Entry > Configuration > Definitions

Applications	Functions
Countries	CreateCountry
	Permission to create countries.
	ModifyCountry
	Permission to modify countries.
	RemoveCountry
	Permission to remove countries.
Calendar Definitions	AddModifyHoliday
	Permission to create and modify holiday calendars.
	RemoveHoliday
	Permission to remove holiday calendars.
Date Rule Definitions	CreateDateRule
	Permission to create date rules.
	ModifyDateRule
	Permission to modify date rules.
	RemoveDateRule
	Permission to remove date rules.
Currency Definitions	CreateCurrencyDefaults
	Controls the Currency Default panel.
	Permission to create currency defaults.
	CreateCurrenyPair
	Controls the Currency Pair panel.
	Permission to create currency pairs.
	ModifyCurrencyDefaults
	Controls the Currency Default panel.
	Permission to modify currency defaults.
	ModifyCurrencyPair
	Controls the Currency Pair panel.
	Permission to modify currency pairs.
	RemoveCurrencyDefaults
	Controls the Currency Default panel.
	Permission to remove currency defaults.
	RemoveCurrencyPair
	Controls the Currency Pair panel.
Funding Rate Definitions	Permission to modify currency pairs.
i unumy Rate Demilions	RemoveReferenceData

Applications	Functions
	Permission to remove funding rate definitions.

1.9.4 FEES, HAIRCUTS, & MARGIN CALLS

Main Entry > Configuration > Fees, Haircuts, & Margin Calls

Applications	Functions
Margin Call	CreateMarginCallConfig
	Permission to create margin call configurations.
	ModifyMarginCallConfig
	Permission to modify margin call configurations.
	RemoveMarginCallConfig
	Permission to remove margin call configurations.
	ModifyALLProcessingOrgStaticData
	Permission to modify the margin calls associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the margin calls associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the margin calls associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Fee Definition	ModifyFeeDefinition
	Permission to create, modify and delete fee definitions provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Fee Definition".
Fee Billing Rule	ModifyLegalData
	Permission to disable LE roles.
	RemoveLegalData
	Permission to remove disabled roles.
	ModifyALLProcessingOrgStaticData
	Permission to modify the fee billing rules associated with the ALL processing org.

Applications	Functions
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the fee billing rules associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the fee billing rules associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Fee Grid	CreateFeeGrid
	Permission to create fee grids.
	ModifyFeeGrid
	Permission to modify fee grids.
	RemoveFeeGrid
	Permission to remove fee grids.
Withholding Tax Attribute	AddModifyWHTAttribute
	Permission to add and modify withholding tax attributes.
	RemoveWHTAttribute
	Permission to remove withholding tax attributes.

1.9.5 FILTERS

Main Entry > Configuration > Filters

, ,	
Applications	Functions
Trade Filter	Access permissions for trade filters are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual trade filters under Access > Trade Filter as applicable.
	Examples — To modify the trade filter called MyTradeFilter, you need the functio ModifyTradeFilter, and you need read-write access to MyTradeFilter. To use MyTradeFilter for loading trades, you need read-only or read-write access to MyTradeFilter.
	CreateSQLTradeFilter
	Permission to create SQL Trade Filter. CreateTradeFilter + CreateSQLTradeFilter are required to create SQL Trade Filters.
	CreateTradeFilter
	Permission to create trade filters.

Applications	Functions
	ModifyGroupTradeFilter
	Permission to modify trade filters created by any user in the group provided the ModifyTradeFilter function is also granted.
	To restrict a user to only modify the trade filters that the user has created, use the ModifyUserTradeFilter function instead.
	ModifySQLTradeFilter
	Permission to modify SQL Trade Filter. ModifyTradeFilter + ModifySQLTradeFilter are required to create SQL Trade Filters.
	ModifyTradeFilter
	Permission to modify trade filters.
	ModifyUserTradeFilter
	Permission to modify trade filters created by the user currently connected provided the ModifyTradeFilter function is also granted.
	To allow a user to modify trade filters created by any user in the group, use the ModifyGroupTradeFilter function instead.
	RemoveSQLTradeFilter
	Permission to delete SQL Trade Filter. RemoveTradeFilter + RemoveSQLTradeFilter are required to create SQL Trade Filters.
	RemoveTradeFilter
	Permission to remove trade filters.
Static Data Filter	Access permissions for static data filters are twofold:
	- The user must be granted the functions described below as applicable. - The user must be granted read-only or read-write access to individual static data
	filters under Access > Static Data Filter as applicable.
	Examples — To remove the static data filter called MyStaticDF, you need the function RemoveStaticDataFilter, and you need read-write access to MyStaticDF. To use MyStaticDF for loading data, you need read-only or read-write access to MyStaticDF.
	CreateStaticDataFilter
	Permission to create static data filters.
	ModifyStaticDataFilter
	Permission to modify static data filters.
	RemoveStaticDataFilter
	Permission to remove static data filters.
Filter Set	Access permissions for filter sets are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual filter sets under Access > Filter Set as applicable.
	Examples — To modify the filter set called MyFilterSet, you need the function ModifyFilterSet, and you need read-write access to MyFilterSet. To use MyFilterSet for loading trades, you need read-only or read-write access to MyFilterSet.
	CreateFilterSet
	Permission to create filter sets.
	CreateTradeSelectorTemplate

Applications	Functions
	Permission to create filter set templates.
	ModifyFilterSet
	Permission to modify filter sets.
	RemoveFilterSet
	Permission to remove filter sets.

1.9.6 LEGAL DATA

Main Entry > Configuration > Legal Data

Applications Functions	
Legal Entities	CreateLegalEntity
	Permission to create legal entities of any status.
	To restrict the creation of legal entities by status, use the CreateLegalEntityDisabled, CreateLegalEntityEnabled and CreateLegalEntityPending functions instead.
	CreateLegalEntityDisabled, CreateLegalEntityEnabled,
	CreateLegalEntityPending
	Permission to create legal entities based on the status disabled, pending, enabled.
	This can be useful when the authorization mode is not enabled. For example, a user creates a legal entity in status pending, and the supervis changes the status to enabled.
	If the authorization mode is enabled, a user can create a legal entity in an status, and the supervisor will authorize the legal entity. These functions are not needed in that case. To create legal entities of any status, use the CreateLegalEntity function instead.
	ModifyLegalEntity
	Permission to modify legal entities of any status.
	To restrict the modification of legal entities by status, use the ModifyLegalEntityDisabled, ModifyLegalEntityEnabled and ModifyLegalEntityPending functions instead.
	ModifyLegalEntityDisabled, ModifyLegalEntityEnabled,
	ModifyLegalEntityPending
	Permission to modify legal entities based on the status disabled, pending or enabled.
	To create legal entities of any status, use the ModifyLegalEntity function instead.
	RemoveLegalEntity
	Permission to remove legal entities.
	ModifyALLProcessingOrgStaticData
	Permission to modify legal entities associated with the ALL processing or
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData

Applications	Functions
rippinoutions	Restriction to only modify the legal entities associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the legal entities associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Attributes	AddModifyLEAttribute
	Permission to create and modify legal entity attributes.
	RemoveLEAttribute
	Permission to remove legal entity attributes.
	ModifyALLProcessingOrgStaticData
	Permission to modify LE attributes associated with the ALL processing org. Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the LE attributes associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the LE attributes associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	Access Permissions per Attributes
	To set access permissions per legal entity attribute, set the comment of the attribute to allowAccessPermission in the leAttributeType domain.
	Example:

Applications	Functions
	Domain Values Window
	Search: leatt Find Value
	□
	ANNEX_VER Value: ACCOUNTING
	SAFI Comment: allowAccessPermission
	It creates the access functions AddModifyLEAttribute#ACCOUNTING and RemoveLEAttribute#ACCOUNTING.
Attribute Code	CreateReferenceData
	Permission to create LE attribute codes.
	RemoveLegalData
	Permission to remove LE attribute codes.
Legal Entity EOD	AddModifyLERelation
	Permission to create and modify EOD data for legal entities.
	RemoveLERelation
	Permission to remove EOD data for legal entities.
Disabled Roles	ModifyLegalData
	Permission to disable LE roles.
	RemoveLegalData
	Permission to remove disabled roles.
	ModifyALLProcessingOrgStaticData
	Permission to disable roles associated with the ALL processing org. Without this permission, a user who has the function
	ModifyOnlyProcessingOrgStaticData will not be able to modify static datassociated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only disable the roles associated with the processing orgathe user currently connected. User processing orgathe associated with the processing orgathe using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apphas to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the disabled roles associated with the processin orgs of the user currently connected. User processing orgs are specific using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not applicate the specifically added]
Legal Agreements	CreateLegalAgreement
	Permission to create legal agreements.
	ModifyLegalAgreement

Applications	Functions
	Permission to modify legal agreements.
	RemoveLegalAgreement
	Permission to remove legal agreements.
	ModifyALLProcessingOrgStaticData
	Permission to modify the legal agreements associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the legal agreements associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the legal agreements associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Contact Personnel	CreateLEContact
	Permission to create LE contacts.
	ModifyLEContact
	Permission to modify LE contacts.
	RemoveLEContact
	Permission to remove LE contacts.
	ModifyALLProcessingOrgStaticData
	Permission to modify the contacts associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the contacts associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the contacts associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.

Applications	Functions
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It
	has to be specifically added]
Registration Details	CreateLegalEntityRegistration
	Permission to create LE registrations.
	ModifyLegalEntityRegistration
	Permission to modify LE registrations.
	RemoveLegalEntityRegistration
	Permission to remove LE registrations.
Legal Entity Relation	AddModifyLERelation
	Permission to create and modify LE relations.
	RemoveLERelation
	Permission to remove LE relations
	ModifyALLProcessingOrgStaticData
	Permission to modify the LE relations associated with the ALL processing
	org. Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the LE relations associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the LE relations associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Industry Hierarchy	CreateModifyIndustryHierarchy
	Permission to create or modify an industry hierarchy.
	RemovelndustryHierarchy
	Permission to delete an industry hierarchy.
	ViewIndustryHierarchy
	Permission to open the industry hierarchy window.

1.10 REPORTING AND RISK

1.10.1 Position & Risk

Applications	Functions
Calypso Workstation	AddVisokioTemplate
	Permission to create Visokio templates
	RemoveVisokioTemplate
	Permission to remove Visokio templates
	RiskPresenterDefaultViewConfig
	Permission to set a default view
Risk Analysis Launcher >	Access permissions for risk analysis configurations are twofold:
All risk analyses	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual risk analysis configurations under Access > Risk Config as applicable.
	Examples — To remove the risk analysis configuration called MyRiskConfig, you need the function RemoveRiskAnalysisConfig, and you need read-write access to MyRiskConfig. To use MyRiskConfig for running risk analyses, you need read-only or read-write access to MyRiskConfig.
	[NOTE: Functions like checking market data and previewing risk results can only be performed by an Admin user (a user from a "Is Admin" group)]
	CreateRiskAnalysisConfig
	Permission to create risk analysis configurations.
	ModifyRiskAnalysisConfig
	Permission to modify risk analysis configurations.
	RemoveRiskAnalysisConfig
	Permission to remove risk analysis configurations.
Risk Analysis Launcher >	Access permissions for parameter viewers are twofold:
All risk parameter viewers	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual Analysis Parameter Sets under Access > Analysis Param Set as applicable.
	Examples — To modify the analysis parameter set called SecurityAccrual#default, you need the function ModifyAnalysisParam, and you need read-write access to SecurityAccrual#default. To use SecurityAccrual#default in a risk analysis configuration, you need read-only or read-write access to SecurityAccrual#default.
	CreateAnalysisParam
	Permission to create analysis parameter sets.
	ModifyAnalysisParam
	Permission to modify analysis parameter sets.
	RemoveAnalysisParam
Display Bisk Banast	Permission to remove analysis parameter sets.
Display Risk Report	ViewRiskReport
P&L Mark > P&L Mark	Permission to run "Display Risk Report". CreateSystemPLMark
Adjustment	_
P&L Mark > P&L Mark Report	Permission to adjust System P&L Marks. UnlockMarks
	Permission to unlock marks. When you right-click a mark, the menu items "Unlock Book" and "Unlock Marks for Selected Trade" will be available, if marks have been locked.

1.10.2 REPORTS

Main Entry > Reports

Applications Functions

All reports with templates

Private report templates can be used only by the user who creates them, and public report templates can be used by any user, provided the proper permissions are granted.

PRIVATE REPORT TEMPLATES

CreatePrivateReportTemplates

Permission to create private report templates.

ModifyPrivateReportTemplates

Permission to modify private report templates. Only the user who created a private report template can modify it.

RemovePrivateReportTemplates

Permission to modify private report templates. Only the user who created a private report template can remove it.

PUBLIC REPORT TEMPLATES

Access permissions for using public report templates are twofold:

- The user must be granted the functions described below as applicable.
- The user must be granted read-only or read-write access to individual report templates under Access > Report Templates as applicable.

Example — To remove the public report template called MyReportTmpl, you need the function RemovePublicReportTemplates, and you need read-write access to MyReportTmpl. To use MyReportTmpl in a report, you need read-only or read-write access to MyReportTmpl.

CreatePublicReportTemplates

Permission to create public report templates.

ModifyPublicReportTemplates

Permission to modify public report templates.

RemovePublicReportTemplates

Permission to remove public report templates.

LOADING REPORT TEMPLATE

AddStandardReportTemplates

Permission to load report templates that are available under resources/com/calypso/tk/report/templatesin Main Entry > Configuration > Reporting & Risk > Report Templates and the corresponding report window.

AdmPurgeReportTemplates

Permission to purge report templates.

Accounting Reports > Account Enrichment (CRE)

See also "All trade windows" for information about all access permissions required for viewing and entering trades.

ModifyOnlyProcessingOrgTrade

Restriction to only modify the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using

Applications	Functions
	Access Permissions >User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	SaveManualCre
	Controls Process > Edit.
	Permission to save manual CREs provided the ModifyBOPosting function is also granted.
	ViewOnlyProcessingOrgTrade
	Restriction to only view the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: his function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Accounting Reports > Account Enrichment (CRE)	See also "All trade windows" for information about all access permissions required for viewing and entering trades.
	SaveManualCre
	Controls Process > Edit.
	Permission to save manual CREs provided the ModifyBOPosting function is
Accounting Reports >	also granted. ModifyBOPosting
Posting Report	Controls Edit > Edit.
	Permission to modify posting details.
Fees & Settlement > Cashflow Report	See also "All trade windows" for information about all access permissions required for viewing and entering trades.
	ModifyOnlyProcessingOrgTrade
	Restriction to only modify the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: his function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgTrade
	Restriction to only view the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: his function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Fees & Settlement	ModifyALLProcessingOrgStaticData
>Transfer Report	Permission to modify the books associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the books associated with the processing orgs of the user currently connected. User processing orgs are specified using

Applications	Functions
	Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the books associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Message Reports > Message Report	ModifyALLProcessingOrgStaticData
Кероге	Permission to modify the books associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the books associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the books associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Report Browser	Controls the Report Browser configurations.
Configurations	CreateReportBrowserConfig
	Permission to create configurations.
	ModifyReportBrowserConfig
	Permission to modify configurations.
	RemoveReportBrowserConfig
	Permission to remove configurations.
SDI Report	ModifyALLProcessingOrgStaticData
	Permission to modify the books associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the books associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission.

Applications	Functions
	However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the books associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]

1.10.3 REPORTING & RISK CONFIGURATION

Main Entry > Configuration > Reporting & Risk

Applications	Functions
Report Templates	Private report templates can be used only by the user who creates them, and publ report templates can be used by any user, provided the proper permissions are granted.
	PRIVATE REPORT TEMPLATES
	CreatePrivateReportTemplates
	Permission to create private report templates.
	ModifyPrivateReportTemplates
	Permission to modify private report templates. Only the user who created a private report template can modify it.
	RemovePrivateReportTemplates
	Permission to modify private report templates. Only the user who created private report template can remove it.
	PUBLIC REPORT TEMPLATES
	Access permissions for using public report templates are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual report templates under Access > Report Templates as applicable.
	Example — To remove the public report template called MyReportTmpl, you need the function RemovePublicReportTemplates, and you need read-write access to MyReportTmpl. To use MyReportTmpl in a report, you need read-only or read-writaccess to MyReportTmpl.
	CreatePublicReportTemplates
	Permission to create public report templates.
	ModifyPublicReportTemplates
	Permission to modify public report templates.
	RemovePublicReportTemplates
	Permission to remove public report templates.
	LOADING REPORT TEMPLATES
	AddStandardReportTemplates
	Permission to load report templates that are available under

Applications	Functions
	resources/com/calypso/tk/report/templatesfrom "Report Templates", from the corresponding report window.
	AdmPurgeReportTemplates
	Permission to purge report templates.
Risk Calculation Service	Access permissions for the risk calculation service are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual risk calculation configurations under Access > Risk OnDemand Config as applicable.
	ModifyRiskOnDemandConfig
	Permission to modify risk calculation configurations.
	RiskOnDemandConfigAccess
	Permission to stop a calculation server.
Risk Presentation Service	Access permissions for the risk presentation service are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual risk presentation configurations under Access > Risk Presenter Config as applicable.
	CreatePresentationServerConfig
	Permission to modify risk presentation configurations.
	ModifyRiskPresenterConfig
	Permission to modify risk presentation configurations.
	RiskPresenterConfigAccess
	Permission to stop a risk presentation server.

1.11 SCHEDULED TASKS

Main Entry > Configuration > Scheduled Tasks

Applications	Functions
Scheduled Tasks	Access permissions for scheduled tasks are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual schedule tasks under Access > Scheduled Task as applicable.
	Examples — To modify a configuration for the BALANCE scheduled task, you need the function ModifyScheduledTask, and you need read-write access to the BALANCE scheduled task. To run the BALANCE scheduled task, you need read-on or read-write access to the BALANCE scheduled task.
	ModifyScheduledTask
	Permission to modify scheduled task configurations.
	[NOTE: To modify the Archive scheduled task, the ModifyScheduledTask_ARCHIVE function also has to be granted]
	ModifyScheduledTask_ARCHIVE
	Permission to modify the Archive scheduled task configurations provided the ModifyScheduledTask permission is also granted.
	ModifyScheduledTask_DELETE_PRODUCTS
	Permission to modify the DELETE_PRODUCTS scheduled task configuration provided the ModifyScheduledTask permission is also granted.

Applications Functions

ModifyScheduledTask_DELETE_TRADES

Permission to modify the DELETE_TRADES scheduled task configurations provided the ModifyScheduledTask permission is also granted.

ExecuteManualScheduledTask

Permission to manually execute a scheduled task.

ModifyALLProcessingOrgStaticData

Permission to modify scheduled tasks associated with the ALL processing org.

Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.

ModifyOnlyProcessingOrgStaticData

Restriction to only modify the scheduled tasks associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.

[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]

ViewOnlyProcessingOrgStaticData

Restriction to only view the scheduled tasks associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.

[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]

SCHEDULE TASK EOD PLMARKING

- For setting marks: CreatePLMark
- For modifying marks: ModifyPLMark

SCHEDULED TASK GENERATE_COMM_FUTURES

- For saving the default quote type: ModifyDefaultQuoteType.

SCHEDULED TASK LOAD_MARKIT_RED_DATA

- For creating entities: CreateLegalEntity and AddModifyLEAttribute.
- For updating entities: ModifyLegalEntity and AddModifyLEAttribute.
- For creating obligations: CreateProduct and ModifyProduct.
- For creating ratings: CreateLECreditRating and ModifyLECreditRating.

SCHEDULED TASK LOAD_MARKIT_CDS_SPREAD_DATA

- For saving spread quotes: ModifyMktDataQuotes, ModifyMarketData, ModifyMktDataQuotesLAST, ModifyMktDataQuotesOPEN, and ModifyMktDataQuotesCLOSE.
- For creating underlyings: CreateCurveUnderlying and ModifyCurveUnderlying.
- For creating curves: CreateMarketData, ModifyMarketData, and ModifyMarketDataConfig.
- For creating ratings: CreateLECreditRating, ModifyLECreditRating.
- For updating attributes: AddModifyLEAttribute.

SCHEDULED TASK LOAD MARKIT CDS INDEX DATA

- For creating CDS indices: CreateProduct and ModifyProduct.

Applications	Functions
	SCHEDULED TASK LOAD_MARKIT_TRANCHE_QUOTES_DATA
	- For saving tranche quotes: ModifyMktDataQuotes, ModifyMarketData, ModifyMktDataQuotesLAST, ModifyMktDataQuotesOPEN, and ModifyMktDataQuotesCLOSE.
	SCHEDULED TASK PROCESS_EXPIRY
	- To process trades: OperationsProcessing.
	- To apply the selected action to a trade: the products must specify what workflow actions the user is allowed to perform using the Product Access panel.
	SCHEDULED TASK PROCESS_TRADE
	- To process trades: OperationsProcessing.
	- To apply the selected action to a trade: the products must specify what workflow actions the user is allowed to perform using the Product Access panel.

1.12 SETTLEMENTS

Main Entry > Configuration > Settlements

Applications Functions	
Cash Manual SDI	ModifyLEManualSDIDefaultedValues
	Permission to modify default values.
SDI Tree	ModifyALLProcessingOrgStaticData
	Permission to modify SDIs associated with the ALL processing org.
	Without this permission, a user who has the function
	ModifyOnlyProcessingOrgStaticData will not be able to modify static data
	associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the SDIs associated with the processing orgs of
	the user currently connected. User processing orgs are specified using
	Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission.
	However, if a group is granted all functions, this restriction will not apply.
	has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the SDIs associated with the processing orgs of the
	user currently connected. User processing orgs are specified using Acces
	Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply.
	has to be specifically added]
Settlement Instructions	
	Permission to create SDIs for processing orgs provided the CreateLESDI
	function is also granted.
	CreateLESDI
	Permission to create SDIs for all roles, except for processing organizations
	To create SDIs for processing organizations, the CreateLEProcessingOrgSI
	function is also needed.
	ModifyLegalData
	Controls the R-Ship button.
	Permission to create and modify SDI relationships.

Applications	Functions
	ModifyAccountHolderSDI
	Permission to modify SDIs for which the role is defined in domain AccountHolderRole. You also need permission ModifyLESDI.
	ModifyLEProcessingOrgSDI
	Permission to modify SDIs for processing orgs provided the ModifyLESDI function is also granted.
	ModifyLESDI
	Permission to modify SDIs for all roles, except for processing organizations.
	To create SDIs for processing organizations, the ModifyLEProcessingOrgSDI function is also needed.
	ModifyUsedSDI
	Allows overriding the behavior when the environment property USE_OLD_ SDI_VALIDATION is false. In this case, the user will be able to update the existing SDI, rather than creating two SDIs with effective to and from dates.
	RemoveLegalData
	Controls the R-Ship button.
	Permission to remove SDI relationships.
	RemoveLEProcessingOrgSDI
	Permission to remove SDIs for processing orgs provided the RemoveLESDI function is also granted.
	RemoveLESDI
	Permission to remove SDIs for all roles, except for processing organizations.
	To remove SDIs for processing organizations, the RemoveLEProcessingOrgSDI function is also needed.
	ModifyALLProcessingOrgStaticData
	Permission to modify SDIs associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the SDIs associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the SDIs associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Manual SDI	AddModifyLEManualSDI

Applications	Functions
	Permission to create and modify manual SDIs.
	RemoveLEManualSDI
	Permission to remove manual SDIs.
Settlement Method	ModifyLegalData
	Permission to modify settlement methods.
	RemoveLegalData
	Permission to remove settlement methods.
	ModifyALLProcessingOrgStaticData
	Permission to modify the settlement methods associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the settlement methods associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the settlement methods associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Settlement Message	ModifyLegalData
Sending	Permission to modify settlement message configurations.
	RemoveLegalData
	Permission to remove settlement message configurations.
	ModifyALLProcessingOrgStaticData
	Permission to modify the settlement message configurations associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the settlement message configurations associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData

Applications	Functions
	Restriction to only view the settlement message configurations associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel. [NOTE: This function is actually a restriction and not a permission.
	However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Netting Configuration	ModifyNettingConfig
	Permission to create, modify and delete netting configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Netting Configuration".
Netting Method	ModifyLegalData
	Permission to modify netting methods.
	RemoveLegalData
	Permission to remove netting methods.
	ModifyALLProcessingOrgStaticData
	Permission to modify the netting methods associated with the ALL processing org.
	Without this permission, a user who has the function ModifyOnlyProcessingOrgStaticData will not be able to modify static data associated with the processing org ALL.
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the netting methods associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the netting methods associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Target Directory	ModifyTargetDirectory
	Permission to add/modify/delete an entry within the Target Directory window.

1.13 SYSTEM

1.13.1 **ENGINES**

Applications	Functions
Engines	In order to run an engine, the user must be granted read-write access to the corresponding application under Access > Application Name.
	- AccountingEngine
	- Calculator
	- CreEngine
	- CreSenderEngine
	- Dispatcher
	- GSSCIncomingMessageEngine
	- ImportMessageEngine
	- InventoryEngine
	- LiquidationEngine
	- MarginCallPositionEngine
	- MatchingMessageEngine
	- MessageEngine
	- PositionEngine
	- SchedulingEngine
	- SenderEngine
	- TaskEngine
	- TransferEngine

1.13.2 SYSTEM CONFIGURATION

Main Entry > Configuration > System

Applications	Functions
Engine Configuration	ModifyDomains
	Permission to add and modify engine names provided the RunConfigWindow function is also granted.
	ModifyEngineConfig
	Permission to create, modify and delete engine configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Engine Configuration".
Event Configuration	ModifyEventConfig
	Permission to create, modify and delete event configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Event configuration".
ispatcher Configuration	Access permissions for dispatcher configurations are twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual dispatch configurations under Access > Dispatcher Config as applicable.
	Examples — To modify a dispatcher configuration called MyDispatchConfig, you need the function ModifyDispatcherConfig, and you need read-write access to MyDispatchConfig. To use MyDispatchConfig for running a dispatcher, you need read-only or read-write access to MyDispatchConfig.

Applications	Functions
	CreateDispatcherConfig
	Permission to create dispatcher configurations provided the RunConfigWindow function is also granted.
	ModifyDispatcherConfig
	Permission to modify dispatcher configurations provided the RunConfigWindow function is also granted.
	RemoveDispatcherConfig
	Permission to remove dispatcher configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Dispatcher Configuration".
Calculation Server	Access permissions for calculation server configurations is twofold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-only or read-write access to individual calculation server configurations under Access > Calculation Server Config as applicable.
	CreateCalculationServerConfig
	Permission to create new calculation server configurations.
	ModifyCalculationServerConfig
	Permission to modify calculation server configurations.
	RemoveCalculationServerConfig
	Permission to delete calculation server configurations.
Domain Values	CreateDomainConstraints
	Permission to create domain constraints (ranges of values for domain data).
	CreateDomains
	Permission to create domains and domain values.
	[NOTE: Domain values can be added to domains in most windows through the Add Domain window, and this permission will be required]
	ModifyDomains
	Permission to modify domains and domain values.
	[NOTE: Domain values can be modified in most windows through the Add Domain window, and this permission will be required]
	RemoveDomains
	Permission to remove domains and domain values.
	[NOTE: Domain values can be removed from domains in most windows through the Add Domain window, and this permission will be required]
Rating Values	RemoveDomains
	Permission to remove rating values.
Add Pricer	ModifyTKConfigData
	Permission to register custom pricers.
	RemoveTKConfigData
	Permission to remove custom pricers.
Add Pricer Measure	ModifyDomains

Applications	Functions
	Permission to register custom pricer measures.
Add Pricing Parameter Type	ModifyTKConfigData
	Permission to register custom pricing parameters.
	RemoveTKConfigData
	Permission to remove custom pricing parameters.
Analysis Viewer	ModifyTKConfigData
Configuration	Permission to register custom analysis viewers.
Flow Configuration	ModifyTKConfigData
	Permission to register custom cashflow generators.
	RemoveTKConfigData
	Permission to remove custom cashflow generators.

1.13.3 SYSTEM ENV

Applications	Functions
System Env	In order to run System Env, the user must be granted read-write access to the
	SystemEnv application under Access > Application Name.

1.13.4 USER ENV

Applications	Functions
User Env	In order to run User Env, the user must be granted read-write access to the
	UserEnv application under Access > Application Name.

1.14 TRADING

1.14.1 ALL TRADE WINDOWS

Main Entry > Trade

Applications	Functions
All trade windows	Access permissions for trades are multifold:
	- The user must be granted the functions described below as applicable.
	- The user must be granted read-write access to individual books under Access > Books as applicable.
	- The user must be granted read-write access to individual book bundles under Access > BookBundle if the BookBundle attribute is specified on the book.
	- The user must be granted read-write access to individual product types under Access > Product Types as applicable.
	- The user must be granted read-write access to individual products under Access > Products Trading as applicable.
	- The book must specify the currencies, currency pairs and products that can be traded in that book using the Book Access panel. These permissions apply regardless of the user.
	- The products must specify what workflow actions the user is allowed to perform using the Product Access panel.
	- In order to use or modify product templates, the user must be granted read-write or read-only access to individual product templates under Access > Product Templates as applicable.

Applications Functions

Examples — To enter a USD bond trade on MyBook, you need the SaveTrade function, you need read-write access to MyBook, you need read-write access to the Bond product type, you need read-write access to a static data filter that contains the USD bond, MyBook needs permission to trade the USD currency and the Bond product, and you need permission to apply the NEW action on the Bond product.

To view a trade, you need read-only or read-write access to MyBook, read-only or read-write access to the trade's product type, and read-only or read-write access to the static data filter that contains the USD bond.

AllowExoticTrade

Permission to select the Exotic leg type.

AllowReadOnlyStructuredWindow

Restriction to bring up the Structure Window in read-only mode.

AssignOverrideKeys

Permission to define market data / pricer override keys.

CreatePrivateProductTemplates

Permission to create private product templates.

CreatePublicProductTemplates

Permission to create public product templates.

CustomizeCashflows

Controls the Cashflow panel.

Permission to customize cashflows.

ModifyB2BLinkedTrade

Permission to modify individual mirror trades. Otherwise, only the main trade can be modified provided the user has permission to amend trades.

ModifyOverrideKeys

Permission to modify market data /pricer override keys.

ModifyTrade

Permission to modify a trade.

ModifyTradeCurrentDateTimeCheck

Controls the Details panel.

Permission to modify the "Current Trade Date Time" checkbox.

SaveAsNewTrade

Permission to save a trade as a new trade.

SaveTrade

Permission to create a trade.

ViewArchivedTradeOnline

Permission to load an individual archived trade using the Trade Id field.

ViewPendingProcessing

Controls Trade > Trade Pending Processing.

Applications	Functions
	Permission to view events that are pending processing. The menu items will not appear if the function is not granted.
All trade windows > Back Office > BO Window	See also "All trade windows" for information about all access permissions required for viewing and entering trades.
	AllowInsertRemoveTransferRules
	Controls Back Office > BO Window – SDI panel.
	Permission to insert or remove transfer rules.
	ModifyBOTrade
	Permission to modify BO details.
	ViewBOTrade
	Permission to view BO details.
	ViewOnlyProcessingOrgTrade
	Restriction to only view the back office details of the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
All trade windows > Back Office > Mutation	CreateMutation
Office > Mutation	Permission to create mutations for vanilla OTC Equity options.
	ModifyMutation
	Permission to modify mutations for vanilla OTC Equity options.
All trade windows > Keyword window	ModifyTradeSystemKeyword
,	Permission for modify the value of trade keywords that have been set by the system. The list of system trade keywords is specified in the
	systemKeyword domain.
All trade windows > Product-specific menu >	CreateSpecificResets
Specific Resets	Permission to create specific resets provided the ViewSpecificResets function is also granted.
	RemoveSpecificResets
	Permission to remove specific resets provided the ViewSpecificResets function is also granted.
	ViewSpecificResets
	Permission to run "Specific Resets".
All trade windows > Product-specific menu >	ModifyTerminationDates
Termination Date	Permission to modify termination dates.
FX Trade Windows	Access permissions for the trade panels and components in the FX trade windows.
Foreign Exchange > Forward	- The environment property FXTRADE_PERMISSIONING=true must be set to enable the permissions in the FX trade windows.
Foreign Exchange > FX	FXTradingSalesMargin
Swap	Permission to show the Sales Margin panel for sales users.
Foreign Exchange > Non- Deliverable Forward	FXTradingBroker
Foreign Exchange > Spot	Permission to show the Broker field for trader users.

Applications	Functions
Foreign Exchange > Spot	FXTradingInternal
Reserve	Permission to show the Internal Counterparty toggle for trader users.
Foreign Exchange > TTM	, , , ,
Foreign Exchange > FX Deal	In addition to the access permissions required for "All trade windows", the
Station	following function can also be granted.
	DealCaptureLayoutCustomization
	Permission to customize the layout.

1.14.2 DEAL MANAGEMENT

Main Entry > Deal Management

Applications	Functions
Trade Browser	See also "All trade windows" for information about all access permissions required for viewing and entering trades.
	ModifyOnlyProcessingOrgTrade
	Restriction to only modify the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgTrade
	Restriction to only view the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	UseProcessingOrgHierarchy
	If the PO Child checkbox is checked and this access permission is not granted, the behavior does not change; i.e. only the first level of children of the given PO are used in trade selection. If this access permission is granted, the whole tree of children of the given PO is used in trade selection.

1.14.3 FX OPTIONS PRICING SHEET

Main Entry > Pricing > FX Options Pricing Sheet

Applications	Functions
FX Options Pricing Sheet	See also "All trade windows" for information about all access permissions required for viewing and entering trades.
	ControlPricingSheetMarketData
	Permission to:
	- Change the selected Pricing Env
	 Access Market Data-related windows
	- Edit spot quote
	- Edit real-time parameter
© 2 0 1 0 - 2 0 1 1 Cal	ypso Confidential - Copyright © Calypso Technology, Inc. All Rights Reserved

Applications	Functions
	PricingSheetAccessBackOffice
	Permission to access Audit and BO Browser.
	PricingSheetProfilePropertiesConfigAccess
	Permission to access the Profile Configuration window - Properties, Menu, Layout panels.
	PricingSheetProfileUsersConfigAccess
	Permission to access the Profile Configuration window - Users panel.
	PricingSheetProfileAdminAccess
	Permission to access the Profile Administration window.
	PricingSheetStrategyBuilderAccess
	Permission to access the Strategy Builder.
	PricingSheetLegDetailsEditable
	Permission to modify the actual property values in the Leg Details window.
	PricingSheetUserPreferencesAccess
	Permission to access User Preferences.

1.14.4 TRADE BLOTTER

Main Entry > Trade Viewer > Trade Blotter

Applications	Functions
Trade Blotter	See also "All trade windows" for information about all access permissions required for viewing and entering trades.
	ModifyOnlyProcessingOrgTrade
	Restriction to only modify the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgTrade
	Restriction to only view the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Trade Selector	See also "All trade windows" for information about all access permissions required for viewing and entering trades.
	ModifyOnlyProcessingOrgTrade
	Restriction to only modify the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]

Applications	Functions
	ViewOnlyProcessingOrgTrade
	Restriction to only view the trades associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Pricing Grid	CreatePricingSheet
	Permission to create pricing grids provided the ViewPricingSheet function is also granted.
	ModifyPricingSheet
	Permission to modify pricing grids provided the ViewPricingSheet function is also granted.
	RemovePricingSheet
	Permission to remove pricing grids provided the ViewPricingSheet function is also granted.
	ViewPricingSheet
	Permission to run "Pricing Grid".

1.15 TRADE LIFECYCLE

Main Entry > Trade Lifecycle

Applications	Functions
Corporate Action >	All of the following functions control: the Corporate Action window - Create panel,
- CA Warrant Generation Report	the CA Warrant Generation report - Process panel, and the Warrant Transformation report - Transformation panel.
- Corporate Action	CreateModifyCA
- Warrant Transformation	New / Save / Save as New buttons.
Report	Permission to create and modify corporate actions.
	DesactivateCA
	Deactivate button.
	Permission to deactivate corporate actions.
	ReactivateCA
	Reactivate button.
	Permission to reactivate corporate actions.
	RemoveCA
	Controls the Create panel, Delete button.
	Permission to delete corporate actions.
	RevertCA
	Revert button.
	Permission to revert corporate actions.
Corporate Action > Credit Events	CreateCreditEvents
Events	Permission to create credit events.
	ModifyCreditEvents

Applications	Functions Permission to modify credit events.
	RemoveCreditEvents
Expiration & Exercise >	Permission to remove credit events. ModifySettlementTypeInOptExWin
Option Exercise	
Hedge > Hedge Inception	Permission to modify the settlement type in the Option Exercise window. In the Hedge Inception Window, click Create New Strategy to open the Hedge
	Strategy Window.
	CreateHedgeRelationship
	Permission to create a new hedge relationship.
	CreateHedgeStrategy
	Permission to create a new hedge strategy.
	HedgeTrades
	Permission to hedge trades.
	ModifyHedgeStrategy
	Permission to modify a hedge strategy.
	ModifyHedgeRelationship
	Permission to modify a hedge relationship.
	RemoveHedgeRelationship
	Permission to remove a hedge relationship.
	RemoveHedgeStrategy
	Permission to remove a hedge strategy.
Portfolio Action > Position Transfer	TransferPosition
	Permission to run "Position Transfer".
Portfolio Action > Trade Transfer	RunTradeTransfer
Portfolio Manager	Permission to run "Trade Transfer".
Politiono managei	PublishPortfolioManager
	Controls Utilities >all publish functions.
	Permission to publish the results of Portfolio Manager provided the RunPortfolioManager function is also granted.
	RunPortfolioManager
	Permission to run "Portfolio Manager".
Reset > FX Rate Reset	CreateFXRateDef
	Permission to create reset information for FX rates.
	ModifyFXRateDef
	Permission to modify reset information for FX rates.
	RemoveFXRateDef
	Permission to remove reset information for FX rates.
Reset > Price Fixing	ModifyPriceFixings
	Permission to create and modify price fixings.
	PriceFixingAnyTrade

Applications	Functions
	Controls the "Add Trades" button.
	Permission to add individual trades for price fixing.
	PublishPriceFixings
	Permission to publish price fixings.
	RemovePriceFixings
	Permission to remove price fixings.
Reset > Rate Reset	CreateRateResets
	Permission to create reset information for interest rates.
	ModifyRateResets
	Permission to modify reset information for interest rates.
	PublishRateResets
	Controls the Trade Flows panel, Publish button.
	Permission to publish reset information for interest rates.
	RateResetAnyTrade
	Controls the Add Trades button.
	Permission to add individual trades for reset.
	RemoveRateResets
	Permission to remove reset information for interest rates.
Termination > Cash Settlement	CashSettleReview
Settlement	Permission to check/clear the Reviewed/Satisfied checkbox.
	CreateCashSettleInfo
	Permission to create cash settlement information.
	ModifyCashSettleInfo
	Permission to modify cash settlement information.
	RemoveCashSettleInfo
	Permission to remove cash settlement information.

1.16 USER ACCESS CONTROL

Main Entry > Configuration > User Access Control

Applications	Functions
Access Permissions	AccessPerm
	Permission to configure access permissions, provided one of the following functions is also granted:
	- ModifyAccessPermAutoLogout
	- ModifyAccessPermBookAccess
	- ModifyAccessPermGroupAccess
	- ModifyAccessPermGroups
	- ModifyAccessPermProductAccess
	- ModifyAccessPermUsers
	CreateMarketDataGroup
	Controls the Market Data Groups button.
© 2010-2011 C	Calypso Confidential - Copyright © Calypso Technology, Inc. All Rights Reserved

Applications **Functions** Permission to create market data groups. **ModifyMarketDataGroup** Controls the Market Data Groups button. Permission to modify market data groups. RemoveMarketDataGroup Controls the Market Data Groups button. Permission to remove market data groups. **CreateUsers** Controls the Users panel. Permission to create users provided the AccessPerm function is also granted. **ModifyUsers** Controls the Users panel. Permission to modify users provided the AccessPerm function is also granted. RemoveUsers Controls the Users panel. Permission to remove users provided the AccessPerm function is also granted. **ModifyAccessPermAutoLogout** Permission to modify the auto logout period provided the AccessPerm function is also granted. **ModifyAccessPermBookAccess** Controls the Book Access panel. Permission to modify book permissions provided the AccessPerm function is also granted. ModifyAccessPermGroupAccess Controls the Group Access panel. Permission to modify the group permissions provided the AccessPerm function is also granted. **ModifyAccessPermGroups** Controls the Groups panel. Permission to modify groups provided the AccessPerm function is also granted. ModifyAccessPermProductAccess Controls the Product Access panel. Permission to modify the product permissions provided the AccessPerm function is also granted. **ModifyAccessPermUsers** Controls the Users panel.

granted.

Permission to modify users provided the AccessPerm function is also

Applications	Functions
	For backward compatibility, users with this permission also have the CreateUsers, ModifyUsers, and RemoveUsers permissions.
	ModifyAdminUsers
	Permission to modify admin users' passwords.
	ViewAccessPerm
	Permission to view access permissions.
Task Access Configuration	ModifyConfigData
	Permission to modify task access configurations provided the RunConfigWindow function is also granted.
	ModifyUserTaskConfig
	Permission to create, modify and delete task access configurations provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Task Access Configuration".
	[NOTE: To modify data, you also need the function ModifyConfigData]
User Defaults	ModifyMyUserDefaultsOnly
	Permission to modify only a user's own user defaults.
	ModifyUserDefaults
	Permission to modify user defaults.
	ModifyUserDefaultsRateDecimals
	Permission to modify the Rate Decimals field in the User Defaults profile. The ModifyUserDefaults permission in also required.
Task Station Defaults	ModifyConfigData
	Permission to configure defaults for the Task Station provided the RunConfigWindow function is also granted.
	RunConfigWindow
	Permission to run "Task Station Defaults".
	[NOTE: To modify data, you also need the function ModifyConfigData]
Trade Window Configuration	CreateTradeWinClassConfig
Comiguration	Permission to create Trade Window configurations.
	ModifyTradeWinClassConfig
	Permission to modify Trade Window configurations.
	RemoveTradeWinClassConfig
	Permission to remove Trade Window configurations.
Authorization Configuration	CreateAuthConfig
	Permission to create authorization configurations.
	ModifyAuthConfig
	Permission to modify authorization configurations.
	RemoveAuthConfig
	Permission to remove authorization configurations.

1.17 UTILITIES

Main Entry > Utilities

Applications	Functions
Main Entry Configurator	ModifyConfigData
	Permission to modify the Main Entry Config of any user provided the function ModifyMainEntry is also granted.
	ModifyMainEntry
	Permission to modify the Main Entry Config of the user currently connected.
	To modify the Main Entry Config of any user, the ModifyConfigData function also has to be granted.
Maintenance > Monitoring	FullUtilitiesMenu
	Permission to run all utilities.
	[NOTE: You need to run Main Entry > Utilities > Reload Access Perm in order to have access to the full Utilities menu]
System	FullUtilitiesMenu
	Permission to run all utilities.
	[NOTE: You need to run Main Entry > Utilities > Reload Access Perm in order to have access to the full Utilities menu]
Utilities	HideUtilitiesMenu
	Restriction to hide the Utilities menu.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]

1.18 Workflow

Applications	Functions
Workflow Graph	CreateTaskWorkflowConfig
	Permission to create workflow configurations provided the RunConfigWindow function is also granted.
	[NOTE: To create new actions, you also need the function ModifyConfigData]
	ModifyConfigData
	Permission to save and delete actions provided the RunConfigWindow. CreateTaskWorkflowConfig, ModifyTaskWorkflowConfig, and RemoveTaskWorkflowConfig functions are also granted.
	ModifyDomains
	Permission to add and modify status codes and actions.
	ModifyTaskWorkflowConfig
	Permission to modify workflow configurations provided the RunConfigWindow function is also granted.
	[NOTE: To modify actions, you also need the function ModifyConfigData
	ModifyWorkflowConfig
	Permission to modify workflow configurations provided the RunConfigWindow function is also granted.

Functions Applications RemoveTaskWorkflowConfig Permission to remove workflow configurations provided the RunConfigWindow function is also granted. [NOTE: To remove actions, you also need the function ModifyConfigData] RunConfigWindow Permission to run "Workflow Graph". ViewOnlyProcessingOrgStaticData Restriction to only view the workflows associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel. [NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added] ModifyOnlyProcessingOrgStaticData Restriction to only modify the workflows associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel. [NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added] ViewOnlyProcessingOrgStaticData Restriction to only view the workflows associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel. [NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added] **Workflow Configuration** CreateTaskWorkflowConfig Permission to create workflow configurations provided the RunConfigWindow function is also granted. ImportWorkFlow Permission to import workflow configurations provided the RunConfigWindow function is also granted. **ModifyDomains** Controls Domains > all menu items. Permission to add and modify status codes, actions and rules. ModifyTaskWorkflowConfig Permission to modify workflow configurations provided the RunConfigWindow function is also granted. **ModifyWorkflowConfig** Permission to modify workflow configurations provided the RunConfigWindow function is also granted. RemoveTaskWorkflowConfig Permission to remove workflow configurations provided the RunConfigWindow function is also granted.

Applications	Functions
	RunConfigWindow
	Permission to run "Workflow Configuration".
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the workflows associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ModifyOnlyProcessingOrgStaticData
	Restriction to only modify the workflows associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
	ViewOnlyProcessingOrgStaticData
	Restriction to only view the workflows associated with the processing orgs of the user currently connected. User processing orgs are specified using Access Permissions > User panel.
	[NOTE: This function is actually a restriction and not a permission. However, if a group is granted all functions, this restriction will not apply. It has to be specifically added]
Kick-Off/Cut-Off	CreateKickOffCutOffConfig
	Permission to create KickOff CutOff configurations.
	ModifyKickOffCutOffConfig
	Permission to modify KickOff CutOff configurations.
	RemoveKickOffCutOffConfig
	Permission to remove KickOff CutOff configurations.
Task Internal Reference	AddModifyTaskInternalReference
Tack Briggity	Permission to create and modify task internal reference configurations.
Task Priority	AddModifyTaskPriorityConfig
	Permission to create and modify task priority configurations.