

ZAP Scanning Report

Site: <https://qed.qed-stage.aws.epa.gov>

Generated on Tue, 22 Nov 2022 16:17:48

Summary of Alerts

Risk Level	Number of Alerts
High	4
Medium	1
Low	1
Informational	3

Alerts

Name	Risk Level	Number of Instances
Cross Site Scripting (Reflected)	High	2
SQL Injection - Hypersonic SQL - Time Based	High	1
SQL Injection - Oracle - Time Based	High	1
SQL Injection - PostgreSQL - Time Based	High	1
Content Security Policy (CSP) Header Not Set	Medium	2
X-Content-Type-Options Header Missing	Low	23
Modern Web Application	Informational	1
Re-examine Cache-control Directives	Informational	23
User Agent Fuzzer	Informational	252

Alert Detail

High	Cross Site Scripting (Reflected)
Description	<p>Cross-site Scripting (XSS) is an attack technique that involves echoing attacker-supplied code into a user's browser instance. A browser instance can be a standard web browser client, or a browser object embedded in a software product such as the browser within WinAmp, an RSS reader, or an email client. The code itself is usually written in HTML/JavaScript, but may also extend to VBScript, ActiveX, Java, Flash, or any other browser-supported technology.</p> <p>When an attacker gets a user's browser to execute his/her code, the code will run within the security context (or zone) of the hosting web site. With this level of privilege, the code has the ability to read, modify and transmit any sensitive data accessible by the browser. A Cross-site Scripted user could have his/her account hijacked (cookie theft), their browser redirected to another location, or possibly shown fraudulent content delivered by the web site they are visiting. Cross-site Scripting attacks essentially compromise the trust relationship between a user and the web site. Applications utilizing browser object instances which load content from the file system may execute code under the local machine zone allowing for system compromise.</p> <p>There are three types of Cross-site Scripting attacks: non-persistent, persistent and DOM-based.</p> <p>Non-persistent attacks and DOM-based attacks require a user to either visit a specially crafted link laced with malicious code, or visit a malicious web page containing a web form, which when posted to the vulnerable</p>

site, will mount the attack. Using a malicious form will oftentimes take place when the vulnerable resource only accepts HTTP POST requests. In such a case, the form can be submitted automatically, without the victim's knowledge (e.g. by using JavaScript). Upon clicking on the malicious link or submitting the malicious form, the XSS payload will get echoed back and will get interpreted by the user's browser and execute. Another technique to send almost arbitrary requests (GET and POST) is by using an embedded client, such as Adobe Flash.

Persistent attacks occur when the malicious code is submitted to a web site where it's stored for a period of time. Examples of an attacker's favorite targets often include message board posts, web mail messages, and web chat software. The unsuspecting user is not required to interact with any additional site/link (e.g. an attacker site or a malicious link sent via email), just simply view the web page containing the code.

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	chemical
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	chemical
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Instances	2
Solution	<p>Phase: Architecture and Design</p> <p>Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.</p> <p>Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket.</p> <p>Phases: Implementation; Architecture and Design</p> <p>Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies.</p> <p>For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters.</p> <p>Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed.</p> <p>Phase: Architecture and Design</p> <p>For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server.</p> <p>If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated.</p> <p>Phase: Implementation</p> <p>For every web page that is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web browser may choose a different encoding by guessing which encoding is actually being used by the web page. This can cause the web browser to treat certain sequences as special, opening up the client to subtle XSS attacks. See CWE-116 for more mitigations related to encoding/escaping.</p>

To help mitigate XSS attacks against the user's session cookie, set the session cookie to be HttpOnly. In browsers that support the HttpOnly feature (such as more recent versions of Internet Explorer and Firefox), this attribute can prevent the user's session cookie from being accessible to malicious client-side scripts that use document.cookie. This is not a complete solution, since HttpOnly is not supported by all browsers. More importantly, XMLHttpRequest and other powerful browser technologies provide read access to HTTP headers, including the Set-Cookie header in which the HttpOnly flag is set.

Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an allow list of acceptable inputs that strictly conform to specifications. Reject any input that does not strictly conform to specifications, or transform it into something that does. Do not rely exclusively on looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be useful for detecting potential attacks or determining which inputs are so malformed that they should be rejected outright.

When performing input validation, consider all potentially relevant properties, including length, type of input, the full range of acceptable values, missing or extra inputs, syntax, consistency across related fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue."

Ensure that you perform input validation at well-defined interfaces within the application. This will help protect the application even if a component is reused or moved elsewhere.

Reference	http://projects.webappsec.org/Cross-Site-Scripting http://cwe.mitre.org/data/definitions/79.html
CWE Id	79
WASC Id	8
Plugin Id	40012

High	SQL Injection - Hypersonic SQL - Time Based
-------------	--

Description	SQL injection may be possible
-------------	-------------------------------

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/run
-----	---

Method	POST
--------	------

Parameter	chemical
-----------	----------

Attack	field: [chemical], value [; select "java.lang.Thread.sleep"(15000) from INFORMATION_SCHEMA.SYSTEM_COLUMNS where TABLE_NAME = 'SYSTEM_COLUMNS' and COLUMN_NAME = 'TABLE_NAME' --]
--------	---

Evidence	
----------	--

Instances	1
-----------	---

Solution	<p>Do not trust client side input, even if there is client side validation in place.</p> <p>In general, type check all data on the server side.</p> <p>If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'</p> <p>If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.</p> <p>If database Stored Procedures can be used, use them.</p> <p>Do <i>not</i> concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!</p> <p>Do not create dynamic SQL queries using simple string concatenation.</p> <p>Escape all data received from the client.</p> <p>Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.</p> <p>Apply the privilege of least privilege by using the least privileged database user possible.</p> <p>In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact.</p>
----------	--

Grant the minimum database access that is necessary for the application.

Reference	https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html
CWE Id	89
WASC Id	19
Plugin Id	40020

High	SQL Injection - Oracle - Time Based
-------------	--

Description	SQL injection may be possible
-------------	-------------------------------

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/run
-----	---

Method	POST
--------	------

Parameter	chemical
-----------	----------

Attack	field: [chemical], value [(SELECT UTL_INADDR.get_host_name('10.0.0.1') from dual union SELECT UTL_INADDR.get_host_name('10.0.0.2') from dual union SELECT UTL_INADDR.get_host_name('10.0.0.3') from dual union SELECT UTL_INADDR.get_host_name('10.0.0.4') from dual union SELECT UTL_INADDR.get_host_name('10.0.0.5') from dual)]
--------	--

Evidence	
----------	--

Instances	1
-----------	---

Solution	<p>Do not trust client side input, even if there is client side validation in place.</p> <p>In general, type check all data on the server side.</p> <p>If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'</p> <p>If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.</p> <p>If database Stored Procedures can be used, use them.</p> <p>Do <i>*not*</i> concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!</p> <p>Do not create dynamic SQL queries using simple string concatenation.</p> <p>Escape all data received from the client.</p> <p>Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.</p> <p>Apply the privilege of least privilege by using the least privileged database user possible.</p> <p>In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact.</p> <p>Grant the minimum database access that is necessary for the application.</p>
----------	--

Reference	https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html
-----------	---

CWE Id	89
--------	--------------------

WASC Id	19
---------	----

Plugin Id	40021
-----------	-----------------------

High	SQL Injection - PostgreSQL - Time Based
-------------	--

Description	SQL injection may be possible
-------------	-------------------------------

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/run
-----	---

Method	POST
--------	------

Parameter	chemical
-----------	----------

Attack	field: [chemical], value [case when cast(pg_sleep(15) as varchar) > " then 0 else 1 end]
--------	--

Evidence	
----------	--

Instances	1
Solution	<p>Do not trust client side input, even if there is client side validation in place.</p> <p>In general, type check all data on the server side.</p> <p>If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'</p> <p>If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.</p> <p>If database Stored Procedures can be used, use them.</p> <p>Do <i>not</i> concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!</p> <p>Do not create dynamic SQL queries using simple string concatenation.</p> <p>Escape all data received from the client.</p> <p>Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.</p> <p>Apply the privilege of least privilege by using the least privileged database user possible.</p> <p>In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact.</p> <p>Grant the minimum database access that is necessary for the application.</p>
Reference	https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html
CWE Id	89
WASC Id	19
Plugin Id	40022

Medium	Content Security Policy (CSP) Header Not Set
---------------	---

Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
-------------	--

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/outputs
Method	POST
Parameter	
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	
Attack	
Evidence	

Instances	2
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header, to achieve optimal browser support: "Content-Security-Policy" for Chrome 25+, Firefox 23+ and Safari 7+, "X-Content-Security-Policy" for Firefox 4.0+ and Internet Explorer 10+, and "X-WebKit-CSP" for Chrome 14+ and Safari 6+.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html http://www.w3.org/TR/CSP/

<http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html>
<http://www.html5rocks.com/en/tutorials/security/content-security-policy/>
<http://caniuse.com/#feat=contentsecuritypolicy>
<http://content-security-policy.com/>

CWE Id	693
WASC Id	15
Plugin Id	10038

Low	X-Content-Type-Options Header Missing
------------	--

Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
-------------	--

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
-----	---

Method	GET
--------	-----

Parameter	X-Content-Type-Options
-----------	------------------------

Attack	
--------	--

Evidence	
----------	--

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
-----	---

Method	GET
--------	-----

Parameter	X-Content-Type-Options
-----------	------------------------

Attack	
--------	--

Evidence	
----------	--

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
-----	---

Method	GET
--------	-----

Parameter	X-Content-Type-Options
-----------	------------------------

Attack	
--------	--

Evidence	
----------	--

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
-----	---

Method	GET
--------	-----

Parameter	X-Content-Type-Options
-----------	------------------------

Attack	
--------	--

Evidence	
----------	--

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
-----	---

Method	GET
--------	-----

Parameter	X-Content-Type-Options
-----------	------------------------

Attack	
--------	--

Evidence	
----------	--

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera
-----	---

Method	GET
--------	-----

Parameter	X-Content-Type-Options
-----------	------------------------

Attack	
--------	--

Evidence	
----------	--

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
-----	---

Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/envipath/run
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	X-Content-Type-Options

Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/run
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	

Instances	23
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.
Reference	http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Modern Web Application
----------------------	-------------------------------

Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	
Attack	
Evidence	<script>alert(1);</script>
Instances	1
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	Re-examine Cache-control Directives
----------------------	--

Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Cache-Control
Attack	
Evidence	

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/envipath/run
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST

Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/run
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Cache-Control
Attack	

Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Cache-Control
Attack	
Evidence	
Instances	23
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)

Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16

Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	

URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon

Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET

Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/cts
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi
Method	GET
Parameter	Header User-Agent

Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)

Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test
Method	GET
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST

Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/inputs
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent

Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/chemaxon/run
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0

Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/inputs
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/epi/run
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs

Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/inputs
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run

Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST

Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/measured/run
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/inputs
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/metabolizer/run
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/opera/inputs
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	

URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs

Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/inputs
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run

Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/test/run
Method	POST
Parameter	Header User-Agent
Attack	msnbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST

Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/inputs
Method	POST
Parameter	Header User-Agent
Attack	mnsbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; + http://www.google.com/bot.html)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	https://qed.qed-stage.aws.epa.gov/cts/rest/testws/run
Method	POST
Parameter	Header User-Agent
Attack	mnsbot/1.1 (+ http://search.msn.com/msnbot.htm)
Evidence	
Instances	252
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	10104