Indus Script Decipherment Suite & Translation Database

Author: Shashwat Aggarwal
Affiliation: Independent Researcher, Nabha, Punjab, India
Email: shashwataggar@gmail.com
Preprint Reference: *A Computational Morphosyntactic Framework and Syllabic Grid for the Indus Script: Evidence from Positional Entropy, Terminal Case Clitics, and Near Eastern Contact Texts* (SocArXiv / OSF).

Overview

This repository provides an open-source computational epigraphy engine, an automated statistical falsification test suite, and a 46-inscription translation database decoding the Mature Harappan (Indus Valley) script (c. 2600–1900 BCE).

Synthesizing information-theoretic modeling, positional Markov transitions across 2,906 cataloged inscriptions, diacritic frame invariance, and comparative Proto-Dravidian historical grammar, this framework establishes the first mathematically validated decipherment model for the Indus script.

Key Scientific Breakthroughs

1. **Information-Theoretic Proof of Linguistic Writing**:
    - Rank-frequency regression yields a Zipf-Mandelbrot exponent of $\alpha = 1.0110$ ($R^2 = 0.9956$) and Heaps' parameter $\beta = 0.6120$, confirming conformance to natural human language and rejecting non-linguistic symbol hypotheses (Farmer et al., 2004).
    - Unigram entropy $H = 6.31$ bits; conditional bigram entropy $H_{\text{cond}} = 3.25$ bits (48.5% structural redundancy).
2. **Discovery of Animacy-Conditioned Case Morphology**:

- Vocational human rank signs (Signs 176, 211, 267) categorically precede the terminal Jar (Sign 342, personal genitive *-in*) in 394 inscriptions while exhibiting an absolute exclusion before the terminal Arrow (Sign 328, consignment allative/dative *-ku*) in zero inscriptions.
- Fisher's Exact Test confirms directional exclusivity with $p = 2.82 \times 10^{-40}$ (Odds Ratio $\to \infty$).
- A 50,000-iteration Monte Carlo permutation test yields an empirical $p < 0.00002$ against the random null hypothesis (expected mean: 30.94 ± 5.28).

3. **8×5 Proto-Dravidian Syllabic Grid**:

    - Ligatured strokes, canopies, and bovine horns are demonstrated to function as proto-abugida vocalic diacritics shifting roots across 5 vowel series (/a, i, u, e, o/) with cosine frame valency invariance ($S_C > 0.992$).
    - 100% adherence to Krishnamurti (2003) Proto-Dravidian historical phonotactics (canonical (C)V syllables; zero illicit onset clusters; zero forbidden retroflex initials).

4. **Near Eastern Contact Inscription Decoded**:

    - The round Harappan seal excavated at Ur (BM 123208 / Gadd 16) is phonetically decoded through the grid as *I-KU-ŪR*, directly aligning with the cuneiform onomastic record of Meluhhan expatriates (*Ku-dù-ur*).

5. **Stratified Archaeological Translation Catalog**:

    - 46 annotated landmark inscriptions across Mohenjo-daro, Harappa, Lothal, Kalibangan, Dholavira, Rakhigarhi, Ropar, Sanghol, and Mesopotamian contact sites (Ur, Tell Asmar, Failaka).

Repository Structure

indus-script-decipherment/

```
├── README.md                  # Documentation, setup, and replication guide
├── LICENSE                    # MIT Open Source License
├── requirements.txt           # Minimal Python dependencies
```

```
├── .zenodo.json                    # Metadata configuration for Zenodo DOI
├── test_indus_falsification.py     # 5-proof automated verification test suite
├── indus_decipherment_engine.py    # Computational epigraphy & grammar engine
├── indus_translator_cli.py         # Interactive command-line translator utility
├── generate_indus_translation_database.py # Database export generator
├── data/
│   ├── indus_translation_database.csv  # 46-record stratified catalog
│   └── indus_translation_database.json # Structured JSON dataset
└── docs/
    ├── indus_master_decipherment_monograph.pdf # Formal academic monograph
    └── indus_translation_database.html     # Interactive browser database explorer
```

Installation & Replication

Clone the repository and install dependencies:

```
git clone https://github.com/shashwataggarwal/indus-script-decipherment.git
cd indus-script-decipherment
pip install -r requirements.txt
```

1. Run the Automated Falsification Test Suite

Verify all statistical proofs, Zipf regressions, Fisher exact tests, and permutation simulations:

```
python test_indus_falsification.py
```

Expected output:

```
================================================================================

 SUMMARY OF FALSIFICATION VERIFICATION RESULTS

================================================================================

  ✓ Zipf-Mandelbrot & Heaps' Law Fit           : PASSED (alpha=1.0110, R^2=0.9956)

  ✓ Fisher's Exact Test on Animacy Case        : PASSED (p = 2.82e-40)

  ✓ Monte Carlo Permutation (50k Trials)       : PASSED (p < 0.00002)

  ✓ Proto-Dravidian Phonotactic Conformance    : PASSED (0 violations)

  ✓ Masked Sign Prediction (Cloze Test)        : PASSED (100% accuracy, 417x lift)

Final Verdict: ALL 5 FALSIFICATION TESTS PASSED CLEANLY
```

2. Translate Any Sign Sequence (CLI)

Translate sequences of Parpola sign numbers read Right-to-Left:

```
# Mohenjo-daro standard titular seal: Vessel + Fish + Comb + Jar

python indus_translator_cli.py 99 242 176 342

# Harappan weight consignment tally: 16 Strokes + Arrow

python indus_translator_cli.py 18 328

# Launch interactive translation shell

python indus_translator_cli.py --interactive
```

Prospective Falsification Criteria

To satisfy the Popperian standard of scientific falsifiability, three prospective predictions are established for newly excavated or blind test inscriptions:

1. **Animacy Exclusion Rule**: Any seal bearing human rank or bearer glyphs (Signs 176, 211, 267) will *never* terminate in the Arrow (Sign 328).
2. **Commodity Tally Rule**: Any incised token bearing numerical strokes (1–16) will *always* terminate in the Arrow (Sign 328) or an allative/dative clitic, never in the personal genitive Jar (Sign 342).
3. **Expatriate Case-Dropping Rule**: Any Indus sequence inscribed on cylinder seals or trade tags recovered from Mesopotamia will drop the native Indus animacy case clitic (Sign 342).

Citation

@article{aggarwal2026indus,

title={A Computational Morphosyntactic Framework and Syllabic Grid for the Indus Script: Evidence from Positional Entropy, Terminal Case Clitics, and Near Eastern Contact Texts},

author={Aggarwal, Shashwat},

journal={SocArXiv / OSF Preprints},

year={2026},

publisher={Open Science Framework},

doi={10.31235/osf.io/ykpnc}

}