



**UNIVERSIDAD DE INVESTIGACION DE  
TECNOLOGIA EXPERIMENTAL YACHAY**

**Escuela de Ciencias Físicas y Nanotecnología**

**TÍTULO: First Principles and Machine Learning  
Investigations into the Atomic and Mechanical  
Properties of Cement Hydrates (C-S-H).**

Trabajo de integración curricular presentado como requisito para  
la obtención del título de Físico

**Autor:**

Balarezo J. Gabriel

**Tutor:**

Ph.D - Pinto Henry

Urcuquí, Junio 2025

## AUTORÍA

Yo, **Balarezo Balarezo Juan Gabriel**, con cédula de identidad 0106019219, declaro que las ideas, juicios, valoraciones, interpretaciones, consultas bibliográficas, definiciones y conceptualizaciones expuestas en el presente trabajo; así cómo, los procedimientos y herramientas utilizadas en la investigación, son de absoluta responsabilidad de el/la autora (a) del trabajo de integración curricular. Así mismo, me acojo a los reglamentos internos de la Universidad de Investigación de Tecnología Experimental Yachay.

Urcuquí, junio 2025.

---

Juan Gabriel Balarezo Balarezo

C.I: 0106019219

## AUTORIZACIÓN DE PUBLICACIÓN

Yo, **Balarezo Balarezo Juan Gabriel**, con cédula de identidad 0106019219, cedo a la Universidad de Investigación de Tecnología Experimental Yachay, los derechos de publicación de la presente obra, sin que deba haber un reconocimiento económico por este concepto. Declaro además que el texto del presente trabajo de titulación no podrá ser cedido a ninguna empresa editorial para su publicación u otros fines, sin contar previamente con la autorización escrita de la Universidad.

Asimismo, autorizo a la Universidad que realice la digitalización y publicación de este trabajo de integración curricular en el repositorio virtual, de conformidad a lo dispuesto en el Art. 144 de la Ley Orgánica de Educación Superior

Urcuquí, junio 2025.

---

Juan Gabriel Balarezo Balarezo  
C.I: 0106019219

*For her, who is my everything.*  
*For my family, who always supported me.*

Balarezo J. Gabriel

## Acknowledgments

Me gustaría expresar mi más sincero agradecimiento a mis padres, cuyo apoyo incondicional y aliento han sido la fuerza impulsora detrás de mi trayectoria académica, y cuyos sacrificios y confianza en mí han sido fundamentales para alcanzar este logro. A la Gnosis por enseñarme a mejorar como ser humano. A mis amigos, cuya compañía y amistad han traído alegría y risas en cada paso de este camino, gracias por siempre estar ahí. Un agradecimiento especial a mi novia, cuyo amor, comprensión y paciencia han sido una fuente constante de fortaleza e inspiración, siendo mi roca en los diversos desafíos. Me siento increíblemente afortunado de haber recibido la guía y el apoyo incondicional de mis co-asesores, María Camila y el Profesor Andrés, cuya experiencia, mentoría y dedicación han sido invaluable para la realización de esta tesis. Extiendo mi gratitud al mejor profesor de Yachay Tech, Henry Pinto.

Finalmente, dedico esta tesis a mi abuelo, cuya resiliencia y fortaleza frente a la adversidad han sido una fuente de inspiración. Su amor y sabiduría me han guiado a lo largo de los altibajos de la vida, y estoy eternamente agradecido por su presencia en mi vida.

Balarezo J. Gabriel

## Resumen

Este estudio presenta una investigación exhaustiva de las propiedades magnéticas y electrónicas de los monocapas  $X\text{GeTe}_3$  ( $X = \text{Cr}, \text{Mn}, \text{Fe}$ ) y sus aleaciones aleatorias, utilizando la teoría del funcional de la densidad (DFT) con los funcionales PBE y PBEsol, complementados con correcciones de Hubbard  $U$ .  $\text{CrGeTe}_3$  exhibe un robusto orden ferromagnético (FM) con una brecha de banda calculada que concuerda bien con los datos experimentales, destacando su potencial para aplicaciones prácticas. La monocapa  $\text{MnGeTe}_3$  muestra un comportamiento de medio metal (HM), lo que lo hace particularmente prometedor para aplicaciones espintrónicas. En contraste,  $\text{FeGeTe}_3$  revela un estado fundamental antiferromagnético (AFM) y posibles inestabilidades dinámicas, lo que requiere una mayor exploración para optimizar sus propiedades electrónicas.

En las aleaciones aleatorias, se observaron modificaciones significativas en los momentos magnéticos y las estructuras electrónicas. Específicamente, en  $\text{Cr}_{1-x}\text{GeMn}_x\text{Te}_3$ , el desorden en el momento magnético sugiere estados magnéticos fundamentales complejos, beneficiosos para la espintrónica. Mientras tanto,  $\text{Cr}_{1-x}\text{GeFe}_x\text{Te}_3$  demuestra efectos de fuerte hibridación, indicando su idoneidad para sensores magnéticos y aplicaciones termoeléctricas. El sistema  $\text{Fe}_{1-x}\text{GeMn}_x\text{Te}_3$  revela desafíos estructurales a mayores concentraciones de Mn, pero su estabilidad termodinámica respalda su potencial uso en uniones túnel magnéticas.

En general, esta investigación resalta las considerables perspectivas tecnológicas de los monocapas  $X\text{GeTe}_3$  y sus aleaciones aleatorias, abogando por un control preciso de las propiedades magnéticas y electrónicas para avanzar en sus aplicaciones en espintrónica, memorias magnéticas y dispositivos termoeléctricos.

**Palabras clave:** Teoría del Funcional de la Densidad, monocapas, ferromagnetismo, anti-ferromagnetismo, semi-metal, aleaciones aleatorias.

## Abstract

This study presents a thorough investigation of the magnetic and electronic properties of  $X\text{GeTe}_3$  ( $X = \text{Cr}, \text{Mn}, \text{Fe}$ ) monolayers and their random alloys, utilizing density functional theory (DFT) with PBE and PBEsol functionals, supplemented by Hubbard  $U$  corrections.  $\text{CrGeTe}_3$  exhibits robust ferromagnetic (FM) ordering with a calculated band gap that aligns well with experimental data, highlighting its potential for practical applications. The  $\text{MnGeTe}_3$  monolayer shows half-metallic (HM) behavior, making it particularly promising for spintronic applications. In contrast,  $\text{FeGeTe}_3$  reveals an antiferromagnetic (AFM) ground state and potential dynamical instabilities, necessitating further exploration to optimize its electronic properties.

For the random alloys, significant modifications in magnetic moments and electronic structures were noted. Specifically, in  $\text{Cr}_{1-x}\text{GeMn}_x\text{Te}_3$ , magnetic moment disorder suggests complex magnetic ground states beneficial for spintronics. Meanwhile,  $\text{Cr}_{1-x}\text{GeFe}_x\text{Te}_3$  demonstrates strong hybridization effects, indicating its suitability for magnetic sensors and thermoelectric applications. The  $\text{Fe}_{1-x}\text{GeMn}_x\text{Te}_3$  system reveals structural challenges at higher Mn concentrations, but its thermodynamic stability supports its potential use in magnetic tunneling junctions.

Overall, this research emphasizes the considerable technological prospects of  $X\text{GeTe}_3$  monolayers and their random alloys, advocating for precise control over magnetic and electronic properties to advance their applications in spintronics, magnetic memory, and thermoelectric devices.

**Keywords:** Density Functional Theory, monolayers, ferromagnetism, anti-ferromagnetism, half-metal, random alloys.

# Contents

<b>Contents</b>	<b>vii</b>
<b>List of Figures</b>	<b>viii</b>
<b>List of Tables</b>	<b>ix</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Background . . . . .	1
1.2 Problem Statement . . . . .	1
1.3 General and Specific Objectives . . . . .	2
1.4 Overview . . . . .	2
<b>2 Theoretical Background</b>	<b>3</b>
2.1 Many Body Schrödinger Equation . . . . .	3
2.2 The Born-Oppenheimer Approximation . . . . .	3
2.3 Hartree-Fock Approximation . . . . .	3
2.4 Density Functional Theory . . . . .	4
2.4.1 Hohenberg-Kohn Theorems . . . . .	4
<b>Bibliography</b>	<b>5</b>



# List of Figures

- 1.1 A four-level model representing the upscaling of C-S-H properties from the nanoscale to the engineering scale. (a) snapshot of C-S-H's nanostructure. (b) microstructure of C-S-H created by agglomeration of randomly oriented C-S-H nanoparticles. (c) microtexture of hardened paste composed by hydration products. (d) macrotexture of cement paste at the engineering scale. Adapted from<sup>9</sup>. . . . . 2

# List of Tables

# Chapter 1

## Introduction

### 1.1 Background

Concrete is the synthetic material currently produced in volumes larger than any other material on Earth. With an annual consumption of approximately 35 billion tonnes, it is only second to water in terms of global usage<sup>1,2</sup>. As the backbone of modern infrastructure, it provides the foundations for buildings, bridges, roads, dams, and other structures essential for societal development. Its widespread adoption arises from a unique combination of strength, versatility, and cost-effectiveness<sup>3</sup>, rendering it indispensable to the construction industry.

Nevertheless, despite the ubiquity of concrete, the properties of its key constituent, cement, remain incompletely understood. Cement is a chemically complex material, composed of a heterogeneous mixture of minerals that undergo a series of hydration reactions upon contact with water. The principal product of cement hydration—and the primary binding phase of concrete—calcium silicate hydrate (C-S-H)<sup>1</sup> is the responsible for the mechanical strength, chemical and transport properties and durability of hardened cement paste and, consequently, of concrete itself<sup>4,5,6,7</sup>. Therefore, understanding the atomic and mechanical properties of C-S-H is of the uttermost importance to better formulate cementitious materials with enhanced performance and durability.<sup>8</sup>

### 1.2 Problem Statement

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales

---

<sup>1</sup>Cement chemistry nomenclature


tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

### 1.3 General and Specific Objectives

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

### 1.4 Overview

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.



**Figure 1.1:** A four-level model representing the upscaling of C-S-H properties from the nanoscale to the engineering scale. (a) snapshot of C-S-H's nanostructure. (b) microstructure of C-S-H created by agglomeration of randomly oriented C-S-H nanoparticles. (c) microtexture of hardened paste composed by hydration products. (d) macrotexture of cement paste at the engineering scale. Adapted from<sup>9</sup>.

## Chapter 2

# Theoretical Background

### 2.1 Many Body Schrödinger Equation

In the realm of materials science, comprehending particle behaviour within a system inevitably demands resorting to intricate principles of quantum mechanics. Our journey shall commence by describing the energy components that shape the interactions among particles constituting a system –electrons and nuclei alike.

### 2.2 The Born-Oppenheimer Approximation

Nunc posuere quam at lectus tristique eu ultrices augue venenatis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam erat volutpat. Vivamus sodales tortor eget quam adipiscing in vulputate ante ullamcorper. Sed eros ante, lacinia et sollicitudin et, aliquam sit amet augue. In hac habitasse platea dictumst.

### 2.3 Hartree-Fock Approximation

Morbi rutrum odio eget arcu adipiscing sodales. Aenean et purus a est pulvinar pellentesque. Cras in elit neque, quis varius elit. Phasellus fringilla, nibh eu tempus venenatis, dolor elit posuere quam, quis adipiscing urna leo nec orci. Sed nec nulla auctor odio aliquet consequat. Ut nec nulla in ante ullamcorper aliquam at sed dolor. Phasellus fermentum magna in augue gravida cursus. Cras sed pretium lorem. Pellentesque eget ornare odio. Proin accumsan, massa viverra cursus pharetra, ipsum nisi lobortis velit, a malesuada dolor lorem eu neque.

## 2.4 Density Functional Theory

Sed ullamcorper quam eu nisl interdum at interdum enim egestas. Aliquam placerat justo sed lectus lobortis ut porta nisl porttitor. Vestibulum mi dolor, lacinia molestie gravida at, tempus vitae ligula. Donec eget quam sapien, in viverra eros. Donec pellentesque justo a massa fringilla non vestibulum metus vestibulum. Vestibulum in orci quis felis tempor lacinia. Vivamus ornare ultrices facilisis. Ut hendrerit volutpat vulputate. Morbi condimentum venenatis augue, id porta ipsum vulputate in. Curabitur luctus tempus justo. Vestibulum risus lectus, adipiscing nec condimentum quis, condimentum nec nisl. Aliquam dictum sagittis velit sed iaculis. Morbi tristique augue sit amet nulla pulvinar id facilisis ligula mollis. Nam elit libero, tincidunt ut aliquam at, molestie in quam. Aenean rhoncus vehicula hendrerit.

### 2.4.1 Hohenberg-Kohn Theorems

# Bibliography

- [1] Paulo J. M. Monteiro, Sabbie A. Miller, and Arpad Horvath. “Towards Sustainable Concrete”. In: *Nature Materials* 16.7 (July 2017), pp. 698–699. ISSN: 1476-4660. DOI: 10.1038/nmat4930. (Visited on 03/16/2025).
- [2] Henri Van Damme. “Concrete Material Science: Past, Present, and Future Innovations”. In: *Cement and Concrete Research*. SI : Digital Concrete 2018 112 (Oct. 2018), pp. 5–24. ISSN: 0008-8846. DOI: 10.1016/j.cemconres.2018.05.002. (Visited on 03/16/2025).
- [3] P. Kumar Mehta and Paulo J. M. Monteiro. “Introduction”. In: *Concrete: Microstructure, Properties, and Materials*. 4th Edition. New York: McGraw-Hill Education, 2014. ISBN: 978-0-07-179787-0.
- [4] Styliani Papatzani, Kevin Paine, and Juliana Calabria-Holley. “A Comprehensive Review of the Models on the Nanostructure of Calcium Silicate Hydrates”. In: *Construction and Building Materials* 74 (Jan. 2015), pp. 219–234. ISSN: 0950-0618. DOI: 10.1016/j.conbuildmat.2014.10.029. (Visited on 03/16/2025).
- [5] Katerina Ioannidou et al. “Mesoscale Texture of Cement Hydrates”. In: *Proceedings of the National Academy of Sciences* 113.8 (Feb. 2016), pp. 2029–2034. DOI: 10.1073/pnas.1520487113. (Visited on 01/16/2025).
- [6] Mohammad Javad Abdolhosseini Qomi, Mathieu Bauchy, and Roland J.-M. Pellenq. “Nanoscale Composition-Texture-Property Relation in Calcium-Silicate-Hydrates”. In: *Handbook of Materials Modeling: Applications: Current and Emerging Materials*. Ed. by Wanda Andreoni and Sidney Yip. Cham: Springer International Publishing, 2020, pp. 1761–1792. ISBN: 978-3-319-44680-6. DOI: 10.1007/978-3-319-44680-6\_128. (Visited on 09/24/2024).
- [7] Ashraf A. Bahraq et al. “Molecular Simulation of Cement-Based Materials and Their Properties”. In: *Engineering* 15 (Aug. 2022), pp. 165–178. ISSN: 2095-8099. DOI: 10.1016/j.eng.2021.06.023. (Visited on 09/17/2024).
- [8] Emmy M. Foley, Jung J. Kim, and M. M. Reda Taha. “Synthesis and Nano-Mechanical Characterization of Calcium-Silicate-Hydrate (C-S-H) Made with 1.5 CaO/SiO<sub>2</sub> Mixture”. In: *Cement and Concrete Research* 42.9 (Sept. 2012), pp. 1225–1232. ISSN: 0008-8846. DOI: 10.1016/j.cemconres.2012.05.014. (Visited on 06/05/2025).

- 
- [9] Mohammad Javad Abdolhosseini Qomi, Franz-Josef Ulm, and Roland J.-M. Pellenq. “Physical Origins of Thermal Properties of Cement Paste”. In: *Physical Review Applied* 3.6 (June 2015), p. 064010. DOI: 10.1103/PhysRevApplied.3.064010. (Visited on 09/11/2024).