An Introduction to Voting

The basics of social choice theory

Ananth Venkatesh

Mandlbavr Institvte of Technology (MIT)[1]

September 29, 2025

---

[1]Toquos theory was invented here

Outline

1. **What is voting?**

2. Is democracy possible?

3. Models of voting

1.1 An Introduction

- Have some description of preferences among some choices/candidates (**alternatives**) for each individual

- Have many individuals (these form a **society**)

- Want to combine individual preferences to find the **socially optimal choice**

1.2 Plurality Voting

- We ask each voter for their **favorite choice**

- **Count** up the votes for each choice

- Winner is the choice with the **most votes**

1.3 Some Issues

- If many candidates with similar positions run, they **split the vote**

- Winning candidate is not necessarily supported by a **majority**

- Leads to a **two-party system** (Duverger's Law)

Outline

2.1 Ranked-Choice Voting Systems

- Instead of only asking for a first choice, we ask for a **ranking of all choices**

- How we sum up the rankings depends on what **voting system** we use

- **Instant-runoff voting** (IRV)

  - If a choice has a **majority of first-place votes**, it wins

  - If not, the choice with the **fewest first-place votes is eliminated**, and the process repeats

2.1 Ranked-Choice Voting Systems

- **Borda count**

  - Assign each choice a **score equal to its ranking**
    - Here, first place ranking gets points $=$ number of candidates $- 1$
    - Last place gets points $= 0$

  - **Sum** up all the scores, and choose the candidate with the **highest score**

2.2 Arrow's Impossibility Theorem

- It turns out it is not possible to have a voting system that satisfies all of the following conditions:

  - **Universal domain**: A winner is always selected, regardless of voter preferences

  - **Non-dictatorship**: A single voter does not determine the outcome of the election

  - **Unanimity**: A unanimous first place choice should always win

  - **Independence of irrelevant alternatives** (IIA): Adding a new candidate that doesn't win shouldn't change the result of the election

2.3 Condorcet winners

- If we **relax universal domain**, we can choose a winner satisfying non-dictatorship, unanimity, and IIA
  - But only in certain cases!

- Find the candidate that **beats every other candidate** in a pairwise comparison, if one exists
  - Candidate ranked higher on more ballots wins

- Doesn't exist when we have **Condorcet cycles**

Outline

3.1 The Spatial Voting Model

- We model the things voters care about (their preferences) as **points** in space

- We model candidates' positions as points in space also

- Voters prefer the **candidates closest to them** (they support candidates with beliefs closest to their own)

- Voters rank candidates in order of distance; the so-called **Euclidean model**

3.1 The Spatial Voting Model

https://social-choice-explainer.vercel.app/

3.2 Things to observe

- Play with different geometries in the simulation (drag candidate points around)

- Use different voter distributions

- Why does plurality cause a two-party system?
  - Hint: what does vote splitting look like geometrically?

- What are the differences between plurality, IRV, and Borda count?

- Can you create a scenario where no Condorcet winner exists?
  - Single-peaked preferences prevent this in one-dimension, but not in higher dimensional spatial voting models