QuantumZ

SETUP GUIDE · CLAUDE DESKTOP, CODE TAB

Installing VeloxQ Solve in Claude Desktop

Add the QuantumZ marketplace, install the plugin, and connect your VeloxQ account.

PART 1 · STEPS 1–7

Install the plugin

Add the **quantumz** marketplace from GitHub and install **VeloxQ Solve**.

PART 2 · STEPS 8–17

Connect VeloxQ

Connect the plugin's **veloxq** connector and approve access in your browser. Required.

YOU WILL NEED

Before you start

A VeloxQ account · the Claude desktop app · network access to `mcp.veloxq.com`

Marketplace quantumz-io/qmz-claude Plugin veloxq-solve@quantumz 0.3.0 November 2026

Setup at a glance


Two parts, about five minutes. Both parts are needed before VeloxQ Solve can submit jobs.

PART 1 Install the plugin


1. Open a **Code** session and click the **+** button at the left of the message box.
2. In the menu, choose **Add plugins**. The **Directory** opens on the **Plugins** tab.
3. Click the **+** at the top right of the plugin list to add a marketplace.
4. Choose **Add from a repository**.
5. In **URL**, type `quantumz-io/qmz-claude`, pick it from the list, then click **Sync**.
6. A **Code** tab appears with the **quantumz** marketplace. Click **+** on **VeloxQ Solve**.
7. The **+** turns into a settings gear, and a toast confirms "VeloxQ Solve is installed and ready to use."

PART 2 Connect the VeloxQ connector

8. Close the Directory. Click **+** in the message box, then **Connectors › Manage connectors**.
9. In **Settings › Customize › Connectors**, click **veloxq** ("Provided by the VeloxQ Solve plugin").
10. The VeloxQ Solve plugin page opens on **Connectors**. Click **veloxq**, shown as **Not added**.
11. Claude reports "You're not connected to veloxq yet." Click **Connect**.
12. Claude asks to open `api.veloxq.com` to authorize veloxq. Click **OK**; your browser opens.
13. Sign in to the **VeloxQ Platform** with your VeloxQ account (e-mail and password, PLGrid or Google).
14. Check that you are signed in to the right account, review what Claude Code may access, and click **Allow**.
15. The browser shows **Authentication successful**. Close the tab and switch back to Claude.
16. Claude says "Finish signing in to veloxq in your browser, then click Done." Click **Done**.
17. Done: "veloxq is connected. New sessions will pick this up automatically," and a toast confirms it.



STEP 1 Open a **Code** session and click the **+** button at the left of the message box.




STEP 2 In the menu, choose **Add plugins**. The **Directory** opens on the **Plugins** tab.


PART 1 · INSTALL THE PLUGIN

3 In Directory › Plugins, click + to add a marketplace


QuantumZ



STEP 3 Click the **+** at the top right of the plugin list to add a marketplace.



STEP 4 Choose **Add from a repository**.




STEP 5 In **URL**, type `quantumz-io/qmz-claude`, pick it from the list, then click **Sync**.


PART 1 · INSTALL THE PLUGIN

6 Under Code › quantumz, click + on VeloxQ Solve


QuantumZ




STEP 6 A **Code** tab appears with the **quantumz** marketplace. Click **+** on **VeloxQ Solve**.




STEP 7 The + turns into a settings gear, and a toast confirms “VeloxQ Solve is installed and ready to use.”




STEP 8 Close the Directory. Click **+** in the message box, then **Connectors › Manage connectors**.



STEP 9 In **Settings › Customize › Connectors**, click **veloxq** (“Provided by the VeloxQ Solve plugin”).



STEP 10 The VeloxQ Solve plugin page opens on **Connectors**. Click **veloxq**, shown as **Not added**.




STEP 11 Claude reports "You're not connected to veloxq yet." Click **Connect**.

PART 2 · CONNECT VELOXQ

12

Allow Claude to open api.veloxq.com: click OK

QuantumZ




STEP 12 Claude asks to open `api.veloxq.com` to authorize veloxq. Click **OK**; your browser opens.

PART 2 · CONNECT VELOXQ

13

In your browser, sign in to the VeloxQ Platform

QuantumZ




STEP 13 Sign in to the **VeloxQ Platform** with your VeloxQ account (e-mail and password, PLGrid or Google).


PART 2 · CONNECT VELOXQ

14 Review what Claude may access, then click Allow


QuantumZ




STEP 14 Check that you are signed in to the right account, review what Claude Code may access, and click **Allow**.



STEP 15 The browser shows **Authentication successful**. Close the tab and switch back to Claude.



STEP 16 Claude says “Finish signing in to veloxq in your browser, then click Done.” Click **Done**.



STEP 17 Done: “veloxq is connected. New sessions will pick this up automatically,” and a toast confirms it.

You’re ready to solve

Try it

Start a **new session** so the plugin’s skill and the veloxq server load, then ask, for example:

“Solve max-cut on this 8-node graph: edges = [(0,1),(0,3),(1,2),(1,4),(2,5),(3,4),(3,6),(4,5),(4,7),(5,7),(6,7),(2,7)]. Which nodes go on each side, and how many edges are cut?”

Problems it handles

Max-cut and graph partitioning · number partitioning · graph coloring · knapsack · TSP and routing · scheduling · maximum independent set · portfolio selection · spin glasses · any QUBO or Ising model given directly.

Every job you submit is charged to your VeloxQ balance.

Command-line equivalent (Claude Code terminal)

```
/plugin marketplace add quantumz-io/qmz-claude
/plugin install veloxq-solve@quantumz
```

Managing access

Disconnect at any time from **Settings › Customize › Connectors › veloxq**, or revoke Claude Code on the connected applications page of your VeloxQ account. Remove the plugin with the gear on its card in **Directory › Plugins**, and the marketplace with the **…** menu next to **quantumz**.