

FitCV
Use-Case Specification
Version 1.0

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

Revision History

Date	Version	Description	Author
24/Jul/2026	1.0	Restructured into the standard RUP Use-Case Specification template.	FitCV Team

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

Table of Contents

1.	Use-case Model	4
2.	Use-case Specifications	5
2.1	Use-case: UC-01 - Upload CV	5
2.2	Use-case: UC-02 - Analyze CV against Job Description	6
2.3	Use-case: UC-03 - View AI Improvement Suggestions	7
2.4	Use-case: UC-04 - Manage CV History	8
2.5	Use-case: UC-05 - Track Applications	9
2.6	Use-case: UC-06 - Manage Job Posts (CRUD)	10
2.7	Use-case: UC-07 - Upload Candidate CV	11
2.8	Use-case: UC-08 - View Candidate Ranking	12
2.9	Use-case: UC-09 - Manage Candidate Pipeline	13
2.10	Use-case: UC-10 - Parse CV	14
2.11	Use-case: UC-11 - Extract JD Requirements	15
2.12	Use-case: UC-12 - Calculate Match Score	16

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

1. Use-case Model

The following model shows the complete FitCV system boundary. Actor associations use solid UML lines. Mandatory reused behavior uses <<include>>, while optional behavior uses <<extend>>.




Figure 1. Overall Use-case Diagram for FitCV

Relationship	Meaning in FitCV
UC-01 Upload CV <<include>> UC-10 Parse CV	Parsing is mandatory after a valid CV is uploaded.
UC-07 Upload Candidate CV <<include>> UC-10 Parse CV	Parsing is mandatory after a candidate CV is uploaded by HR.
UC-02 Analyze CV against JD <<include>> UC-11 Extract JD Requirements	JD extraction is mandatory before scoring.
UC-02 Analyze CV against JD <<include>> UC-12 Calculate Match Score	A completed analysis calculates and stores a match score.
UC-03 View AI Suggestions <<extend>> UC-02 Analyze CV against JD	Suggestions are optional after a completed analysis.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2. Use-case Specifications

2.1 Use-case: UC-01 - Upload CV

Use case Name	UC-01 - Upload CV
Brief description	The student uploads a CV file so it can be stored and parsed for matching.
Actors	Student / Job Seeker
Basic Flow	1. Student opens the CV upload area. 2. Student selects a CV file. 3. System validates file type and file size. 4. System uploads the file to storage. 5. System creates a CV record linked to the student. 6. System sends the CV to the parser. 7. System shows upload and parse status.
Alternative Flows	Alternative flow 1: File is not PDF or DOCX. 1. From Step #3 of the Basic Flow, file is not PDF or DOCX. System rejects the file and displays the accepted formats. 2. Continue at Step #2 of the Basic Flow to choose another file. Alternative flow 2: File is larger than 10MB. 1. From Step #3 of the Basic Flow, file is larger than 10MB. System displays the size limit and does not upload the file. 2. Continue at Step #2 of the Basic Flow to choose a smaller file. Alternative flow 3: Storage upload fails. 1. From Step #4 of the Basic Flow, storage upload fails. System shows a retry option and keeps the selected file in the UI if possible. 2. Continue at Step #4 of the Basic Flow to retry upload. Alternative flow 4: CV parser fails. 1. From Step #6 of the Basic Flow, CV parser fails. System keeps the CV record but marks parse status as Failed. 2. Continue at Step #2 or Step #6 of the Basic Flow to upload another file or retry parsing.
Pre-conditions	• The student is logged in. • The CV file is available on the student's device. • The file format should be PDF or DOCX.
Post-conditions	The CV file is stored, a CV record is created, and parsing is started or completed.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.2 Use-case: UC-02 - Analyze CV against Job Description

Use case Name	UC-02 - Analyze CV against Job Description
Brief description	The student compares a CV with a job description to receive a match score, evidence, and improvement suggestions.
Actors	Student / Job Seeker
Basic Flow	1. Student opens the CV & JD Match Analyzer page. 2. Student selects or uploads a CV. 3. Student enters, uploads, or selects a job description. 4. System validates that both CV and JD are available. 5. System retrieves parsed CV content. 6. System extracts JD requirements. 7. System sends CV and JD data to the AI Matching Service. 8. System saves and displays the match result.
Alternative Flows	Alternative flow 1: JD is empty or too short. 1. From Step #4 of the Basic Flow, jD is empty or too short. System asks the student to provide a complete job description. 2. Continue at Step #3 of the Basic Flow to edit JD input. Alternative flow 2: CV parsing is still processing. 1. From Step #5 of the Basic Flow, cV parsing is still processing. System shows loading status and disables analysis temporarily. 2. Continue at Step #5 when parsing completes of the Basic Flow. Alternative flow 3: AI service timeout or quota error. 1. From Step #7 of the Basic Flow, ai service timeout or quota error. System shows retry message and does not save a fake completed result. 2. Continue at Step #7 of the Basic Flow to retry analysis. Alternative flow 4: AI output is incomplete or invalid. 1. From Step #7 of the Basic Flow, ai output is incomplete or invalid. System marks the match as Failed and stores diagnostic status. 2. Continue at Step #7 after service recovers or model output is corrected of the Basic Flow.
Pre-conditions	• The student is logged in. • A valid CV is selected or uploaded. • A job description is provided by text input, file upload, or selected job post.
Post-conditions	The match result is saved and displayed with overall score, score breakdown, strengths, weaknesses, and suggestions.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.3 Use-case: UC-03 - View AI Improvement Suggestions

Use case Name	UC-03 - View AI Improvement Suggestions
Brief description	The student reviews categorized suggestions to improve the CV for a target job.
Actors	Student / Job Seeker
Basic Flow	1. Student opens a saved match result. 2. System loads match score and suggestion data. 3. System groups suggestions by Skill, Experience, Education, Keyword, or Format. 4. Student expands a suggestion. 5. System displays explanation, evidence, and suggested revision.
Alternative Flows	Alternative flow 1: No suggestions exist. 1. From Step #2 of the Basic Flow, no suggestions exist. System shows an empty state and explains that no improvement data was generated. 2. Continue at Step #1 of the Basic Flow to select another result or rerun analysis. Alternative flow 2: The result does not belong to the student. 1. From Step #2 of the Basic Flow, the result does not belong to the student. System denies access. 2. End use case and return to authorized results list. Alternative flow 3: The CV or JD changed after analysis. 1. From Step #2 of the Basic Flow, the CV or JD changed after analysis. System warns the user that suggestions may be outdated. 2. Continue at UC-02 Step #7 to rerun analysis if needed.
Pre-conditions	• The student is logged in. • At least one completed match result exists. • The result contains suggestion data.
Post-conditions	The student can view prioritized suggestions with explanation and suggested wording.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.4 Use-case: UC-04 - Manage CV History

Use case Name	UC-04 - Manage CV History
Brief description	The student reviews uploaded CV versions, selects a version for analysis, and removes an obsolete version when allowed.
Actors	Student / Job Seeker
Basic Flow	1. Student opens CV History. 2. System loads only CV records owned by the student. 3. System displays file name, version number, upload date, parse status, and latest-version indicator. 4. Student selects a CV to view details or use in analysis. 5. Student may choose Delete for an obsolete CV. 6. System requests confirmation and checks dependent match/application records. 7. System applies the permitted action. 8. System refreshes the ordered CV history.
Alternative Flows	Alternative flow 1: The student has no uploaded CV. 1. From Step #2 of the Basic Flow, the student has no uploaded CV. System shows an empty state with an Upload CV action. 2. Continue at UC-01 Step #2. Alternative flow 2: The selected CV is still processing. 1. From Step #4 of the Basic Flow, the selected CV is still processing. System shows its current parse status and disables analysis for that version. 2. Continue at Step #4 when parsing succeeds of the Basic Flow. Alternative flow 3: The selected CV does not belong to the student. 1. From Step #2 of the Basic Flow, the selected CV does not belong to the student. System denies access without exposing CV data. 2. End the use case and return to Step #2. Alternative flow 4: The CV has dependent records that prevent hard deletion. 1. From Step #6 of the Basic Flow, the CV has dependent records that prevent hard deletion. System explains the dependency and offers archive/keep behavior if supported. 2. Continue at Step #5 of the Basic Flow to choose another CV or cancel.
Pre-conditions	• The student is logged in. • The student owns zero or more CV records.
Post-conditions	The CV history reflects the student's latest permitted action and keeps version information consistent.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.5 Use-case: UC-05 - Track Applications

Use case Name	UC-05 - Track Applications
Brief description	The student records job applications, updates their status, adds follow-up notes, and monitors reminders.
Actors	Student / Job Seeker
Basic Flow	1. Student opens Application Tracker. 2. System loads the student's application list and status summary. 3. Student creates or selects an application. 4. Student enters or updates company, position, application date, source, status, and optional follow-up date. 5. System validates required fields and ownership. 6. System saves the application. 7. If the status changed, system records the previous and new status in history. 8. Student may add, edit, or delete a note. 9. System refreshes filters, counts, and due-reminder indicators.
Alternative Flows	Alternative flow 1: Required company, position, or date data is missing. 1. From Step #5 of the Basic Flow, required company, position, or date data is missing. System highlights invalid fields and prevents saving. 2. Continue at Step #4 of the Basic Flow to correct the application form. Alternative flow 2: The requested status is not supported. 1. From Step #5 of the Basic Flow, the requested status is not supported. System rejects the update and displays valid statuses. 2. Continue at Step #4 of the Basic Flow to select Applied, Screening, Interview, Offer, or Rejected. Alternative flow 3: The application or note belongs to another account. 1. From Step #5 of the Basic Flow, the application or note belongs to another account. System denies access without exposing the record. 2. End the action and return to Step #2. Alternative flow 4: Saving a note, status, or reminder fails. 1. From Step #6 of the Basic Flow, saving a note, status, or reminder fails. System keeps the entered data in the form and offers Retry. 2. Continue at Step #6 or Step #8 of the Basic Flow to retry the failed save.
Pre-conditions	• The student is logged in. • The student has permission to manage only their own application records.
Post-conditions	The application, note, reminder, and status history data reflect the student's submitted changes.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.6 Use-case: UC-06 - Manage Job Posts (CRUD)

Use case Name	UC-06 - Manage Job Posts (CRUD)
Brief description	The HR user manages job posts through create, view, update, and close/delete operations.
Actors	HR / Recruiter
Basic Flow	1. HR opens the Job Post Management page. 2. System displays the job list with status, title, deadline, and actions. 3. HR chooses Create, View, Edit, Close, or Delete. 4. System opens the correct form or confirmation dialog. 5. HR submits the action. 6. System validates required fields and permissions. 7. System creates, updates, closes, deletes, or displays the job post. 8. System returns HR to the refreshed job list.
Alternative Flows	Alternative flow 1: Required fields are missing when creating or updating. 1. From Step #6 of the Basic Flow, required fields are missing when creating or updating. System highlights missing fields and prevents saving. 2. Continue at Step #4 of the Basic Flow to correct the form. Alternative flow 2: HR has no permission for the company/job. 1. From Step #6 of the Basic Flow, hR has no permission for the company/job. System blocks the action and shows permission error. 2. Continue at Step #2 of the Basic Flow to show only authorized jobs. Alternative flow 3: Delete/close is selected for a job with active candidates. 1. From Step #6 of the Basic Flow, delete/close is selected for a job with active candidates. System asks for confirmation or suggests closing instead of hard delete. 2. Continue at Step #4 of the Basic Flow to confirm or cancel. Alternative flow 4: Database save fails. 1. From Step #7 of the Basic Flow, database save fails. System shows retry message and keeps form data. 2. Continue at Step #5 of the Basic Flow to retry submit.
Pre-conditions	• The HR user is logged in. • The HR user has permission for the company workspace. • Company information exists.
Post-conditions	The selected CRUD action is completed and the job list reflects the latest state.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.7 Use-case: UC-07 - Upload Candidate CV

Use case Name	UC-07 - Upload Candidate CV
Brief description	The HR user uploads a candidate CV for screening even if the candidate does not have a FitCV account.
Actors	HR / Recruiter
Basic Flow	1. HR opens the candidate management page for a job. 2. HR clicks Upload Candidate CV. 3. HR enters candidate information if available. 4. HR selects a CV file. 5. System validates file type and size. 6. System creates or updates candidate data. 7. System uploads the CV and creates an application record. 8. System starts CV parsing.
Alternative Flows	Alternative flow 1: Candidate email already exists. 1. From Step #6 of the Basic Flow, candidate email already exists. System suggests linking to the existing candidate. 2. Continue at Step #3 of the Basic Flow to confirm candidate identity. Alternative flow 2: No job is selected. 1. From Step #1 of the Basic Flow, no job is selected. System asks HR to select a job. 2. Continue at Step #1 of the Basic Flow to choose a job. Alternative flow 3: Invalid CV file. 1. From Step #5 of the Basic Flow, invalid CV file. System rejects the file and explains the accepted format/size. 2. Continue at Step #4 of the Basic Flow to choose another file. Alternative flow 4: CV parsing fails. 1. From Step #8 of the Basic Flow, CV parsing fails. System keeps the application but marks analysis status as Failed. 2. Continue at Step #8 of the Basic Flow to retry parsing or upload a cleaner CV.
Pre-conditions	• The HR user is logged in. • The HR user has permission to manage candidates for a selected job. • A job post exists or is selected.
Post-conditions	Candidate, CV, and application records are created or updated.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.8 Use-case: UC-08 - View Candidate Ranking

Use case Name	UC-08 - View Candidate Ranking
Brief description	The HR user views candidates ranked by AI match score for a selected job.
Actors	HR / Recruiter
Basic Flow	1. HR selects a job post. 2. System loads candidate applications. 3. System retrieves or requests match results. 4. System sorts candidates by overall match score. 5. System displays ranking with score breakdown and stage. 6. HR opens a candidate detail view. 7. HR updates candidate stage if needed.
Alternative Flows	Alternative flow 1: No candidates exist. 1. From Step #2 of the Basic Flow, no candidates exist. System shows an empty state with Upload Candidate CV action. 2. Continue at UC-07 Step #2. Alternative flow 2: A candidate has no match result. 1. From Step #3 of the Basic Flow, a candidate has no match result. System offers to run analysis for that candidate. 2. Continue at Step #3 after analysis completes of the Basic Flow. Alternative flow 3: AI analysis failed. 1. From Step #3 of the Basic Flow, ai analysis failed. System keeps the candidate visible and marks analysis as Failed. 2. Continue at Step #3 of the Basic Flow to retry analysis. Alternative flow 4: HR lacks permission. 1. From Step #1 of the Basic Flow, hR lacks permission. System blocks access. 2. End use case and return to authorized job list.
Pre-conditions	• The HR user is logged in. • The HR user has permission to view the job. • The job has at least one candidate application.
Post-conditions	The system displays ranked candidates with score, label, stage, strengths, weaknesses, and actions.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.9 Use-case: UC-09 - Manage Candidate Pipeline

Use case Name	UC-09 - Manage Candidate Pipeline
Brief description	Authorized recruitment users move candidates through hiring stages, record review context, and preserve stage history.
Actors	HR / Recruiter / Hiring Manager
Basic Flow	1. User selects a job and opens its pipeline. 2. System groups candidates by current stage. 3. User opens a candidate card or drags it to a permitted stage. 4. System asks for confirmation when the transition is sensitive. 5. System validates role, job ownership, and transition rules. 6. System saves the new stage and audit information. 7. System refreshes pipeline counts and candidate detail. 8. Hiring Manager or HR reviews the updated shortlist.
Alternative Flows	Alternative flow 1: The selected job has no candidates. 1. From Step #2 of the Basic Flow, the selected job has no candidates. System shows an empty pipeline with an Upload Candidate CV action. 2. Continue at UC-07 Step #2. Alternative flow 2: The user lacks permission to change the candidate stage. 1. From Step #5 of the Basic Flow, the user lacks permission to change the candidate stage. System leaves the candidate unchanged and shows a permission error. 2. Continue at Step #2 in read-only mode of the Basic Flow. Alternative flow 3: The requested stage transition is invalid. 1. From Step #5 of the Basic Flow, the requested stage transition is invalid. System explains the allowed next stages. 2. Continue at Step #3 of the Basic Flow to choose a valid stage. Alternative flow 4: Concurrent update or database save fails. 1. From Step #6 of the Basic Flow, concurrent update or database save fails. System reloads the latest candidate stage and asks the user to retry. 2. Continue at Step #3 with refreshed data of the Basic Flow.
Pre-conditions	• The user is logged in. • The user has permission to view or update the selected job. • At least one candidate application exists.
Post-conditions	The permitted candidate stage change is saved, displayed, and recorded in pipeline history.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.10 Use-case: UC-10 - Parse CV

Use case Name	UC-10 - Parse CV
Brief description	The system converts a stored CV into validated text and structured evidence that later use cases can reuse.
Actors	Student / Job Seeker or HR / Recruiter (supporting: AI Matching Service and File Storage)
Basic Flow	1. System loads the stored CV file. 2. System verifies the file can be read. 3. System extracts text directly from PDF/DOCX or requests OCR when configured and necessary. 4. System normalizes the extracted text. 5. System extracts structured CV evidence. 6. System validates that evidence is grounded in the extracted text. 7. System saves the parse result. 8. System updates the CV parse status to Success.
Alternative Flows	Alternative flow 1: The stored file is missing or corrupted. 1. From Step #2 of the Basic Flow, the stored file is missing or corrupted. System marks parsing as Failed and tells the user to upload the file again. 2. Continue at UC-01 Step #2 or UC-07 Step #4, depending on the calling flow. Alternative flow 2: A scanned PDF has no text layer and OCR is unavailable. 1. From Step #3 of the Basic Flow, a scanned PDF has no text layer and OCR is unavailable. System explains that OCR is unavailable and requests a text-based PDF or DOCX. 2. Continue at UC-01 Step #2 or UC-07 Step #4, depending on the calling flow. Alternative flow 3: OCR or AI extraction times out. 1. From Step #3 of the Basic Flow, oCR or AI extraction times out. System marks the task Failed without inventing extracted content. 2. Continue at Step #3 of the Basic Flow to retry when the service is available. Alternative flow 4: Extracted evidence fails validation. 1. From Step #6 of the Basic Flow, extracted evidence fails validation. System discards the invalid structured result and records Failed status. 2. Continue at Step #5 of the Basic Flow to retry extraction.
Pre-conditions	• A valid PDF or DOCX file has been stored. • A CV record exists with Pending or Processing status.
Post-conditions	Parsed text/evidence is linked to the CV record and parse status becomes Success.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.11 Use-case: UC-11 - Extract JD Requirements

Use case Name	UC-11 - Extract JD Requirements
Brief description	The system converts a complete job description into structured skills, experience, education, and soft-skill requirements.
Actors	Student / Job Seeker (supporting: AI Matching Service)
Basic Flow	1. System receives the JD text. 2. System validates that the JD is complete enough to analyze. 3. System normalizes the text. 4. System requests structured requirement extraction. 5. System validates categories and quoted evidence against the JD. 6. System removes unsupported or duplicate items. 7. System returns the validated requirements to UC-02.
Alternative Flows	Alternative flow 1: The JD is empty or too short. 1. From Step #2 of the Basic Flow, the JD is empty or too short. System requests a more complete job description. 2. Continue at UC-02 Step #3. Alternative flow 2: The extraction service is unavailable or rate-limited. 1. From Step #4 of the Basic Flow, the extraction service is unavailable or rate-limited. System shows Failed/Retry status and does not create placeholder requirements. 2. Continue at Step #4 of the Basic Flow to retry later. Alternative flow 3: The service returns invalid structured output. 1. From Step #5 of the Basic Flow, the service returns invalid structured output. System rejects the output and records a validation error. 2. Continue at Step #4 after correcting the request or service output of the Basic Flow. Alternative flow 4: Extracted evidence is not present in the JD. 1. From Step #5 of the Basic Flow, extracted evidence is not present in the JD. System removes unsupported items; if no valid requirements remain, extraction fails. 2. Continue at Step #4 or UC-02 Step #3 of the Basic Flow.
Pre-conditions	• A job description has been entered, uploaded, or selected. • The text meets minimum completeness validation.
Post-conditions	Validated structured JD requirements are available to the scoring use case.

FitCV	Version: 1.0
Use-Case Specification	Date: 24/07/2026
FITCV-PA2-UCS-1.0	

2.12 Use-case: UC-12 - Calculate Match Score

Use case Name	UC-12 - Calculate Match Score
Brief description	The system compares validated CV evidence with validated JD requirements and calculates an explainable match result.
Actors	Student / Job Seeker (supporting: AI Matching Service)
Basic Flow	1. System loads validated CV evidence and JD requirements. 2. System compares evidence by Skills, Experience, Education, and Soft Skills. 3. System calculates category scores. 4. System applies configured category weights and redistributes missing-category weight when required. 5. System calculates an overall score from 0 to 100. 6. System assigns Strong, Moderate, or Weak Match label. 7. System saves score breakdown, evidence, and gaps. 8. System returns the match result to UC-02.
Alternative Flows	Alternative flow 1: The CV parse result is missing or failed. 1. From Step #1 of the Basic Flow, the CV parse result is missing or failed. System blocks scoring and requests CV parsing. 2. Continue at UC-10 Step #3. Alternative flow 2: The JD has no validated requirements. 1. From Step #1 of the Basic Flow, the JD has no validated requirements. System blocks scoring and requests JD extraction. 2. Continue at UC-11 Step #2. Alternative flow 3: The comparison service times out or returns invalid data. 1. From Step #2 of the Basic Flow, the comparison service times out or returns invalid data. System records Failed status and does not expose a fabricated score. 2. Continue at Step #2 of the Basic Flow to retry comparison. Alternative flow 4: The computed total is outside 0-100 or category data is inconsistent. 1. From Step #5 of the Basic Flow, the computed total is outside 0-100 or category data is inconsistent. System rejects the result and records a validation error. 2. Continue at Step #3 of the Basic Flow to recalculate after correction.
Pre-conditions	• The selected CV has a successful parse result. • Validated JD requirements are available. • The user owns the selected CV.
Post-conditions	A match result is stored with overall score, category breakdown, evidence, gaps, and a text label.