Regressions tables from stargazer

Carlos Mendez

5/29/2020

Descriptive statistics

Latex

```r
stargazer(attitude)
```

```
##
## % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harva
## % Date and time: Fri, May 29, 2020 - 22:32:22
## \begin{table}[!htbp] \centering
##   \caption{}
##   \label{}
## \begin{tabular}{@{\extracolsep{5pt}}lcccccc}
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multi
## \hline \\[-1.8ex]
## rating & 30 & 64.600 & 12.200 & 40 & 58.8 & 71.8 & 85 \\
## complaints & 30 & 66.600 & 13.300 & 37 & 58.5 & 77 & 90 \\
## privileges & 30 & 53.100 & 12.200 & 30 & 45 & 62.5 & 83 \\
## learning & 30 & 56.400 & 11.700 & 34 & 47 & 66.8 & 75 \\
## raises & 30 & 64.600 & 10.400 & 43 & 58.2 & 71 & 88 \\
## critical & 30 & 74.800 & 9.890 & 49 & 69.2 & 80 & 92 \\
## advance & 30 & 42.900 & 10.300 & 25 & 35 & 47.8 & 72 \\
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}
```

Table 1

Statistic	N	Mean	St. Dev.	Min	Pctl(25)	Pctl(75)	Max
rating	30	64.600	12.200	40	58.8	71.8	85
complaints	30	66.600	13.300	37	58.5	77	90
privileges	30	53.100	12.200	30	45	62.5	83
learning	30	56.400	11.700	34	47	66.8	75
raises	30	64.600	10.400	43	58.2	71	88
critical	30	74.800	9.890	49	69.2	80	92
advance	30	42.900	10.300	25	35	47.8	72
high.rating	30	0.333	0.479	0	0	1	1

Regression models

Latex

```r
## 2 OLS models
linear.1 <- lm(rating ~ complaints + privileges + learning + raises + critical, data=attitude)
linear.2 <- lm(rating ~ complaints + privileges + learning, data=attitude)

## create an indicator dependent variable, and run a probit model

attitude$high.rating <- (attitude$rating > 70)
probit.model <- glm(high.rating ~ learning + critical + advance, data=attitude, family = binomial(link =

stargazer(linear.1, linear.2, probit.model, title="Regression Results", align=TRUE)
```

```
##
## % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harva
## % Date and time: Fri, May 29, 2020 - 22:32:23
## % Requires LaTeX packages: dcolumn
## \begin{table}[!htbp] \centering
##   \caption{Regression Results}
##   \label{}
## \begin{tabular}{@{\extracolsep{5pt}}lD{.}{.}{-3} D{.}{.}{-3} D{.}{.}{-3} }
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
##  & \multicolumn{3}{c}{\textit{Dependent variable:}} \\
## \cline{2-4}
## \\[-1.8ex] & \multicolumn{2}{c}{rating} & \multicolumn{1}{c}{high.rating} \\
## \\[-1.8ex] & \multicolumn{2}{c}{\textit{OLS}} & \multicolumn{1}{c}{\textit{probit}} \\
## \\[-1.8ex] & \multicolumn{1}{c}{(1)} & \multicolumn{1}{c}{(2)} & \multicolumn{1}{c}{(3)}\\
## \hline \\[-1.8ex]
##  complaints & 0.692^{***} & 0.682^{***} &  \\
##   & (0.149) & (0.129) &  \\
##   & & & \\
##  privileges & -0.104 & -0.103 &  \\
##   & (0.135) & (0.129) &  \\
##   & & & \\
##  learning & 0.249 & 0.238^{*} & 0.164^{***} \\
##   & (0.160) & (0.139) & (0.053) \\
##   & & & \\
##  raises & -0.033 &  &  \\
##   & (0.202) &  &  \\
##   & & & \\
##  critical & 0.015 &  & -0.001 \\
##   & (0.147) &  & (0.044) \\
##   & & & \\
##  advance &  &  & -0.062 \\
##   &  &  & (0.042) \\
##   & & & \\
##  Constant & 11.000 & 11.300 & -7.480^{**} \\
##   & (11.700) & (7.320) & (3.570) \\
##   & & & \\
## \hline \\[-1.8ex]
## Observations & \multicolumn{1}{c}{30} & \multicolumn{1}{c}{30} & \multicolumn{1}{c}{30} \\
```

```
## R$^{2}$ & \multicolumn{1}{c}{0.715} & \multicolumn{1}{c}{0.715} &  \\
## Adjusted R$^{2}$ & \multicolumn{1}{c}{0.656} & \multicolumn{1}{c}{0.682} &  \\
## Log Likelihood &  &  & \multicolumn{1}{c}{-9.090} \\
## Akaike Inf. Crit. &  &  & \multicolumn{1}{c}{26.200} \\
## Residual Std. Error & \multicolumn{1}{c}{7.140 (df = 24)} & \multicolumn{1}{c}{6.860 (df = 26)} &  \\
## F Statistic & \multicolumn{1}{c}{12.100$^{***}$ (df = 5; 24)} & \multicolumn{1}{c}{21.700$^{***}$ (d
## \hline
## \hline \\[-1.8ex]
## \textit{Note:}  & \multicolumn{3}{r}{$^{*}$p<$0.1; $^{**}$p<$0.05; $^{***}$p<$0.01} \\
## \end{tabular}
## \end{table}
```

Table 2: Regression Results

	Dependent variable:		
	rating		high.rating
	OLS		*probit*
	(1)	(2)	(3)
complaints	0.692***	0.682***	
	(0.149)	(0.129)	
privileges	−0.104	−0.103	
	(0.135)	(0.129)	
learning	0.249	0.238*	0.164***
	(0.160)	(0.139)	(0.053)
raises	−0.033		
	(0.202)		
critical	0.015		−0.001
	(0.147)		(0.044)
advance			−0.062
			(0.042)
Constant	11.000	11.300	−7.480**
	(11.700)	(7.320)	(3.570)
Observations	30	30	30
R^2	0.715	0.715	
Adjusted R^2	0.656	0.682	
Log Likelihood			-9.090
Akaike Inf. Crit.			26.200
Residual Std. Error	7.140 (df = 24)	6.860 (df = 26)	
F Statistic	12.100*** (df = 5; 24)	21.700*** (df = 3; 26)	
Note:			*p<0.1; **p<0.05; ***p<0.01

Latex with longer names

```
stargazer(linear.1, linear.2, probit.model, title="Regression Results", align=TRUE, dep.var.labels=c("Ov
```

```
##
## % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harva
## % Date and time: Fri, May 29, 2020 - 22:41:33
## % Requires LaTeX packages: dcolumn
## \begin{table}[!htbp] \centering
##   \caption{Regression Results}
##   \label{}
## \begin{tabular}{@{\extracolsep{5pt}}lD{.}{.}{-3} D{.}{.}{-3} D{.}{.}{-3} }
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
##  & \multicolumn{3}{c}{\textit{Dependent variable:}} \\
## \cline{2-4}
## \\[-1.8ex] & \multicolumn{2}{c}{Overall Rating} & \multicolumn{1}{c}{High Rating} \\
## \\[-1.8ex] & \multicolumn{2}{c}{\textit{OLS}} & \multicolumn{1}{c}{\textit{probit}} \\
## \\[-1.8ex] & \multicolumn{1}{c}{(1)} & \multicolumn{1}{c}{(2)} & \multicolumn{1}{c}{(3)}\\
## \hline \\[-1.8ex]
##  Handling of Complaints & 0.692^{***} & 0.682^{***} &  \\
##   & (0.149) & (0.129) &  \\
##   No Special Privileges & -0.104 & -0.103 &  \\
##   & (0.135) & (0.129) &  \\
##   Opportunity to Learn & 0.249 & 0.238^{*} & 0.164^{***} \\
##   & (0.160) & (0.139) & (0.053) \\
##   Performance-Based Raises & -0.033 &  &  \\
##   & (0.202) &  &  \\
##   Too Critical & 0.015 &  & -0.001 \\
##   & (0.147) &  & (0.044) \\
##   Advancement &  &  & -0.062 \\
##   &  &  & (0.042) \\
##   Constant & 11.000 & 11.300 & -7.480^{**} \\
##   & (11.700) & (7.320) & (3.570) \\
##  \hline \\[-1.8ex]
## Observations & \multicolumn{1}{c}{30} & \multicolumn{1}{c}{30} & \multicolumn{1}{c}{30} \\
## R$^{2}$ & \multicolumn{1}{c}{0.715} & \multicolumn{1}{c}{0.715} &  \\
## Adjusted R$^{2}$ & \multicolumn{1}{c}{0.656} & \multicolumn{1}{c}{0.682} &  \\
## Akaike Inf. Crit. &  &  & \multicolumn{1}{c}{26.200} \\
## \hline
## \hline \\[-1.8ex]
## \textit{Note:}  & \multicolumn{3}{r}{$^{*}$p$<$0.1; $^{**}$p$<$0.05; $^{***}$p$<$0.01} \\
## \end{tabular}
## \end{table}
```

Text

```
stargazer(linear.1, linear.2, probit.model, type="text", title="Regression Results", align=TRUE)
```

```
##
## Regression Results
## ==============================================================================
##                                          Dependent variable:
```

Table 3: Regression Results

	Dependent variable:		
	Overall Rating		High Rating
	OLS		*probit*
	(1)	(2)	(3)
Handling of Complaints	0.692***	0.682***	
	(0.149)	(0.129)	
No Special Privileges	−0.104	−0.103	
	(0.135)	(0.129)	
Opportunity to Learn	0.249	0.238*	0.164***
	(0.160)	(0.139)	(0.053)
Performance-Based Raises	−0.033		
	(0.202)		
Too Critical	0.015		−0.001
	(0.147)		(0.044)
Advancement			−0.062
			(0.042)
Constant	11.000	11.300	−7.480**
	(11.700)	(7.320)	(3.570)
Observations	30	30	30
R^2	0.715	0.715	
Adjusted R^2	0.656	0.682	
Akaike Inf. Crit.			26.200
Note:			*p<0.1; **p<0.05; ***p<0.01

```
##                      ---------------------------------------------------------
##                                          rating                      high.rating
##                                           OLS                          probit
##                              (1)                     (2)                (3)
## ---------------------------------------------------------------------------
## complaints                 0.692***                0.682***
##                            (0.149)                 (0.129)
##
## privileges                  -0.104                  -0.103
##                            (0.135)                 (0.129)
##
## learning                    0.249                   0.238*           0.164***
##                            (0.160)                 (0.139)           (0.053)
##
## raises                      -0.033
##                            (0.202)
##
## critical                    0.015                                     -0.001
##                            (0.147)                                    (0.044)
##
## advance                                                               -0.062
##                                                                       (0.042)
##
## Constant                    11.000                  11.300           -7.480**
##                            (11.700)                (7.320)           (3.570)
##
## ---------------------------------------------------------------------------
## Observations                  30                      30                30
## R2                          0.715                   0.715
## Adjusted R2                 0.656                   0.682
## Log Likelihood                                                        -9.090
## Akaike Inf. Crit.                                                     26.200
## Residual Std. Error    7.140 (df = 24)         6.860 (df = 26)
## F Statistic         12.100*** (df = 5; 24) 21.700*** (df = 3; 26)
## ===========================================================================
## Note:                                           *p<0.1; **p<0.05; ***p<0.01
```

Text

```r
stargazer(linear.1, linear.2, probit.model, type="html", title="Regression Results", align=TRUE)
```

```
##
## <table style="text-align:center"><caption><strong>Regression Results</strong></caption>
## <tr><td colspan="4" style="border-bottom: 1px solid black"></td></tr><tr><td style="text-align:left"
## <tr><td></td><td colspan="3" style="border-bottom: 1px solid black"></td></tr>
## <tr><td style="text-align:left"></td><td colspan="2">rating</td><td>high.rating</td></tr>
## <tr><td style="text-align:left"></td><td colspan="2"><em>OLS</em></td><td><em>probit</em></td></tr>
## <tr><td style="text-align:left"></td><td>(1)</td><td>(2)</td><td>(3)</td></tr>
## <tr><td colspan="4" style="border-bottom: 1px solid black"></td></tr><tr><td style="text-align:left"
## <tr><td style="text-align:left"></td><td>(0.149)</td><td>(0.129)</td><td></td></tr>
## <tr><td style="text-align:left"></td><td></td><td></td><td></td><td></td></tr>
## <tr><td style="text-align:left">privileges</td><td>-0.104</td><td>-0.103</td><td></td></tr>
## <tr><td style="text-align:left"></td><td>(0.135)</td><td>(0.129)</td><td></td></tr>
```

```
## <tr><td style="text-align:left"></td><td></td><td></td><td></td></tr>
## <tr><td style="text-align:left">learning</td><td>0.249</td><td>0.238<sup>*</sup></td><td>0.164<sup>*
## <tr><td style="text-align:left"></td><td>(0.160)</td><td>(0.139)</td><td>(0.053)</td></tr>
## <tr><td style="text-align:left"></td><td></td><td></td><td></td></tr>
## <tr><td style="text-align:left">raises</td><td>-0.033</td><td></td><td></td></tr>
## <tr><td style="text-align:left"></td><td>(0.202)</td><td></td><td></td></tr>
## <tr><td style="text-align:left"></td><td></td><td></td><td></td></tr>
## <tr><td style="text-align:left">critical</td><td>0.015</td><td></td><td>-0.001</td></tr>
## <tr><td style="text-align:left"></td><td>(0.147)</td><td></td><td>(0.044)</td></tr>
## <tr><td style="text-align:left"></td><td></td><td></td><td></td></tr>
## <tr><td style="text-align:left">advance</td><td></td><td></td><td>-0.062</td></tr>
## <tr><td style="text-align:left"></td><td></td><td></td><td>(0.042)</td></tr>
## <tr><td style="text-align:left"></td><td></td><td></td><td></td></tr>
## <tr><td style="text-align:left">Constant</td><td>11.000</td><td>11.300</td><td>-7.480<sup>**</sup></
## <tr><td style="text-align:left"></td><td>(11.700)</td><td>(7.320)</td><td>(3.570)</td></tr>
## <tr><td style="text-align:left"></td><td></td><td></td><td></td></tr>
## <tr><td colspan="4" style="border-bottom: 1px solid black"></td></tr><tr><td style="text-align:left"
## <tr><td style="text-align:left">R<sup>2</sup></td><td>0.715</td><td>0.715</td><td></td></tr>
## <tr><td style="text-align:left">Adjusted R<sup>2</sup></td><td>0.656</td><td>0.682</td><td></td></tr
## <tr><td style="text-align:left">Log Likelihood</td><td></td><td></td><td>-9.090</td></tr>
## <tr><td style="text-align:left">Akaike Inf. Crit.</td><td></td><td></td><td>26.200</td></tr>
## <tr><td style="text-align:left">Residual Std. Error</td><td>7.140 (df = 24)</td><td>6.860 (df = 26)</
## <tr><td style="text-align:left">F Statistic</td><td>12.100<sup>***</sup> (df = 5; 24)</td><td>21.700
## <tr><td colspan="4" style="border-bottom: 1px solid black"></td></tr><tr><td style="text-align:left"
## </table>
```

HTML

```r
stargazer(linear.1, linear.2, probit.model, type="html", title="Regression Results", align=TRUE)
```

Regression Results

Dependent variable:

rating

high.rating

OLS

probit

(1)

(2)

(3)

complaints

0.692***

0.682***

(0.149)

(0.129)

privileges

-0.104

-0.103

(0.135)

(0.129)

learning

0.249

0.238*

0.164***

(0.160)

(0.139)

(0.053)

raises

-0.033

(0.202)

critical

0.015

-0.001

(0.147)

(0.044)

advance

-0.062

(0.042)

Constant

11.000

11.300

-7.480**

(11.700)

(7.320)

(3.570)

Observations

30

30

30

R2

0.715

0.715

Adjusted R2

0.656

0.682

Log Likelihood

-9.090

Akaike Inf. Crit.

26.200

Residual Std. Error

7.140 (df = 24)

6.860 (df = 26)

F Statistic

12.100*** (df = 5; 24)

21.700*** (df = 3; 26)

Note:

p<0.1; ***p<0.05;*** p<0.01

Export latex table

```
stargazer(linear.1, linear.2, probit.model,
          title="Regression Results",
          align=TRUE,
          type = "html",
          no.space = TRUE,
          out = "table.html")
```

Regression Results

Dependent variable:

rating

high.rating

OLS

probit

(1)

(2)

(3)

complaints

0.692***

0.682***

(0.149)

(0.129)

privileges

-0.104

-0.103

(0.135)

(0.129)

learning

0.249

0.238*

0.164***

(0.160)

(0.139)

(0.053)

raises

-0.033

(0.202)

critical

0.015

-0.001

(0.147)

(0.044)

advance

-0.062

(0.042)

Constant

11.000

11.300

-7.480**

(11.700)

(7.320)

(3.570)

Observations

30

30

30

R2

0.715

0.715

Adjusted R2

0.656

0.682

Log Likelihood

-9.090

Akaike Inf. Crit.

26.200

Residual Std. Error

7.140 (df = 24)

6.860 (df = 26)

F Statistic

12.100*** (df = 5; 24)

21.700*** (df = 3; 26)

Note:

p<0.1; ***p<0.05;*** p<0.01

Export html table

```r
stargazer(linear.1, linear.2, probit.model,
          title="Regression Results",
          align=TRUE,
          type = "text",
          no.space = TRUE,
          out = "table.html")
```

```
##
## Regression Results
## ==============================================================================
##                                          Dependent variable:
##                       ---------------------------------------------------------
##                                            rating                     high.rating
##                                             OLS                        probit
##                               (1)                     (2)                (3)
## ------------------------------------------------------------------------------
## complaints                 0.692***                0.682***
##                            (0.149)                 (0.129)
## privileges                  -0.104                  -0.103
##                            (0.135)                 (0.129)
## learning                    0.249                   0.238*           0.164***
##                            (0.160)                 (0.139)           (0.053)
## raises                      -0.033
##                            (0.202)
## critical                    0.015                                     -0.001
##                            (0.147)                                    (0.044)
## advance                                                               -0.062
```

```
##                                                                    (0.042)
## Constant                    11.000                 11.300          -7.480**
##                            (11.700)               (7.320)          (3.570)
## ---------------------------------------------------------------------------
## Observations                  30                     30               30
## R2                          0.715                  0.715
## Adjusted R2                 0.656                  0.682
## Log Likelihood                                                     -9.090
## Akaike Inf. Crit.                                                  26.200
## Residual Std. Error    7.140 (df = 24)        6.860 (df = 26)
## F Statistic         12.100*** (df = 5; 24) 21.700*** (df = 3; 26)
## ===========================================================================
## Note:                                          *p<0.1; **p<0.05; ***p<0.01
```

Export text table

```r
stargazer(linear.1, linear.2, probit.model,
          title="Regression Results",
          align=TRUE,
          type = "text",
          no.space = TRUE,
          out = "table.text")
```

```
##
## Regression Results
## ===========================================================================
##                                        Dependent variable:
##                      ----------------------------------------------------
##                                          rating                     high.rating
##                                           OLS                        probit
##                              (1)                    (2)               (3)
## ---------------------------------------------------------------------------
## complaints                 0.692***               0.682***
##                            (0.149)                (0.129)
## privileges                  -0.104                 -0.103
##                            (0.135)                (0.129)
## learning                    0.249                  0.238*          0.164***
##                            (0.160)                (0.139)          (0.053)
## raises                      -0.033
##                            (0.202)
## critical                    0.015                                   -0.001
##                            (0.147)                                  (0.044)
## advance                                                             -0.062
##                                                                     (0.042)
## Constant                    11.000                 11.300          -7.480**
##                            (11.700)               (7.320)          (3.570)
## ---------------------------------------------------------------------------
## Observations                  30                     30               30
## R2                          0.715                  0.715
## Adjusted R2                 0.656                  0.682
## Log Likelihood                                                     -9.090
## Akaike Inf. Crit.                                                  26.200
## Residual Std. Error    7.140 (df = 24)        6.860 (df = 26)
```

```
## F Statistic         12.100*** (df = 5; 24) 21.700*** (df = 3; 26)
## ==============================================================================
## Note:                                           *p<0.1; **p<0.05; ***p<0.01
```

Input external tables

From latex code

From html code

Regression Results

Dependent variable:

rating

high.rating

OLS

probit

(1)

(2)

(3)

complaints

0.692***

0.682***

(0.149)

(0.129)

privileges

-0.104

-0.103

(0.135)

(0.129)

learning

0.249

0.238*

0.164***

(0.160)

(0.139)

(0.053)

raises

-0.033

(0.202)

critical

0.015

-0.001

(0.147)

(0.044)

advance

-0.062

(0.042)

Constant

11.000

11.300

-7.480**

(11.700)

(7.320)

(3.570)

Observations

30

30

30

R2

0.715

0.715

Adjusted R2

0.656

0.682

Log Likelihood

-9.090

Akaike Inf. Crit.

26.200

Residual Std. Error

7.140 (df = 24)

6.860 (df = 26)

F Statistic

12.100*** (df = 5; 24)

21.700*** (df = 3; 26)

Note:

p<0.1; ***p<0.05;*** p<0.01

Word tables

```
##
## Regression Results
## ==============================================================================
##                                         Dependent variable:
##                       -----------------------------------------------------------
##                                           rating                      high.rating
##                                            OLS                         probit
##                              (1)                      (2)                (3)
## ------------------------------------------------------------------------------
## complaints                 0.692***                 0.682***
##                            (0.149)                  (0.129)
## privileges                  -0.104                   -0.103
##                            (0.135)                  (0.129)
## learning                    0.249                    0.238*           0.164***
##                            (0.160)                  (0.139)           (0.053)
## raises                      -0.033
##                            (0.202)
## critical                    0.015                                      -0.001
##                            (0.147)                                     (0.044)
## advance                                                                -0.062
##                                                                        (0.042)
## Constant                    11.000                   11.300           -7.480**
##                            (11.700)                 (7.320)           (3.570)
## ------------------------------------------------------------------------------
## Observations                  30                       30                30
## R2                          0.715                    0.715
## Adjusted R2                 0.656                    0.682
## Log Likelihood                                                         -9.090
## Akaike Inf. Crit.                                                      26.200
## Residual Std. Error    7.140 (df = 24)          6.860 (df = 26)
## F Statistic         12.100*** (df = 5; 24) 21.700*** (df = 3; 26)
## ==============================================================================
## Note:                                          *p<0.1; **p<0.05; ***p<0.01
```