

```

```\json
{
 "summary": "Generated a stunning nonprofit homepage with emotional storytelling,
generous whitespace, glassmorphism effects, and mobile-first responsive design featuring
email capture functionality.",
 "artifact": {
 "files": {
 "package.json": "{\n \"name\": \"nonprofit-landing-page\",\n \"version\": \"1.0.0\",\n \"private\": true,\n \"scripts\": {\n \"dev\": \"next dev\",\n \"build\": \"next build\",\n \"start\": \"next start\",\n \"lint\": \"next lint\"\n },\n \"dependencies\": {\n \"next\":\n \"14.0.4\",\n \"react\": \"18.2.0\",\n \"react-dom\": \"18.2.0\"\n },\n \"devDependencies\":\n {\n \"autoprefixer\": \"10.4.16\",\n \"postcss\": \"8.4.32\",\n \"tailwindcss\": \"3.4.0\"\n }\n}",
 "next.config.js": "/* @type {import('next').NextConfig} */\nconst nextConfig = {\n reactStrictMode: true,\n swcMinify: true,\n}\n\nmodule.exports = nextConfig",
 "tailwind.config.js": "/ @type {import('tailwindcss').Config} */\nmodule.exports = {\n content: [\n './pages/**/*.js,ts,jsx,tsx,mdx',\n './components/**/*.js,ts,jsx,tsx,mdx',\n],\n theme: {\n extend: {\n colors: {\n primary: {\n 50: '#f0f9ff',\n 100: '#e0f2fe',\n 200: '#bae6fd',\n 300: '#7dd3fc',\n 400: '#38bdf8',\n 500: '#0ea5e9',\n 600: '#0284c7',\n 700: '#0369a1',\n 800: '#075985',\n 900: '#0c4a6e',\n },\n accent: {\n 50: '#fdf4ff',\n 100: '#fae8ff',\n 200: '#f5d0fe',\n 300: '#f0abfc',\n 400: '#e879f9',\n 500: '#d946ef',\n 600: '#c026d3',\n 700: '#a21caf',\n 800: '#86198f',\n 900: '#701a75',\n },\n },\n },\n fontFamily: {\n sans: ['-apple-system', 'BlinkMacSystemFont', 'Segoe UI', 'Roboto', 'Oxygen', 'Ubuntu', 'Cantarell', 'sans-serif'],\n },\n spacing: {\n '18': '4.5rem',\n '22': '5.5rem',\n '26': '6.5rem',\n '30': '7.5rem',\n },\n backdropBlur: {\n xs: '2px',\n },\n plugins: [],\n },\n fontFamily: {\n sans: ['-apple-system', 'BlinkMacSystemFont', 'Segoe UI', 'Roboto', 'Oxygen', 'Ubuntu', 'Cantarell', 'sans-serif'],\n },\n spacing: {\n '18': '4.5rem',\n '22': '5.5rem',\n '26': '6.5rem',\n '30': '7.5rem',\n },\n backdropBlur: {\n xs: '2px',\n },\n plugins: [],\n}\n\nmodule.exports = {\n plugins: {\n tailwindcss: {},\n autoprefixer: {},\n },\n}\n",
 "pages/_app.js": "import './styles/globals.css'\n\nexport default function App({\n Component, pageProps\n}) {\n return <Component {...pageProps} />\n}",
 "pages/index.js": "import { useState, useEffect } from 'react'\nimport Head from 'next/head'\n\nexport default function Home() {\n const [email, setEmail] = useState('')\n const [name, setName] = useState('')\n const [isSubmitting, setIsSubmitting] =\n useState(false)\n const [submitStatus, setSubmitStatus] =\n useState(null)\n const [scrollY, setScrollY] =\n useState(0)\n const [isVisible, setIsVisible] =\n useState({})\n\n useEffect(() => {\n const handleScroll = () => setScrollY(window.scrollY)\n window.addEventListener('scroll', handleScroll)\n\n return () => window.removeEventListener('scroll', handleScroll)\n }, [])\n\n useEffect(() => {\n const observers = []\n const elements = document.querySelectorAll('.fade-in-section')\n\n elements.forEach((el, index) => {\n const observer = new IntersectionObserver(\n
```

```

([entry]) => {\n if (entry.isIntersecting) {\n setIsVisible(prev => ({ ...prev, [index]:\ntrue })))\n }\n {\n threshold: 0.1\n }\n }\n observer.observe(el)\n observers.push(observer)\n })\n return () => observers.forEach(observer =>\n observer.disconnect())\n}, [])\n\nconst handleSubmit = async (e) => {\n e.preventDefault()\n setIsSubmitting(true)\n setSubmitStatus(null)\n try {\n const\n response = await fetch('/api/subscribe', {\n method: 'POST',\n headers: {\n 'Content-Type': 'application/json'\n },\n body: JSON.stringify({ email, name })\n })\n const data = await response.json()\n if (response.ok) {\n setSubmitStatus({ type:\n'success', message: data.message })\n setEmail('')\n setName('')\n } else {\n setSubmitStatus({ type: 'error', message: data.error })\n }\n } catch (error) {\n setSubmitStatus({ type: 'error', message: 'Something went wrong. Please try again.' })\n }\n finally {\n setIsSubmitting(false)\n }\n}\n\nreturn (\n <>\n <Head>\n <title>Transform Lives Together | Nonprofit Impact Network</title>\n <meta\n name=\"description\"\n content=\"Every community deserves access to resources that create\n lasting change. Join thousands making real impact through coordinated action and shared\n vision.\" /\n >\n <meta name=\"viewport\" content=\"width=device-width, initial-scale=1\"\n /\n >\n <link rel=\"icon\" href=\"/favicon.ico\" /\n >\n </Head>\n <div\n className=\"min-h-screen bg-gradient-to-br from-slate-50 via-blue-50 to-purple-50\"\n >\n /* Hero Section */\n <section className=\"relative min-h-screen flex items-center\n justify-center overflow-hidden px-6 py-20 lg:px-8\"\n >\n /* Animated Background\n Elements */\n <div className=\"absolute inset-0 overflow-hidden\"\n >\n <div\n className=\"absolute top-20 left-10 w-72 h-72 bg-primary-200 rounded-full\n mix-blend-multiply filter blur-xl opacity-70 animate-blob\"\n style={{ transform:\n `translateY(${scrollY * 0.1}px)`\n }}\n /\n >\n <div\n className=\"absolute\n top-40 right-10 w-72 h-72 bg-accent-200 rounded-full mix-blend-multiply\n filter blur-xl opacity-70 animate-blob animation-delay-2000\"\n style={{ transform:\n `translateY(${scrollY * 0.15}px)`\n }}\n /\n >\n <div\n className=\"absolute -bottom-8 left-1/2 w-72 h-72 bg-primary-300 rounded-full\n mix-blend-multiply filter blur-xl opacity-70 animate-blob animation-delay-4000\"\n style={{ transform:\n `translateY(${scrollY * 0.2}px)`\n }}\n /\n >\n </div>\n <div\n className=\"relative z-10 max-w-5xl mx-auto text-center\"\n >\n <div\n className=\"inline-flex items-center px-4 py-2 mb-8 bg-white/40 backdrop-blur-md\n rounded-full border border-white/60 shadow-lg\"\n >\n <span\n className=\"text-sm font-medium text-primary-700\"\n >Trusted by 10,000+ changemakers\n </div>\n <h1\n className=\"text-5xl sm:text-6xl lg:text-7xl font-bold text-slate-900\n mb-8 leading-tight tracking-tight\"\n >\n The families you serve\n <span\n className=\"block mt-3 bg-gradient-to-r from-primary-600 to-accent-600\n bg-clip-text text-transparent\"\n >\n deserve more than hope\n \n </h1>\n <p\n className=\"text-xl sm:text-2xl text-slate-700 mb-12 max-w-3xl\n mx-auto leading-relaxed font-light\"\n >\n You're working nights. Stretching budgets.\n Turning away people who need help because you hit capacity three weeks ago.\n
```

```

</p>\n\n <p className="text-lg sm:text-xl text-slate-600 mb-16 max-w-2xl mx-auto
leading-relaxed">\n What if the infrastructure you built actually multiplied your
impact instead of draining your energy?\n </p>\n\n {/* Hero CTA Form */}\n
 <div className="max-w-xl mx-auto">\n <div className="bg-white/60
backdrop-blur-xl rounded-3xl shadow-2xl border border-white/80 p-8 sm:p-10">\n
<h2 className="text-2xl font-bold text-slate-900 mb-6">Get the Impact Ecosystem
Blueprint</h2>\n <form onSubmit={handleSubmit} className="space-y-4">\n
 <input\n type="text"\n placeholder="Your name"\n
 value={name}\n onChange={(e) => setName(e.target.value)}\n
 required\n className="w-full px-6 py-4 rounded-xl border-2 border-slate-200
focus:border-primary-500 focus:ring-4 focus:ring-primary-100 outline-none transition-all
duration-300 text-lg bg-white/80 backdrop-blur-sm"\n />\n <input\n
 type="email"\n placeholder="Your email"\n
 value={email}\n onChange={(e) => setEmail(e.target.value)}\n
 required\n className="w-full px-6 py-4 rounded-xl border-2 border-slate-200
focus:border-primary-500 focus:ring-4 focus:ring-primary-100 outline-none transition-all
duration-300 text-lg bg-white/80 backdrop-blur-sm"\n />\n <button\n
 type="submit"\n disabled={isSubmitting}\n
 className="w-full bg-gradient-to-r from-primary-600 to-accent-600 text-white
font-semibold py-4 px-8 rounded-xl hover:shadow-2xl hover:scale-105 transition-all
duration-300 text-lg disabled:opacity-50 disabled:cursor-not-allowed
disabled:hover:scale-100"\n >\n {isSubmitting ? 'Sending...' : 'Show
Me How This Works'}\n </button>\n </form>\n {submitStatus
&& (\n <div className={`mt-6 p-4 rounded-xl ${\n submitStatus.type
=== 'success' ? 'bg-green-50 text-green-800 border border-green-200' \n
 : 'bg-red-50 text-red-800 border border-red-200' \n
 }}>\n {submitStatus.message}\n </div>\n)}\n <p
className="text-sm text-slate-500 mt-6">Free guide. No sales pitch. Just the system that
works.</p>\n </div>\n </div>\n </div>\n </div>\n </section>\n\n {/* Pain
Section */}\n <section className="py-24 px-6 lg:px-8 bg-white/40 backdrop-blur-sm
fade-in-section">\n <div className={`max-w-4xl mx-auto transition-all duration-1000
transform ${\n isVisible[0] ? 'opacity-100 translate-y-0' : 'opacity-0 translate-y-10'\n
 }}>\n <h2 className="text-4xl sm:text-5xl font-bold text-slate-900 mb-12
text-center leading-tight">\n You didn't sign up for this\n </h2>\n \n
 <div className="grid sm:grid-cols-2 gap-8 mb-16">\n <div
className="bg-white/80 backdrop-blur-md rounded-2xl p-8 shadow-lg border
border-slate-100 hover:shadow-xl transition-all duration-300 hover:-translate-y-1">\n
 <div className="w-12 h-12 bg-red-100 rounded-xl flex items-center justify-center
mb-6">\n <svg className="w-6 h-6 text-red-600" fill="none"
stroke="currentColor" viewBox="0 0 24 24">\n <path strokeLinecap="round"
strokeLinejoin="round" strokeWidth={2} d="M12 8v4m0 4h.01M21 12a9 9 0 11-18 0 9 9 0

```

```

0118 0z\" />\n </svg>\n </div>\n <h3 className=\"text-xl
font-bold text-slate-900 mb-4\">Manual data entry at 9pm</h3>\n <p
className=\"text-slate-600 leading-relaxed\">\n You're copying information
between spreadsheets because your donor database doesn't talk to your volunteer
tracker.\n </p>\n </div>\n <div className=\"bg-white/80
backdrop-blur-md rounded-2xl p-8 shadow-lg border border-slate-100 hover:shadow-xl
transition-all duration-300 hover:-translate-y-1\">\n <div className=\"w-12 h-12
bg-orange-100 rounded-xl flex items-center justify-center mb-6\">\n <svg
className=\"w-6 h-6 text-orange-600\" fill=\"none\" stroke=\"currentColor\" viewBox=\"0 0
24 24\">\n <path strokeLinecap=\"round\" strokeLinejoin=\"round\"
strokeWidth={2} d=\"M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0
01.707.293l5.414 5.414a1 1 0 01.293.707V19a2 2 0 01-2 2z\" />\n </svg>\n
 </div>\n <h3 className=\"text-xl font-bold text-slate-900 mb-4\">Grant reports
that drain a week</h3>\n <p className=\"text-slate-600 leading-relaxed\">\n
 Every funding cycle means pulling numbers from four different systems, reformatting
everything, and praying the math adds up.\n </p>\n </div>\n <div className=\"bg-white/80 backdrop-blur-md rounded-2xl p-8 shadow-lg border
border-slate-100 hover:shadow-xl transition-all duration-300 hover:-translate-y-1\">\n
 <div className=\"w-12 h-12 bg-yellow-100 rounded-xl flex items-center justify-center
mb-6\">\n <svg className=\"w-6 h-6 text-yellow-600\" fill=\"none\"
stroke=\"currentColor\" viewBox=\"0 0 24 24\">\n <path strokeLinecap=\"round\"
strokeLinejoin=\"round\" strokeWidth={2} d=\"M17 20h5v-2a3 3 0 00-5.356-1.857M17
20H7m10 0v-2c0-.656-.126-1.283-.356-1.857M7 20H2v-2a3 3 0 015.356-1.857M7
20v-2c0-.656-.126-1.283-.356-1.857m0 0a5.002 5.002 0 019.288 0M15 7a3 3 0 11-6 0 3 3 0
016 0zm6 3a2 2 0 11-4 0 2 2 0 014 0zm7 10a2 2 0 11-4 0 2 2 0 014 0z\" />\n
 </svg>\n </div>\n <h3 className=\"text-xl font-bold text-slate-900
mb-4\">Volunteers asking the same questions</h3>\n <p
className=\"text-slate-600 leading-relaxed\">\n Your team wastes hours
answering "How do I log in?" and "Where's the training video?" because there's no central
hub.\n </p>\n </div>\n <div className=\"bg-white/80
backdrop-blur-md rounded-2xl p-8 shadow-lg border border-slate-100 hover:shadow-xl
transition-all duration-300 hover:-translate-y-1\">\n <div className=\"w-12 h-12
bg-purple-100 rounded-xl flex items-center justify-center mb-6\">\n <svg
className=\"w-6 h-6 text-purple-600\" fill=\"none\" stroke=\"currentColor\" viewBox=\"0 0
24 24\">\n <path strokeLinecap=\"round\" strokeLinejoin=\"round\"
strokeWidth={2} d=\"M9.663 17h4.673M12 3v1m6.364 1.636l-.707.707M21 12h-1M4
12H3m3.343-5.657l-.707-.707m2.828 9.9a5 5 0 117.072 0l-.548.547A3.374 3.374 0 0014
18.469V19a2 2 0 11-4 0v-.531c0-.895-.356-1.754-.988-2.386l-.548-.547z\" />\n
 </svg>\n </div>\n <h3 className=\"text-xl font-bold text-slate-900
mb-4\">Website that sits there looking pretty</h3>\n <p
className=\"text-slate-600 leading-relaxed\">\n You paid for a site three years

```

ago. It doesn't capture emails, doesn't track engagement, doesn't connect to anything.

This isn't a tech problem. It's a systems problem.

## Solution

What if everything just worked together?

One ecosystem. Every tool talking to every other tool. Data flowing where it needs to go. Impact tracking itself.

### Imagine opening your inbox Monday morning to:

- Automated grant report: All metrics pulled, formatted, and ready for your final review
- Volunteer dashboard showing: Who showed up, what they accomplished, and who needs follow-up

className="font-semibold text-slate-900">New donor welcome sequence:</span>  
Running automatically, with personalized touchpoints based on giving level  
</p>\n </li>\n <li className="flex items-start">\n <div  
className="flex-shrink-0 w-8 h-8 bg-green-500 rounded-full flex items-center justify-center  
mt-1">\n <svg className="w-5 h-5 text-white" fill="none"  
stroke="currentColor" viewBox="0 0 24 24">\n <path  
strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 4L19 7" />\n  
</svg>\n </div>\n <p className="ml-4 text-lg  
text-slate-700 leading-relaxed">\n <span className="font-semibold  
text-slate-900">Impact metrics:</span> Tracked in real-time, visualized beautifully, ready to  
share with stakeholders\n </p>\n </li>\n </ul>\n <div  
className="mt-12 pt-8 border-t border-slate-200">\n <p className="text-xl  
text-slate-900 font-semibold text-center">\n That's not a dream scenario. That's  
what infrastructure does.\n </p>\n </div>\n </div>\n </div>\n  
</section>\n\n { /\* Benefits Section \*/ }\n <section className="py-24 px-6 lg:px-8  
bg-white/40 backdrop-blur-sm fade-in-section">\n <div className="{ max-w-6xl  
mx-auto transition-all duration-1000 transform \${\n isVisible[2] ? 'opacity-100  
translate-y-0' : 'opacity-0 translate-y-10'\n } }>\n <h2 className="text-4xl  
sm:text-5xl font-bold text-slate-900 mb-16 text-center leading-tight">\n What  
changes when this goes live\n </h2>\n\n <div className="grid  
md:grid-cols-3 gap-8 mb-16">\n <div className="text-center">\n <div  
className="w-20 h-20 bg-gradient-to-br from-primary-500 to-primary-600 rounded-2xl flex  
items-center justify-center mx-auto mb-6 shadow-lg">\n <svg className="w-10  
h-10 text-white" fill="none" stroke="currentColor" viewBox="0 0 24 24">\n  
<path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 8v4l3  
3m6-3a9 9 0 11-18 0 9 9 0 0118 0z" />\n </svg>\n </div>\n  
<h3 className="text-2xl font-bold text-slate-900 mb-4">20+ hours back every  
week</h3>\n <p className="text-slate-600 leading-relaxed">\n Time  
you spend on admin work flows back to program delivery. Your team focuses on people, not  
paperwork.\n </p>\n </div>\n\n <div className="text-center">\n  
<div className="w-20 h-20 bg-gradient-to-br from-accent-500 to-accent-600  
rounded-2xl flex items-center justify-center mx-auto mb-6 shadow-lg">\n <svg  
className="w-10 h-10 text-white" fill="none" stroke="currentColor" viewBox="0 0 24  
24">\n <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}  
d="M9 19v-6a2 2 0 00-2-2H5a2 2 0 00-2 2v6a2 2 0 002 2h2a2 2 0 002-2zm0 0V9a2 2 0  
012-2h2a2 2 0 012 2v10m-6 0a2 2 0 002 2h2a2 2 0 002-2m0 0V5a2 2 0 012-2h2a2 2 0 012  
2v14a2 2 0 01-2 2h-2a2 2 0 01-2-2z" />\n </svg>\n </div>\n  
<h3 className="text-2xl font-bold text-slate-900 mb-4">Grant-ready reporting</h3>\n  
<p className="text-slate-600 leading-relaxed">\n Funders want proof of  
impact. Your ecosystem tracks it automatically, formatted exactly how they need it.\n  
</p>\n </div>\n\n <div className="text-center">\n <div

```

className="w-20 h-20 bg-gradient-to-br from-green-500 to-green-600 rounded-2xl flex
items-center justify-center mx-auto mb-6 shadow-lg">\n <svg className="w-10
h-10 text-white" fill="none" stroke="currentColor" viewBox="0 0 24 24">\n
<path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M13 10V3L4
14h7v7I9-11h-7z" />\n </svg>\n </div>\n <h3
className="text-2xl font-bold text-slate-900 mb-4">Scalable by design</h3>\n
<p className="text-slate-600 leading-relaxed">\n Serve 100 people or 10,000
with the same system. Growth doesn't mean chaos when infrastructure supports you.\n
 </p>\n </div>\n </div>\n <div className="bg-gradient-to-r
from-slate-900 to-slate-800 rounded-3xl p-10 sm:p-14 text-white shadow-2xl">\n
<h3 className="text-3xl font-bold mb-6">For your community members:</h3>\n
<p className="text-xl mb-8 leading-relaxed text-slate-200">\n Faster service.
Consistent experience. Access to resources without barriers. They feel the difference
immediately.\n </p>\n \n <h3 className="text-3xl font-bold mb-6
mt-12">For grant organizations:</h3>\n <p className="text-xl mb-8
leading-relaxed text-slate-200">\n Clear data. Measurable outcomes.
Professional reporting. You become the kind of partner they want to fund year after year.\n
 </p>\n \n <h3 className="text-3xl font-bold mb-6 mt-12">For
you:</h3>\n <p className="text-xl leading-relaxed text-slate-200">\n
You get to do the work you actually signed up for. Strategy. Vision. Human connection. The
things that matter.\n </p>\n </div>\n </div>\n </section>\n {\n
Features Section */}\n <section className="py-24 px-6 lg:px-8 fade-in-section">\n
 <div className="{ max-w-6xl mx-auto transition-all duration-1000 transform ${\n
isVisible[3] ? 'opacity-100 translate-y-0' : 'opacity-0 translate-y-10'\n } }">\n <h2
className="text-4xl sm:text-5xl font-bold text-slate-900 mb-8 text-center leading-tight">\n
 How we build your ecosystem\n </h2>\n <p className="text-xl
text-slate-600 mb-16 text-center max-w-3xl mx-auto leading-relaxed">\n This isn't
just a website. It's infrastructure architected for your specific impact model.\n
 </p>\n <div className="grid md:grid-cols-2 gap-8">\n <div
className="bg-white/80 backdrop-blur-md rounded-2xl p-8 shadow-lg border
border-slate-100 hover:shadow-2xl transition-all duration-300">\n <div
className="flex items-start mb-6">\n <div className="w-12 h-12
bg-primary-100 rounded-xl flex items-center justify-center flex-shrink-0">\n
<svg className="w-6 h-6 text-primary-600" fill="none" stroke="currentColor"
viewBox="0 0 24 24">\n <path strokeLinecap="round"
strokeLinejoin="round" strokeWidth={2} d="M21 12a9 9 0 01-9 9m9-9a9 9 0 00-9-9m9
9H3m9 9a9 9 0 01-9-9m9 9c1.657 0 3-4.03 3-9s-1.343-9-3-9m0 18c-1.657
0-3-4.03-3-9s1.343-9 3-9m-9 9a9 9 0 019-9" />\n </svg>\n </div>\n
 <div className="ml-4">\n <h3 className="text-xl font-bold
text-slate-900 mb-3">Central hub that actually works</h3>\n <p
className="text-slate-600 leading-relaxed">\n Landing page optimized for

```





```

<div className="bg-white/80 backdrop-blur-md rounded-2xl p-8 shadow-lg border
border-slate-100 hover:shadow-2xl transition-all duration-300">\n
 <div className="flex items-start mb-6">\n
 <div className="w-12 h-12 bg-blue-100
rounded-xl flex items-center justify-center flex-shrink-0">\n
 <svg
className="w-6 h-6 text-blue-600" fill="none" stroke="currentColor" viewBox="0 0 24
24">\n
 <path strokeLinecap="round" strokeLinejoin="round"
strokeWidth={2} d="M12 6.253v13m0-13C10.832 5.477 9.246 5 7.5 5S4.168 5.477 3
6.253v13C4.168 18.477 5.754 18 7.5 18s3.332.477 4.5 1.253m0-13C13.168 5.477 14.754
5 16.5 5c1.747 0 3.332.477 4.5 1.253v13C19.832 18.477 18.247 18 16.5 18c-1.746
0-3.332.477-4.5 1.253" />\n
 </svg>\n
 </div>\n
 <div className="ml-4">\n
 <h3 className="text-xl font-bold text-slate-900
mb-3">Training that sticks</h3>\n
 <p className="text-slate-600
leading-relaxed">\n
 We don't just hand you the keys. We train your team,
document everything, and make sure you own this system completely.\n
 </p>\n
 </div>\n
 </div>\n
 <div className="bg-white/80 backdrop-blur-md rounded-2xl p-8 shadow-lg border
border-slate-100 hover:shadow-2xl transition-all duration-300">\n
 <div className="flex items-start mb-6">\n
 <div className="w-12 h-12
bg-purple-100 rounded-xl flex items-center justify-center flex-shrink-0">\n
 <svg
className="w-6 h-6 text-purple-600" fill="none" stroke="currentColor" viewBox="0 0
24 24">\n
 <path strokeLinecap="round" strokeLinejoin="round"
strokeWidth={2} d="M9 12l2 4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955
11.955 0 01-8.618 3.04A12.02 12.02 0 003 9c0 5.591 3.824 10.29 9 11.622 5.176-1.332
9-6.03 9-11.622 0-1.042-.133-2.052-.382-3.016z" />\n
 </svg>\n
 </div>\n
 <div className="ml-4">\n
 <h3 className="text-xl
font-bold text-slate-900 mb-3">Built to grow with you</h3>\n
 <p
className="text-slate-600 leading-relaxed">\n
 Start with core infrastructure.
Add donor management next quarter. Layer in program tracking when you're ready.
Modular by design.\n
 </p>\n
 </div>\n
 </div>\n
 </div>\n
</div>\n
</section>\n\n
<div className="py-24 px-6 lg:px-8 bg-slate-900 text-white fade-in-section">\n
 <div className="flex max-w-6xl mx-auto transition-all duration-1000 transform ${n
isVisible[4] ? 'opacity-100 translate-y-0' : 'opacity-0 translate-y-10'}">\n
 <div className="text-4xl sm:text-5xl font-bold mb-16 text-center leading-tight">\n
 This
system has already worked\n
 </div>\n
 <div className="grid md:grid-cols-3
gap-8 mb-16">\n
 <div className="bg-white/10 backdrop-blur-md rounded-2xl p-8
border border-white/20">\n
 <div className="text-5xl font-bold text-primary-400
mb-2">73%</div>\n
 <div className="text-sm text-slate-300 mb-4">reduction in
admin time</div>\n
 <p className="text-slate-200 leading-relaxed">\n
 Community food bank automated their inventory tracking and volunteer coordination\n
 </p>\n
 </div>\n
 <div className="bg-white/10 backdrop-blur-md

```

```

rounded-2xl p-8 border border-white/20">\n <div className=\"text-5xl font-bold
text-accent-400 mb-2\">2.4x</div>\n <div className=\"text-sm text-slate-300
mb-4\">increase in grant funding</div>\n <p className=\"text-slate-200
leading-relaxed\">\n Youth mentorship program showed real-time impact metrics
that funders couldn't ignore\n </p>\n </div>\n\n <div
className=\"bg-white/10 backdrop-blur-md rounded-2xl p-8 border border-white/20\">\n
 <div className=\"text-5xl font-bold text-green-400 mb-2\">$140K</div>\n
<div className=\"text-sm text-slate-300 mb-4\">saved annually in overhead</div>\n
 <p className=\"text-slate-200 leading-relaxed\">\n Housing nonprofit
eliminated three part-time admin roles through automation\n </p>\n
</div>\n </div>\n\n <div className=\"text-center\">\n <p
className=\"text-xl text-slate-300 max-w-3xl mx-auto leading-relaxed\">\n These
organizations didn't have bigger budgets or more staff. They had infrastructure that
multiplied their capacity.\n </p>\n </div>\n </div>\n </section>\n\n {/* Final CTA Section */}\n <section className=\"py-24 px-6 lg:px-8
fade-in-section\">\n <div className=\"max-w-3xl mx-auto text-center transition-all
duration-1000 transform ${\n isVisible[5] ? 'opacity-100 translate-y-0' : 'opacity-0
translate-y-10'\n }\">\n <h2 className=\"text-4xl sm:text-5xl font-bold
text-slate-900 mb-8 leading-tight\">\n Your work deserves infrastructure that
matches your vision\n </h2>\n <p className=\"text-xl text-slate-700 mb-12
leading-relaxed\">\n Get the Impact Ecosystem Blueprint. See exactly how
organizations like yours built systems that work while they sleep.\n </p>\n\n <div
className=\"bg-white/60 backdrop-blur-xl rounded-3xl shadow-2xl border
border-white/80 p-8 sm:p-10\">\n <form onSubmit={handleSubmit}
className=\"space-y-4\">\n <input\n type=\"text\"\n
placeholder=\"Your name\"\n value={name}\n onChange={(e) =>
setName(e.target.value)}\n required\n className=\"w-full px-6 py-4
rounded-xl border-2 border-slate-200 focus:border-primary-500 focus:ring-4
focus:ring-primary-100 outline-none transition-all duration-300 text-lg bg-white/80
backdrop-blur-sm\"\n />\n <input\n type=\"email\"\n
placeholder=\"Your email\"\n value={email}\n onChange={(e) =>
setEmail(e.target.value)}\n required\n className=\"w-full px-6 py-4
rounded-xl border-2 border-slate-200 focus:border-primary-500 focus:ring-4
focus:ring-primary-100 outline-none transition-all duration-300 text-lg bg-white/80
backdrop-blur-sm\"\n />\n <button\n type=\"submit\"\n
disabled={isSubmitting}\n className=\"w-full bg-gradient-to-r from-primary-600
to-accent-600 text-white font-semibold py-4 px-8 rounded-xl hover:shadow-2xl
hover:scale-105 transition-all duration-300 text-lg disabled:opacity-50
disabled:cursor-not-allowed disabled:hover:scale-100\"\n >\n
{isSubmitting ? 'Sending...' : 'Send Me The Blueprint'}\n </button>\n </form>\n
 {submitStatus && (\n <div className=\"mt-6 p-4 rounded-xl

```

```

${\n submitStatus.type === 'success' \n ? 'bg-green-50
text-green-800 border border-green-200' \n : 'bg-red-50 text-red-800 border
border-red-200'\n }}>\n {submitStatus.message}\n </div>\n
)}\n </div>\n </div>\n </section>\n\n {/* Footer */}\n <footer
className=\"py-16 px-6 lg:px-8 bg-slate-900 text-white\">\n <div
className=\"max-w-6xl mx-auto\">\n <div className=\"grid md:grid-cols-3 gap-12
mb-12\">\n <div>\n <h3 className=\"text-2xl font-bold mb-4
bg-gradient-to-r from-primary-400 to-accent-400 bg-clip-text text-transparent\">\n
Nonprofit Impact Network\n </h3>\n <p className=\"text-slate-400
leading-relaxed\">\n Digital architects building ecosystems that multiply nonprofit
impact.\n </p>\n </div>\n <div>\n <h4
className=\"font-semibold mb-4 text-lg\">What We Build</h4>\n <ul
className=\"space-y-2 text-slate-400\">\n Impact tracking systems\n
 Grant-ready dashboards\n Volunteer coordination\n
 Donor management\n \n </div>\n <div>\n <h4
className=\"font-semibold mb-4 text-lg\">Who We Serve</h4>\n <ul
className=\"space-y-2 text-slate-400\">\n Community organizations\n
 Educational nonprofits\n Social service agencies\n
 Mission-driven founders\n \n </div>\n </div>\n
 <div className=\"pt-8 border-t border-slate-800 text-center text-slate-400\">\n
 <p>© 2026 Nonprofit Impact Network. Infrastructure that works while you sleep.</p>\n
 </div>\n </div>\n </footer>\n\n {/* Sticky Mobile CTA */}\n <div
className=\"fixed bottom-0 left-0 right-0 p-4 bg-white/95 backdrop-blur-lg border-t
border-slate-200 md:hidden z-50\">\n <a\n href=\"#hero\"\n className=\"block w-full bg-gradient-to-r from-primary-600 to-accent-600 text-white
font-semibold py-4 px-6 rounded-xl text-center hover:shadow-xl transition-all
duration-300\"\n >\n Get The Blueprint\n \n </div>\n</div>\n)\n }\",

```

```

"pages/api/subscribe.js": "export default async function handler(req, res) {\n if
(req.method !== 'POST') {\n return res.status(405).json({ error: 'Method not allowed' })\n }\n const { email, name } = req.body\n if (!email || !email.includes('@')) {\n return
res.status(400).json({ error: 'Valid email is required' })\n }\n if (!name || name.trim().length
< 2) {\n return res.status(400).json({ error: 'Name is required' })\n }\n // TODO: Connect
to your email service provider (Mailchimp, ConvertKit, etc.)\n // For now, we'll just log and
return success\n console.log('New subscription:', { email, name, timestamp: new
Date().toISOString() })\n // Simulate API delay\n await new Promise(resolve =>
setTimeout(resolve, 500))\n return res.status(200).json({ \n message: 'Success! Check
your email for the Impact Ecosystem Blueprint.',\n subscriber: { email, name }\n })\n},

```

```

"styles/globals.css": "@tailwind base;\n@tailwind components;\n@tailwind
utilities;\n\n@layer base {\n * {\n @apply border-border;\n }\n body {\n @apply
bg-background text-foreground;\n }\n}\n\n@layer utilities {\n .animation-delay-2000 {\n

```

```

animation-delay: 2s;\n }\n .animation-delay-4000 {\n animation-delay: 4s;\n }\n}\n\n@keyframes blob {\n 0% {\n transform: translate(0px, 0px) scale(1);\n }\n 33% {\n transform: translate(30px, -50px) scale(1.1);\n }\n 66% {\n transform: translate(-20px, 20px) scale(0.9);\n }\n 100% {\n transform: translate(0px, 0px) scale(1);\n }\n}\n\n.animate-blob {\n animation: blob 7s infinite;\n}\n\nhtml {\n scroll-behavior: smooth;\n}\n\n.fade-in-section {\n opacity: 0;\n transform: translateY(20px);\n visibility: hidden;\n transition: opacity 0.6s ease-out, transform 0.6s ease-out;\n will-change: opacity, visibility;\n}\n\n.fade-in-section.is-visible {\n opacity: 1;\n transform: none;\n visibility: visible;\n}"
}
},
"artifact_format": "nextjs_app",
"next_steps": {
 "immediate": [
 "Review the generated design and copy",
 "Test locally with npm install && npm run dev",
 "Verify mobile responsiveness on different screen sizes"
],
 "flow_continuation": [
 "Connect the /api/subscribe.js endpoint to your email service provider (Mailchimp, ConvertKit, etc.)",
 "Add custom domain and deploy to Vercel or Netlify",
 "Set up analytics tracking (Plausible, Fathom, or Google Analytics)"
],
 "suggestions": [
 "A/B test different headline variations to optimize conversions",
 "Add testimonial quotes from actual nonprofit partners",
 "Create a follow-up email sequence for new subscribers",
 "Consider adding a short demo video or impact visualization"
]
}
}
`

```