PharmEasy Labs

Report for Raj Kumari(53Y/F)

Tests asked Comprehensive Full Body Checkup With Vitamin D And B12 - New, Cardiac Risk Markers

Test date 22 Mar 2024 **Report status** Complete Report

REPORT VERIFIED VERIFIED BY DOCTOR

6 STEP quality control to ensure 100% report accuracy

- Qualified and trained technicians
- Temperature-controlled containers to store samples
- Strict quality checks on samples before processing
- Regular monitoring of lab analyzers by experts
- Assured machine inspection on a daily basis
- Verified reports by qualified pathologists

25+ Years of Trust & Experience | NABL Accredited Labs | 100+ Crore Samples Processed

PharmEasy Labs

Name : RAJ KUMARI(53Y/F)

Ref. By : SELF

ADDRESS :

A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

Report Availability Summary

Full Report Available

Note : This is summary page. Please refer to the table below for the details

Test	Report Status
• **CARDIAC RISK MARKERS**	Available
• **COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D**	Available
25-OH VITAMIN D (TOTAL)	Available
COMPLETE URINE ANALYSIS	Available
FASTING BLOOD SUGAR(GLUCOSE)	Available
HbA1c	Available
HEMOGRAM - 6 PART (DIFF)	Available
IRON	Available
KIDPRO	Available
LIPID PROFILE	Available
LIVER FUNCTION TESTS	Available
TOTAL IRON BINDING CAPACITY (TIBC)	Available
TOTAL THYROXINE (T4)	Available
TOTAL TRIIODOTHYRONINE (T3)	Available
TSH - ULTRASENSITIVE	Available
UNSAT.IRON-BINDING CAPACITY(UIBC)	Available
VITAMIN B-12	Available

Note : Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by : Thyrocare Technologies Ltd.

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c - (HPLC)			
	H.P.L.C	5.6	%

Bio. Ref. Interval. :

Bio. Ref. Interval.: As per ADA Guidelines	Guidance For Known Diabetics
Below 5.7% : Normal	Below 6.5% : Good Control
5.7% - 6.4% : Prediabetic	6.5% - 7% : Fair Control
>=6.5% : Diabetic	7.0% - 8% : Unsatisfactory Control
	>8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	CALCULATED	114	mg/dL

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HBA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 13:00
Report Released on (RRT) : 22 Mar 2024 14:06
Sample Type : EDTA
Labcode : 2203075520/PE003
Barcode : BT012659

Dr Manzalat Fatima MD(Path) Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL LEUCOCYTES COUNT (WBC)	HF & FC	7.52	X 10³ / µL	4.0 - 10.0
NEUTROPHILS	Flow Cytometry	66.2	%	40-80
LYMPHOCYTE	Flow Cytometry	27.1	%	20-40
MONOCYTES	Flow Cytometry	2.9	%	2-10
EOSINOPHILS	Flow Cytometry	2.7	%	1-6
BASOPHILS	Flow Cytometry	0.8	%	0-2
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	Flow Cytometry	0.3	%	0.0-0.4
NEUTROPHILS - ABSOLUTE COUNT	Calculated	4.98	X 10³ / µL	2.0-7.0
LYMPHOCYTES - ABSOLUTE COUNT	Calculated	2.04	X 10³ / µL	1.0-3.0
MONOCYTES - ABSOLUTE COUNT	Calculated	0.22	X 10³ / µL	0.2 - 1.0
BASOPHILS - ABSOLUTE COUNT	Calculated	0.06	X 10³ / µL	0.02 - 0.1
EOSINOPHILS - ABSOLUTE COUNT	Calculated	0.2	X 10³ / µL	0.02 - 0.5
IMMATURE GRANULOCYTES(IG)	Calculated	0.02	X 10³ / µL	0.0-0.3
TOTAL RBC	**HF & EI**	**5.26**	**X 10^6/µL**	**3.8-4.8**
NUCLEATED RED BLOOD CELLS	Calculated	0.01	X 10³ / µL	0.0-0.5
NUCLEATED RED BLOOD CELLS %	Flow Cytometry	0.01	%	0.0-5.0
HEMOGLOBIN	SLS-Hemoglobin Method	14.4	g/dL	12.0-15.0
HEMATOCRIT(PCV)	Calculated	45.2	%	36.0-46.0
MEAN CORPUSCULAR VOLUME(MCV)	Calculated	85.9	fL	83.0-101.0
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	Calculated	27.4	pq	27.0-32.0
MEAN CORP.HEMO.CONC(MCHC)	Calculated	31.9	g/dL	31.5-34.5
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	Calculated	41.9	fL	39.0-46.0
RED CELL DISTRIBUTION WIDTH (RDW-CV)	Calculated	13.4	%	11.6-14.0
PLATELET DISTRIBUTION WIDTH(PDW)	Calculated	10.1	fL	9.6-15.2
MEAN PLATELET VOLUME(MPV)	Calculated	9.2	fL	6.5-12
PLATELET COUNT	HF & EI	334	X 10³ / µL	150-410
PLATELET TO LARGE CELL RATIO(PLCR)	**Calculated**	**18.9**	**%**	**19.7-42.4**
PLATELETCRIT(PCT)	Calculated	0.31	%	0.19-0.39

Remarks : Alert!!! Predominantly normocytic normochromic with ovalocytes. Platelets:Appear adequate in smear.

Please Correlate with clinical conditions.
Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)
(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, * EI - Electric Impedence ,*Hb-hemoglobin**)**

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 13:00
Report Released on (RRT) : 22 Mar 2024 14:06
Sample Type : EDTA
Labcode : 2203075520/PE003
Barcode : BT012659

Dr Manzalat Fatima MD(Path) Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs

NAME	: RAJ KUMARI(53Y/F)	**HOME COLLECTION :**	
REF. BY	: SELF	A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI	
TEST ASKED	: CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW		

TEST NAME	TECHNOLOGY	VALUE	UNITS
FASTING BLOOD SUGAR(GLUCOSE)	**PHOTOMETRY**	**100.65**	**mg/dL**

Bio. Ref. Interval. :-

As per ADA Guideline: Fasting Plasma Glucose (FPG)	
Normal	70 to 100 mg/dl
Prediabetes	100 mg/dl to 125 mg/dl
Diabetes	126 mg/dl or higher

Note :
The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed , icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Please correlate with clinical conditions.

Method:- GOD-PAP METHOD

Sample Collected on (SCT)	: 22 Mar 2024 06:47
Sample Received on (SRT)	: 22 Mar 2024 13:02
Report Released on (RRT)	: 22 Mar 2024 15:41
Sample Type	: FLUORIDE
Labcode	: 2203075579/PE003
Barcode	: BS241747

Dr Manzalat Fatima MD(Path)

Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Complete Urinogram				
Physical Examination				
VOLUME	Visual Determination	3	mL	-
COLOUR	Visual Determination	PALE YELLOW	-	Pale Yellow
APPEARANCE	Visual Determination	CLEAR	-	Clear
SPECIFIC GRAVITY	pKa change	1.02	-	1.003-1.030
PH	pH indicator	5.5	-	5-8
Chemical Examination				
URINARY PROTEIN	Protein error	ABSENT	mg/dL	Absent
URINARY GLUCOSE	GOD-POD	ABSENT	mg/dL	Absent
URINE KETONE	Nitroprusside	ABSENT	mg/dL	Absent
URINARY BILIRUBIN	Diazo coupling	ABSENT	mg/dL	Absent
UROBILINOGEN	Diazo coupling	Normal	mg/dL	<=0.2
BILE SALT	Hays sulphur	ABSENT	-	Absent
BILE PIGMENT	Ehrlich reaction	ABSENT	-	Absent
URINE BLOOD	Peroxidase reaction	ABSENT	-	Absent
NITRITE	Diazo coupling	ABSENT	-	Absent
LEUCOCYTE ESTERASE	Esterase reaction	ABSENT	-	Absent
Microscopic Examination				
MUCUS	Microscopy	ABSENT	-	Absent
RED BLOOD CELLS	Microscopy	ABSENT	cells/HPF	0-5
URINARY LEUCOCYTES (PUS CELLS)	Microscopy	ABSENT	cells/HPF	0-5
EPITHELIAL CELLS	Microscopy	ABSENT	cells/HPF	0-5
CASTS	Microscopy	ABSENT	-	Absent
CRYSTALS	Microscopy	ABSENT	-	Absent
BACTERIA	Microscopy	ABSENT	-	Absent
YEAST	Microscopy	ABSENT	-	Absent
PARASITE	Microscopy	ABSENT	-	Absent

Method : Automated Urine dipstick, image analysis and manual microscopy

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 14:10
Report Released on (RRT) : 22 Mar 2024 16:37
Sample Type : URINE
Labcode : 2203081072/PE003
Barcode : BT521126

Dr Manzalat Fatima MD(Path)

Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs

NAME	:	RAJ KUMARI(53Y/F)
REF. BY	:	SELF
TEST ASKED	:	CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	TECHNOLOGY	VALUE	UNITS
25-OH VITAMIN D (TOTAL)	**E.C.L.I.A**	**21.8**	**ng/mL**

Bio. Ref. Interval. :

Deficiency : <=20 ng/ml || Insufficiency : 21-29 ng/ml
Sufficiency : >= 30 ng/ml || Toxicity : >100 ng/ml

Clinical Significance:
Vitamin D is a fat soluble vitamin that has been known to help the body absorb and retain calcium and phosphorous; both are critical for building bone health.
Decrease in vitamin D total levels indicate inadequate exposure of sunlight, dietary deficiency, nephrotic syndrome.
Increase in vitamin D total levels indicate Vitamin D intoxication.

Specifications: Precision: Intra assay (%CV):9.20%, Inter assay (%CV):8.50%
Kit Validation Reference : Holick M. Vtamin D the underappreciated D-Lightful hormone that is important for Skeletal and cellular health Curr Opin Endocrinol Diabetes 2002:9(1)87-98.

Method : Fully Automated Electrochemiluminescence Compititive Immunoassay

VITAMIN B-12	E.C.L.I.A	250	pg/mL

Bio. Ref. Interval. :

Normal: 197-771 pg/ml

Clinical significance :
Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):2.6%, Inter assay (%CV):2.3 %

Kit Validation Reference : Thomas L.Clinical laborator Diagnostics : Use and Assessment of Clinical laboratory Results 1st Edition,TH Books-Verl-Ges,1998:424-431

Method : Fully Automated Electrochemiluminescence Compititive Immunoassay

Please correlate with clinical conditions.

Sample Collected on (SCT)	:	22 Mar 2024 06:47
Sample Received on (SRT)	:	22 Mar 2024 13:04
Report Released on (RRT)	:	22 Mar 2024 16:45
Sample Type	:	SERUM
Labcode	:	2203075745/PE003
Barcode	:	BV227442

Dr Manzalat Fatima MD(Path) Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	TECHNOLOGY	VALUE	UNITS
APOLIPOPROTEIN - A1 (APO-A1)	IMMUNOTURBIDIMETRY	151	mg/dL

Bio. Ref. Interval. :

Male : 86 - 152
Female : 94 - 162

Method : FULLY AUTOMATED RATE IMMUNOTURBIDIMETRY – BECKMAN COULTER

APOLIPOPROTEIN - B (APO-B)	IMMUNOTURBIDIMETRY	60	mg/dL

Bio. Ref. Interval. :

Male : 56 - 145
Female : 53 - 138

Method : FULLY AUTOMATED RATE IMMUNOTURBIDIMETRY – BECKMAN COULTER

APO B / APO A1 RATIO (APO B/A1)	CALCULATED	0.4	Ratio

Bio. Ref. Interval. :

Male : 0.40 - 1.26
Female : 0.38 - 1.14

Method : Derived from serum Apo A1 and Apo B values

Please correlate with clinical conditions.

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 13:04
Report Released on (RRT) : 22 Mar 2024 16:45
Sample Type : SERUM
Labcode : 2203075745/PE003
Barcode : BV227442

Dr Manzalat Fatima MD(Path) Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs

NAME	: RAJ KUMARI(53Y/F)	**HOME COLLECTION :**	
REF. BY	: SELF	A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI	
TEST ASKED	: CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW		

TEST NAME	TECHNOLOGY	VALUE	UNITS
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP)	IMMUNOTURBIDIMETRY	1.21	mg/L

Bio. Ref. Interval. :-

< 1.00 - Low Risk
1.00 - 3.00 - Average Risk
>3.00 - 10.00 - High Risk
> 10.00 - Possibly due to Non-Cardiac Inflammation

Disclaimer: Persistent unexplained elevation of HSCRP >10 should be evaluated for non-cardiovascular etiologies such as infection , active arthritis or concurrent illness.

Clinical significance:
High sensitivity C- reactive Protein (HSCRP) can be used as an independent risk marker for the identification of Individuals at risk for future cardiovascular Disease. A coronary artery disease risk assessment should be based on the average of two hs-CRP tests, ideally taken two weeks apart.

Kit Validation Reference:
1.Clinical management of laboratory date in medical practice 2003-3004, 207(2003).
2.Tietz : Textbook of Clinical Chemistry and Molecular diagnostics :Second edition :Chapter 47:Page no.1507- 1508.

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED LATEX AGGLUTINATION – BECKMAN COULTER

Sample Collected on (SCT)	: 22 Mar 2024 06:47
Sample Received on (SRT)	: 22 Mar 2024 13:04
Report Released on (RRT)	: 22 Mar 2024 16:45
Sample Type	: SERUM
Labcode	: 2203075745/PE003
Barcode	: BV227442

Dr Manzalat Fatima MD(Path)

Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs

NAME	: RAJ KUMARI(53Y/F)	**HOME COLLECTION :**	
REF. BY	: SELF	A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI	
TEST ASKED	: CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW		

TEST NAME	TECHNOLOGY	VALUE	UNITS
Lipoprotein (a) [Lp(a)]	IMMUNOTURBIDIMETRY	10.1	mg/dL

Bio. Ref. Interval. :-

Adults : < 30.0 mg/dl

Clinical Significance:
Determination of LPA may be useful to guide management of individuals with a family history of CHD or with existing disease. The levels of LPA in the blood depends on genetic factors; The range of variation in a population is relatively large and hence for diagnostic purpose, results should always be assessed in conjunction with the patient's medical history, clinical examination and other findings.

Specifications:
Precision %CV :- Intra assay %CV- 4.55% , Inter assay %CV-0.86 %

Kit Validation Reference:
Tietz NW,Clinical Guide to Laboratory Tests Philadelphia WB. Saunders 1995 : 442-444

Please correlate with clinical conditions.

Method:- LATEX ENHANCED IMMUNOTURBIDIMETRY

Sample Collected on (SCT)	: 22 Mar 2024 06:47
Sample Received on (SRT)	: 22 Mar 2024 13:04
Report Released on (RRT)	: 22 Mar 2024 16:45
Sample Type	: SERUM
Labcode	: 2203075745/PE003
Barcode	: BV227442

Dr Manzalat Fatima MD(Path)

Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	TECHNOLOGY	VALUE	UNITS
IRON	PHOTOMETRY	60.93	µg/dL
Bio. Ref. Interval. : Male : 65 - 175; Female : 50 - 170			
Method : Ferrozine method without deproteinization			
TOTAL IRON BINDING CAPACITY (TIBC)	PHOTOMETRY	364.1	µg/dL
Bio. Ref. Interval. : Male: 225 - 535 µg/dl Female: 215 - 535 µg/dl			
Method : Spectrophotometric Assay			
% TRANSFERRIN SATURATION	CALCULATED	16.73	%
Bio. Ref. Interval. : 13 - 45			
Method : Derived from IRON and TIBC values			
UNSAT.IRON-BINDING CAPACITY(UIBC)	PHOTOMETRY	303.17	µg/dL
Bio. Ref. Interval. : 162 - 368			
Method : SPECTROPHOTOMETRIC ASSAY			

Please correlate with clinical conditions.

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 13:04
Report Released on (RRT) : 22 Mar 2024 16:45
Sample Type : SERUM
Labcode : 2203075745/PE003
Barcode : BV227442

Dr Manzalat Fatima MD(Path) Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL CHOLESTEROL	PHOTOMETRY	147	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	**PHOTOMETRY**	**60**	**mg/dL**	**40-60**
HDL / LDL RATIO	CALCULATED	0.95	Ratio	> 0.40
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	64	mg/dL	< 100
TC/ HDL CHOLESTEROL RATIO	**CALCULATED**	**2.4**	**Ratio**	**3 - 5**
TRIG / HDL RATIO	CALCULATED	2.63	Ratio	< 3.12
TRIGLYCERIDES	**PHOTOMETRY**	**158**	**mg/dL**	**< 150**
LDL / HDL RATIO	**CALCULATED**	**1.1**	**Ratio**	**1.5-3.5**
NON-HDL CHOLESTEROL	CALCULATED	86.32	mg/dL	< 160
VLDL CHOLESTEROL	CALCULATED	31.68	mg/dL	5 - 40

Please correlate with clinical conditions.

Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase
HCHO - Direct Enzymatic Colorimetric
HD/LD - Derived from HDL and LDL values.
LDL - Direct Measure
TC/H - Derived from serum Cholesterol and Hdl values
TRI/H - Derived from TRIG and HDL Values
TRIG - Enzymatic, End Point
LDL/ - Derived from serum HDL and LDL Values
NHDL - Derived from serum Cholesterol and HDL values
VLDL - Derived from serum Triglyceride values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 13:04
Report Released on (RRT) : 22 Mar 2024 16:45
Sample Type : SERUM
Labcode : 2203075745/PE003
Barcode : BV227442

Dr Manzalat Fatima MD(Path)

Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs
Registered Address: DOCON TECHNOLOGIES PRIVATE LIMITED, Office No 208, 209 & 210 Second floor, A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka, Andheri (East), Mumbai - 400072
Lab Address: D-79, 3rd floor, sector-63, gautam budh nagar, Noida, UP-201301.
7022 000 900

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALKALINE PHOSPHATASE	PHOTOMETRY	77.86	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	0.47	mg/dL	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.11	mg/dL	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.36	mg/dL	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	18.92	U/L	< 38
SGOT / SGPT RATIO	CALCULATED	1.04	Ratio	< 2
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	23.4	U/L	< 31
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	22.53	U/L	< 34
PROTEIN - TOTAL	PHOTOMETRY	7.34	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	4.35	gm/dL	3.2-4.8
SERUM GLOBULIN	CALCULATED	2.99	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.45	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method
BILT - Vanadate Oxidation
BILD - Vanadate Oxidation
BILI - Derived from serum Total and Direct Bilirubin values
GGT - Modified IFCC method
OT/PT - Derived from SGOT and SGPT values.
SGOT - IFCC* Without Pyridoxal Phosphate Activation
SGPT - IFCC* Without Pyridoxal Phosphate Activation
PROT - Biuret Method
SALB - Albumin Bcg¹method (Colorimetric Assay Endpoint)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - Derived from serum Albumin and Protein values

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 13:04
Report Released on (RRT) : 22 Mar 2024 16:45
Sample Type : SERUM
Labcode : 2203075745/PE003
Barcode : BV227442

Dr Manzalat Fatima MD(Path)

Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
UREA (CALCULATED)	CALCULATED	26.09	mg/dL	Adult : 17-43
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	12.19	mg/dL	7.94 - 20.07
UREA / SR.CREATININE RATIO	CALCULATED	45.77	Ratio	< 52
CREATININE - SERUM	PHOTOMETRY	0.57	mg/dL	0.55-1.02
BUN / SR.CREATININE RATIO	CALCULATED	21.39	Ratio	9:1-23:1
CALCIUM	PHOTOMETRY	8.98	mg/dL	8.8-10.6
URIC ACID	PHOTOMETRY	4.83	mg/dL	3.2 - 6.1

Please correlate with clinical conditions.

Method :

UREAC - Derived from BUN Value.
BUN - Kinetic UV Assay.
UR/CR - Derived from UREA and Sr.Creatinine values.
SCRE - Creatinine Enzymatic Method
B/CR - Derived from serum Bun and Creatinine values
CALC - Arsenazo III Method, End Point.
URIC - Uricase / Peroxidase Method

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 13:04
Report Released on (RRT) : 22 Mar 2024 16:45
Sample Type : SERUM
Labcode : 2203075745/PE003
Barcode : BV227442

Dr Manzalat Fatima MD(Path)

Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

PharmEasy Labs
Registered Address: DOCON TECHNOLOGIES PRIVATE LIMITED, Office No 208, 209 & 210 Second floor, A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka, Andheri (East), Mumbai - 400072
Lab Address: D-79, 3rd floor, sector-63, gautam budh nagar, Noida, UP-201301.
7022 000 900

PharmEasy Labs

NAME : RAJ KUMARI(53Y/F)
REF. BY : SELF
TEST ASKED : CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW

HOME COLLECTION :
A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL TRIIODOTHYRONINE (T3)	E.C.L.I.A	95	ng/dL	80-200
TOTAL THYROXINE (T4)	E.C.L.I.A	7.29	µg/dL	4.8-12.7
TSH - ULTRASENSITIVE	E.C.L.I.A	2.25	µIU/mL	0.54-5.30

Comments : ***

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3 - Fully Automated Electrochemiluminescence Compititive Immunoassay
T4 - Fully Automated Electrochemiluminescence Compititive Immunoassay
USTSH - Fully Automated Electrochemiluminescence Sandwich Immunoassay

Disclaimer :

Results should always be interpreted using the reference range provided by the laboratory that performed the test.
Different laboratories do tests using different technologies, methods and using different reagents which may cause difference In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports.
To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

Sample Collected on (SCT) : 22 Mar 2024 06:47
Sample Received on (SRT) : 22 Mar 2024 13:04
Report Released on (RRT) : 22 Mar 2024 16:45
Sample Type : SERUM
Labcode : 2203075745/PE003
Barcode : BV227442

Dr Manzalat Fatima MD(Path)
Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd

PharmEasy Labs

NAME	: RAJ KUMARI(53Y/F)	**HOME COLLECTION :**	
REF. BY	: SELF	A-166/5 RAJU PARK DEOLI ROAD NEAR AGGARWAL SWEET SHOP INSIDE SARDARA MARKET ASTHANA PATANJALI WAREHOUSE AIR FORCE STATION TUGALKABAD DELHI	
TEST ASKED	: CARDIAC RISK MARKERS,COMPREHENSIVE FULL BODY CHECKUP WITH VITAMIN D AND B12 - NEW		

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	106	mL/min/1.73 m2

Bio. Ref. Interval. :-

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- CKD-EPI Creatinine Equation

~~ End of report ~~

Sample Collected on (SCT)	: 22 Mar 2024 06:47
Sample Received on (SRT)	: 22 Mar 2024 13:04
Report Released on (RRT)	: 22 Mar 2024 16:45
Sample Type	: SERUM
Labcode	: 2203075745/PE003
Barcode	: BV227442

Dr Manzalat Fatima MD(Path)

Dr Bhumika MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd - (NABL accredited)

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Docon Technologies Private Limited,Thyrocare Technologies Limited and its employees/representatives do not assume any liability,responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.

EXPLANATIONS

- **Name -** The name is as declared by the client and recorded by the personnel who collected the specimen.
- **Ref.By -** The name of the doctor who has recommended testing as declared by the client.
- **Labcode -** This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode -** This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCT -** Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT -** Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT -** Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range -** Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- For suggestions, complaints or feedback, write to us at grievance-office@docon.co.in or call us on 7022000900.