

Artificial Intelligence and the Future of Oncology

Ben Pant

Atholton High School


Abstract:

Cancer maintains a relatively high mortality rate partially due to the difficulty in identifying cancerous cells early, which is often reliant on human judgment, leading to potential errors and oversight. Because traditional methods of diagnosis are limited by human error and the inability to process complex, multi-dimensional data, they can be ineffective for the early detection of cancer. This research investigates how effectively AI improves methods of detection and diagnosis through the creation of a Convolutional Neural Network (CNN) trained using radiologic images and expert qualitative analysis. By synthesizing technical performance with clinical perspectives, this paper argues that AI, while facing regulatory barriers, acts as a transformative tool that enhances human diagnostic and therapeutic capabilities.

The field of oncology is marked by a high mortality rate, which is tied to the limits of human observation. Cancer, known for the uncontrolled growth of harmful cells, requires early detection to limit the spread of the disease and enhance patient outcomes. Traditionally, cancer detection and diagnosis rely on manual tissue assessments by pathologists and visual examinations of radiology images by radiologists. However, these methods are increasingly seen as inadequate due to their labor-intensive processes and the risk of human fatigue and oversight. For instance, diagnosing common yet deadly blood cancers like leukemia demands that clinicians conduct detailed reviews of microscopic cellular images, a process that is both lengthy and prone to inconsistencies. While identifying cancer in its early stages is crucial for ensuring survival, human clinicians often only reach definitive diagnoses after the disease has reached an advanced stage. This delay creates a significant bottleneck in healthcare since the speed of medical intervention often influences the success of treatment.


The rise of artificial intelligence (AI), particularly through machine learning and deep learning, provides a transformative solution to these diagnostic challenges. Deep learning algorithms, such as Convolutional Neural Networks (CNNs), can effectively analyze large volumes of subtle data that would otherwise be missed by the human eye. Studies show that deep learning models can attain accuracies ranging from 93% to 100% in diagnosing specific types of leukemia, effectively removing the error margin found in manual visual assessment (Elngar et al.). Unlike traditional neural networks, CNNs are designed to capture the spatial features of images, making them well-suited for medical testing and image classification. These models process data through different layers, including pooling, non-linearity, and fully connected layers, to distill complex histologic images into key features for prediction. The technical

advantages of these models are not just theoretical; they are increasingly backed by specialized architectures like the "Owl Search Algorithm," which has been used alongside deep learning to accurately detect and classify bone cancer from X-ray images, consistently outperforming human-only classifications (Alabdulkreem et al.).



To further investigate the practical use of these technologies, an experiment was conducted using a simulation in Google Colaboratory to train a CNN on radiological images. The simulation showed that as the neural network processed the dataset over multiple epochs, its validation and testing accuracy increased significantly while training loss neared zero. This experiment confirmed the central idea that AI can be trained to identify the subtle signs of cancer efficiently. Additionally, the simulation underscored a key point in the current AI research landscape: while implementing these tools in clinical settings can be prohibitively expensive due to regulatory challenges, developing and researching the software is relatively easy on open-source platforms. This indicates that the barrier to innovation lies not in a lack of technical ability, but in the difficulties of transferring these tools from the lab to the clinic. Expert

qualitative data gathered from an interview with a medical physicist at a leading research hospital suggests that while AI works well for specific tasks, such as identifying organs, human oversight is still crucial to catch errors.



This partnership between humans and machines is especially evident in treatment planning through a method called auto-contouring. In traditional radiation therapy, creating a patient's treatment plan, which involves pinpointing the tumor's exact location and identifying nearby "organs at risk", can take up to a week of a clinician's time. In contrast, AI-driven auto-contouring software can reduce this timeframe to about one hour. This rapid process addresses a significant risk in cancer care, where long waits before starting therapy can lead to tumor recurrence and worse patient outcomes. The interview data with Kai Ding helps to confirm that AI currently performs well for detecting and contouring normal organs, but it has

not yet reached the point where it can independently outline complex tumors without expert oversight. Thus, the clinical standard remains a "human in the loop" model, where healthcare professionals review and adjust AI-generated contours for complete accuracy. This partnership allows clinicians to benefit from the speed of AI while maintaining the essential safety and judgment that only a human can offer.

Beyond visual imaging, AI integration is extending into more advanced diagnostic areas, such as analyzing liquid biopsies. Machine learning algorithms are increasingly used to evaluate blood markers to find cancer-related genetic mutations and tumor markers that conventional tests may miss (Bacha & Shah). This technology permits real-time monitoring of patient health and detection of minimal residual disease, crucial for preventing relapse. Additionally, generative models like HistoXGAN are pushing the limits of non-invasive diagnostics by enabling "virtual biopsies." These Generative Adversarial Networks can recreate representative microscopic tissue images across cancer subtypes using features taken from standard MRI or CT scans (Howard et al.). This capability could eventually enable clinicians to assess a tumor's grade or gene expression patterns without invasive surgical procedures, thus minimizing patient trauma and the risk of complications.

Despite these promising advancements, several complex barriers hinder widespread adoption in oncology. A major issue is the "black box" nature of deep learning models; the high-level features used in a model's predictions are often unclear, making it challenging for clinicians to trust or understand the reasoning behind a specific diagnosis (Chua et al.). This lack of transparency may result in "automation bias," where a radiologist's false negative rate can rise

from 2.7% to 33.0% if misled by inaccurate AI outcomes (Goyal et al.). Additionally, the costs and regulations involved in bringing these tools to market are substantial. Gaining FDA approval for a new medical device demands extensive clinical validation across thousands of cases, potentially costing an institution between \$100,000 and \$200,000 in legal and consulting fees alone. This financial barrier stops many promising research-level tools from entering clinical use, stalling progress on potentially life-saving innovations.

Moreover, the effectiveness of any AI model relies heavily on the quality and variety of the training data. If the training datasets are not standardized or are biased, the resulting models will reflect those biases, leading to inaccurate predictions that may worsen existing healthcare disparities. To address these risks, it is vital for the medical community to work toward creating more diverse and standardized datasets that represent the full reality of the patient population. When these challenges are met, though, the potential for AI to transform oncology becomes clear. Integrating AI does not mean replacing human clinicians; it enhances their capabilities. By automating the most labor-intensive and error-prone aspects of detection and treatment planning, AI allows oncologists to concentrate on the more complex aspects of patient care.

In conclusion, artificial intelligence has the potential to significantly change how cancer is detected, diagnosed, and treated. With high-accuracy classification models like CNNs, generative tools like generative adversarial neural networks, and efficient clinical workflows that are able to use auto-contouring, AI tools are able to provide safeguard against human fatigue and errors. While regulatory challenges and the risk of automation bias remain significant obstacles, evidence suggests that a collaborative approach, such as keeping human clinicians involved throughout the process of detection, diagnosis, and treatment, is the best way to utilize this

technology. As developments continue to close the gap between research and clinical practice, responsibly implementing AI will be crucial for reducing cancer death rates and creating a more efficient, accessible future for global healthcare. The shift from a one-week treatment planning phase to a one-hour automated process is just the beginning of a broader transformation that could save lives by enabling earlier and more precise interventions.

References

- Alabdulkreem, E., Saeed, M. K., Alotaibi, S. S., Allafi, R., Mohamed, A., & Hamza, M. A. (2023). Bone Cancer Detection and Classification Using Owl Search Algorithm With Deep Learning on X-Ray Images. IEEE Access.
- Bacha, A., & Shah, H. H. (2024). AI-Enhanced Liquid Biopsy: Advancements in Early Detection and Monitoring of Cancer through Blood-based Markers. Global Journal of Universal Studies.
- Chua, I. S., Gaziel-Yablowitz, M., Korach, Z. T., Kehl, K. L., Bates, D. W., Levitan, N. A., Arriaga, Y. E., Jackson, G. P., & Hassett, M. (2021). Artificial intelligence in oncology: Path to implementation. Cancer Medicine.
- Elngar, A. A., Arafa, M., Fathy, A., Moustafa, B., Mahmoud, O., Shaban, M., & Fawzy, N. (2021). Image Classification Based On CNN: A Survey. Journal of Cybersecurity and Information Management.
- Goyal, M., Knackstedt, T., Yan, S., & Hassanpour, S. (2020). Artificial intelligence-based image classification methods for diagnosis of skin cancer: Challenges and opportunities. Computers in Biology and Medicine.

Howard, F. M., Hieromnimon, H. M., Ramesh, S., Dolezal, J., Kochanny, S., Zhang, Q., Feiger, B., Peterson, J., Fan, C., Perou, C. M., Vickery, J., Sullivan, M., Cole, K., Khramtsova, G., & Pearson, A. T. (2024). Generative adversarial networks accurately reconstruct pan-cancer histology from pathologic, genomic, and radiographic latent features. *Science Advances*.