



٠
اَوْنِيُوْرَسِيْتِيْ بِاَتِيْكَوْلُوْكَى مَارَا
UNIVERSITI
TEKNOLOGI
MARA

WEB APPLICATION DEVELOPMENT (CSC 318)

BIBLIOPHILELIBRARY.COM SYSTEM
FINAL REPORT

PREPARED BY: CS110/5A

NAME	MATRIC NUMBER
NUR AUNI QISTINA BINTI MOHD ZAKRI	2018633156
FIFI NUR ARISYA BINTI MUHAMAD MULIDI	2018274916
SITI NURFARHANA BINTI ZULKAFLI	2018203726
TENGGU NUR AIN NADHIRAH BINTI TENGGU NAZMUDIN	2018643276
TENGGU HANIS NABIHAH BINTI TENGGU MOKHTAR	2018407118

LECTURER'S NAME: MR WAN SAIFUL'AZZAM BIN WAN ISMAIL

SUBMISSION DATE: 23 JANUARY 2021 (SATURDAY)

TABLE OF CONTENT

Content	Page Number
1.0 Introduction of Project	3
2.0 Objectives	4
3.0 Scope	4
4.0 Problem Description	4
5.0 Methodology	4
6.0 Analysis and Design technique	5
7.0 Implementation	9
8.0 Conclusion	13
9.0 Appendix	14

1.0 INTRODUCTION

Bibliophile Library is located at No.5, Jalan Mahmood, 15200 Kota Bharu, Kelantan that provides books services for citizens and was established in 2019. This library operates on office hours from 8.00 a.m. until 4.00 p.m. Citizens can borrow books and can also do their research from resources in this library. Internet connection is also provided here which helps users to access the Internet and information from the Internet.

With technology adapted in our life, it is common for us to use technologies as part of lifestyle like tools and systems that have been invented to ensure efficiency of our work in daily life. This has also become the concern of the Bibliophile Library because they do not have their own system to manage and ensure the smoothness of library management and are outdated because they only manually operate their library, which is a much slower process. With many books borrowed at one time by users, library management can become more confused with large quantities of book transactions, and so on.

This project named BibliophileLibrary.com is designed to help Bibliophile Library to enhance efficiency for librarians and users, since it is much easier for librarians to manage books in the library, record book issues and returns from users. This system also uses a self-service concept in which the user can make their own book transaction in a short amount of time and librarians only must monitor and track them without waiting for the transactions to be done by the librarian. With receipt that has been generated from a user account, librarians can validate their borrow and return books. With this pandemic, since they survey and track their book status online, it also helps users to keep a safe distance from others. Users can also access their library membership 24/7 at any places with the website.

2.0 OBJECTIVES

- a) Admin can manage books
- b) Users can manage their accounts
- c) To save the information of users and admin who register as a member.
- d) To generate transaction receipt for users.
- e) Admin can view members.

3.0 SCOPE

- a) Can be used by registered user only
- b) This library management system used for all public users and admin at library
- c) Provide an interface to help admin work easily to update books details such as add, view, update, delete and search many books at the library.

3.1 RESOURCES:

- Systems Analysis and Design (Shelly Cashman Series) 11th Edition Kelantan Public Library
- Perpustakaan Tengku Anis, UiTM Kelantan Kampus Machang

4.0 PROBLEM STATEMENT


1. Admin cannot view and update details of all books in the library.
2. Users cannot access the library online which took time to go to the library and issue books.
3. Admin cannot view the list of members.
4. Users do not have a hardcopy that they already return a book which causes redundant penalty.

5.0 METHODOLOGY

For this system, Structured Approach is applied which is divided into several functions. This methodology is also easier for developers to implement their design into the system which is one of the benefits of using this methodology. For example, Bibliophile Library has two functions, for users and admin. In the user section, they can view and add their chosen books based on genre and receipt is generated after they checked out the book cart. While the admin can manage book details and borrowers. Any errors can be easily detected and fixed since this method is clearly identifiable.


6.0 ANALYSIS AND DESIGN TECHNIQUE

6.1.1 ENTITY RELATIONSHIP DIAGRAM (ERD)




6.1.2 DATA FLOW DIAGRAM (DFD)


6.1.2.1 CONTEXT DIAGRAM



6.1.2.2 DIAGRAM 0



6.1.3. FLOWCHART



7.0 IMPLEMENTATION

Example of algorithm SQL statement (Create, Retrieve, Update, Delete) and calculation from the system

- **Calculation = To calculate total books that has been borrowed by user in the cart**

`$total = $total + ($values["item_quantity"]);`

- **Update = User can update their user details**

SQL :

`$sql = "UPDATE user SET userName = ".$name.",userPass = ".$pw.",address = ".$address.",email = ".$email."WHERE userID = ".$id."";`

- **Delete =Members can be deleted by admin**

SQL:

`$sql = "DELETE FROM user WHERE userID = ".$userID."";`

- **Select = To select all user details from table user with specified id**

SQL:

`$sql = "SELECT * FROM user WHERE userID = ".$id."";`

- **Insert = To insert values from cart to receipt borrowers**

`$query = "SELECT * FROM receipt where userName=".$name."";`

- **Login**

The data is retrieved from user input and is analyzed on the user login engine before they can access the website.

```
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
/* admin sahaja */

if(isset($_POST['userid'])&& isset($_POST['password']))
{
    function validate($data)
    {
        $data = trim($data);
        $data = stripslashes($data);
        $data = htmlspecialchars($data);
        return $data;
    }
    $userid= validate($_POST['userid']);
    $password=validate($_POST['password']);

    if (empty($userid))
    { header("Location:adminLogin.php?error=User Name is required");
      exit();
    }
    else if(empty($password))
    {
        header("Location:adminLogin.php?error=Password is required");
        exit();
    }
    else
    { $sql ="SELECT * FROM admin WHERE adminID='$userid' AND
adminPass='$password'";

        $result =mysqli_query($connect,$sql);

        if(mysqli_num_rows($result)===1)
        {
            $row=mysqli_fetch_assoc($result);
            if ($row['adminID'] ===$userid &&
$row['adminPass']=== $password)
            { $_SESSION['adminID'] =$row['userid'];
              $_SESSION['adminName'] =$row['name'];
              $_SESSION['adminPass'] =$row['password'];

                  header("Location: adminMainPage.php");
                  exit();
            }
        }
    }
}
```

```

        { header("Location: adminLogin.php?error=Incorrect username or password");
          exit();
        }

      }
    }
  }

else if(isset($_POST['iduser']) && isset($_POST['passUser']))
/* for user */
$username = $_POST["iduser"]; //based on login user
$password = $_POST["passUser"];
$query = "SELECT * FROM user WHERE userID = ".$username." AND userPass =
".$password."";

$result = mysqli_query($connect,$query);
$numRow = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);

if($numRow == 0)//for failed
{ echo "<meta http-equiv='refresh' content='2;URL=index.php'/>";
  echo "<script>'The user is not exist'</script>";
}
else //failed
{
    echo "<meta http-equiv='refresh' content='2;URL=Bookview.php'/>";
    $_SESSION["userID"]=$row["userID"];
    $_SESSION["userName"]=$row["userName"];
    $_SESSION["log"] = 1;
    header("Location: Bookview.php");
}
?>

```

- **Log out**

The session for user is destroyed after user log out from the account.

```
<?php
session_start();
if($_SESSION["Login"]==1) /*login 1-user */
{
    unset($_SESSION['userID']);
    unset($_SESSION['userName']);
}
else
{
    unset($_SESSION['adminID']);
    unset($_SESSION['adminName']);
}
//unset($_SESSION['log']);
session_destroy();
header ("Location:Login.php");
exit();
?>
```

8.0 CONCLUSION

We ensure that the system we create can assist us in organizing and saving data for any issues we have faced before this. We also want to avoid the information to be duplicated that will cause us confusion as librarians which is slow down the registration and save data process. Preventing users from getting problems especially in the book transactions is one of our main goals.

Our group also has encountered numerous problems and difficulties during the development of the Bibliophile Library, especially in achieving the goals mentioned in our proposal. Our systems have features that need full focus and should be scrutinized in depth.


For librarians, they want to improvise from time to time in upgrading their system to be more efficient to prevent system failure and for efficiency in their management. Our limitation on accomplishing this project is that all users and book data cannot be saved. It is hard for us to compile the data. We also have problems when we have redundant data.

To curb this problem, we always recheck and update our data from time to time to prevent redundancy. BIBLIOPHILELIBRARY.COM makes system implementation reduce data entry time, provide easily calculated reports and not waste time to record all data. Any damages to the library's record may be decreased since all data is saved into the database, so the data is protected and saved.

9.0 APPENDIX


RELATED DIAGRAM

Home Webpage




USER

Register User




Login User




The login interface features a navigation bar at the top with links for Home, Genre, About us, and Cart, along with a user profile icon. On the left, there is a colorful illustration of a boy surrounded by various school supplies like a microscope, lightbulb, ruler, and books. On the right, a white login box contains a 'Login' tab (selected) and a 'Register' tab. Below the tabs are input fields for the username 'ydw.auni' and a masked password '*****'. A blue 'Login' button is positioned at the bottom of the form.

User Main Page



User Main 1



User Main 2



User Main 3




User Main 4




Books

Booklist Genre Fiction



Booklist Genre NonFiction








Booklist Genre Mystery

Booklist Genre Mystery

Home Genre About us Cart

CHILDREN MYSTERY







 <p>Sherlock Holmes And The Disappearing Diamonds (Baker Street Academy #1)</p> <p>Add to Cart</p>	 <p>Capture The Flag</p> <p>Add to Cart</p>	 <p>City Spies</p> <p>Add to Cart</p>
	 <p>Famous Last Words</p> <p>Add to Cart</p>	 <p>Flashes</p> <p>Add to Cart</p>

Booklist Genre Reference



Booklist Genre Reference

Home Genre About us Cart

CHILDREN REFERENCE BOOK

 <p>Rukun Islam: Mari Kita Solat</p> <p>Add to Cart</p>	 <p>Rukun Islam: Mari Membayar Zakat</p> <p>Add to Cart</p>	 <p>Rukun Islam: Mari Kita Puasa</p> <p>Add to Cart</p>
 <p>Rukun Islam: Mari Melafazkan Syahadah</p> <p>Add to Cart</p>	 <p>Bacalah Anakku</p> <p>Add to Cart</p>	 <p>Mission 5 Daily Solat Imran's Solat Diary</p> <p>Add to Cart</p>

Cart



Receipt for Borrow Book

BIBLIOPHILE LIBRARY

No.5, JALAN MAHMOOD, 15200 KOTA BHARU, KELANTAN

TEL : 09-7632189

RECEIPT BIBLIOPHILE LIBRARY


TITLE BOOK: Rukun Islam: Mari Kita Solat

ISSUE DATE: 2021-01-21 15:22:58

BORROWER'S NAME: Auni



Please Return This Book by 7 Days or else penalty will be given!

Return Book

[Home](#) [Genre](#) [About us](#) [Cart](#) 

Detail Return Book!!!!

PLEASE KEY IN YOUR DATA ACCURATELY!

NAME:	<input type="text" value="Auni"/>
TITLE BOOK:	<input type="text" value="Rukun Islam :Mari Kita Solat"/>
TITLE BOOK:	<input type="text" value="TITTLEBOOK"/>
TITLE BOOK:	<input type="text" value="TITTLEBOOK"/>
TITLE BOOK:	<input type="text" value="TITTLEBOOK"/>
ISSUE DATE:	<input type="text" value="01/21/2021"/> 
RETURN DATE:	<input type="text" value="01/21/2021"/> 

Return

Receipt for Return Book

RETURN BOOK RECEIPT BY BIBLIOPHILE LIBRARY

NAME:Auni

BOOK TITLE:Rukun Islam :Mari Kita Solat


ISSUE DATE:2021-01-21

RETURN DATE:2021-01-21


Please keep this receipt

Print

User's Profile



Update User

[Home](#)[Genre](#)[About us](#)[Cart](#)

User Information

User ID:

ydw.auni

Name:

Auni Yonna

Password:


Address:

Busan

Email:

dounauni98@gmail.com


UPDATE



ADMIN


Login

[Home](#) [Genre](#) [About us](#) [Cart](#)




Login

Login



Members


[Home](#) [Genre](#) [About us](#) 

MEMBERS

Enter user ID : [SEARCH](#)

Number	User ID	User Name	Date	ACTION
1	918213	tgHamis	2021-01-20 21:04:55	DELETE
2	fifi.arisy	Fifi	2021-01-22 16:37:43	DELETE
3	ydw.auni	Auni Yoon	2021-01-21 00:25:04	DELETE

[Menu](#)

[Home](#) [Genre](#) [About us](#) 

MEMBERS

Enter user ID : [SEARCH](#)

Number	User ID	User Name	Date	ACTION
1	fifi.arisy	Fifi	2021-01-22 16:37:43	DELETE

[Menu](#)


User Information

User ID	fifi.arisy
User Name	Fifi
Password	fifiarisya18
Date	2021-01-22 16:37:43
DELETE	

[Menu](#)


List of Book Mystery

TEEN MYSTERY




A Good Girl's Guide to Murder
HOLLY JACKSON

Add to Cart




A Study in Charlotte
BRITTANY CAVALLARO

Add to Cart




FOLLOW ME DOWN
TANYA WIENE

Add to Cart




PAPER TOWNS
JOHN GREEN

Add to Cart



Pretty Girl 13
JEFFE GRAY

Add to Cart



THE NATURALS
JEFFERY DEAVER

Add to Cart

Update

Delete

Back

Register Book

Title Book:

Image Of Book:

 No file chosen

Name Author:

ISBN:

Publisher:

Date:

Staff ID:

Choose Category:

Delete Book

Fiction Book

Enter category :

Book ID	Title	Image	Author	Publisher	Published Date	Category	AdminID	Action
11	The Little House	book1.jpg	Virginia Lee Burton	Houghton Mifflin Harcourt	1942-01-01	7	A11	DELETE
12	Good Night Moon	book2.jpg	Margaret Wise Brown	Harper	2012-08-01	7	A11	DELETE
13	Where's The Big Bad Wolf	book3.jpg	Eileen Christelow	Publisher Weekly	2002-09-01	7	A11	DELETE
14	The Box Turtle	book4.jpg	Vanessa Roeder	Penguin Random House	2020-02-11	7	A11	DELETE
15	No More Nap	book5.jpg	Chris Grabenstein	Penguin Random House	2020-02-04	7	A11	DELETE
16	The Fault In Our Stars	book6.jpg	John Green	Penguin	2012-01-10	8	A11	DELETE
17	Me Before You	book7.jpg	Jojo Moyes	Penguin Books	2012-01-05	8	A11	DELETE
18	The Dead's Wife Handbook	book8.jpg	Hannah Beckerman	Penguin Books	2014-02-13	8	A11	DELETE
19	Black Box	book11.jpg	Cassia Leo	Corgi Books	2014-02-28	9	A11	DELETE
20	Hate List	book12.jpg	Jennifer Brown	Little, Brown and Company	2009-09-01	9	A11	DELETE
21	Can't Look Away	book13.jpg	Donna Cooner	Scholastic Inc.	2014-08-24	9	A11	DELETE
22	It Felt Like A Kiss	book14.jpg	Sarra Manning	CB Creative Books	2013-02-01	9	A11	DELETE
23	Don't Look Back	book15.jpg	Jennifer L. Armentrout	Scholastic Inc.	2015-10-01	9	A11	DELETE
30	Love,Water,Memory	lovewatermemory.jpg	Jennie Shortridge	Gallery Books	2013-04-03	8	A11	DELETE
35	Star Gazing	stargazing.jpg	Linda Gilliard	Piatkus Books	2008-12-10	8	A11	DELETE
41	We Were Liars	we-were-liars.jpg	e. lockhart	Ember	2018-05-29	9	A11	DELETE

ID	11
Title	The Little House
Author	Virginia Lee Burton
ISBN	0395181569
Publication	Houghton Mifflin Harcourt
Publish date	1942-01-01
Category	7
Admin id	A11
DELETE	

[Back](#)

SOURCE CODE

1) index.php

```
<!doctype html>
<html>
<head>
<meta charset="utf-8">
<title>BILIOPHILE LIBRARY </title>
<link rel="stylesheet" href="Homestyle.css">
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css"
">

</head>
<!-- ----header---->
    <body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="Bookview.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya
main page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card"
aria-hidden="true"></i>About us</a></li>
            <li><a href="Accountpage.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    <div>
        <div>
            <div>
                <div>
```

```

<div class="row">
  <div class="col-1">
    <h1>BILIOPHILE LIBRARY </h1>
    <h3>"A book is a garden, an orchard, a storehouse, a party, a company
by the way, a counselor, a multitude of counselors."</h3>
    <h4 align="right">– Charles Baudelaire</h4>

    <a href="adminLogin.php" class="btn">Admin</a>
    <a href="Accountpage.php" class="btn">User</a>
  </div>

  <div class="col-1">
    
  </div>

</div>
</div>
</body>
</html>

```


2)Accountpage.php

```
<?php
session_start();
include 'connection.php';
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

// Check connection
if($connect === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

?>
<!doctype html>
<html>
<head>
<meta charset="utf-8">
<title>Accountpage</title>
<link rel="stylesheet" href="Accountstyle.css">
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css"
"
</head>

<!-- ----header---->
<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="#"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main
page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card"
aria-hidden="true"></i>About us</a></li>
            <li><a href="dtl_Order.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>

                        <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
```

```

        </ul>
    </div>
</li>
</ul>
</div>
</div>
<!--header-->

<!-- account page -->

<div class="account">
    <div class="contain">
        <div class="row">
            <div class="col-2">
                
            </div>

            <div class="col-2">
                <div class="form-container">
                    <div class="form-btn">
                        <span onclick="login()">Login</span>

                        <span onclick="register()">Register</span>
                    <hr id="Indicator">
                </div>

                <form action="Login.php" id="LoginForm" method="post">
                    <input type="text" placeholder="ID" name="iduser">
                    <input type="password" placeholder="Password" name="passUser">
                    <button type="submit" class="btn" >Login</button>

                </form>

                <form action="registerPage.php" id="RegForm" method="post">
                    <input type="text" placeholder="ID" name="userid">
                    <input type="text" placeholder="Username" name="username">
                    <input type="password" placeholder="Password" name="pass">
                    <input type="text" placeholder="Address" name="address">
                    <input type="email" placeholder="Email" name="email">
                    <button type="submit" class="btn" name="save">Register</button>
                </form>
            </div>
        </div>
    </div>
</div>
</div>
</div>

<!--js for toggle Form-->
<script>

```

```
var LoginForm = document.getElementById("LoginForm");
var RegForm = document.getElementById("RegForm");
var Indicator = document.getElementById("Indicator");
function register()
{ RegForm.style.transform = "translateX(0px)";
  LoginForm.style.transform = "translateX(0px)";
  Indicator.style.transform = "translateX(100px)";
}
function login()
{ RegForm.style.transform = "translateX(300px)";
  LoginForm.style.transform = "translateX(300px)";
  Indicator.style.transform = "translateX(0px)";
}
</script>
```

```
</body>
</html>
```

3)adminBookView.php

```
<!doctype html>
<head>
<meta charset="utf-8">
<title>ListBook</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css"
">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
?>
<style>
.small-container
{max-width:1080px;
margin:auto;
padding-left:25px;
padding-right:25px;
}
h1
{ text-align:center;
margin:200px auto 80px;
position:relative;
line-height:60px;
}
h1
{
font-size : 70px;
font-family: "Lucida Handwriting",cursive;
color:black;
animation-name:Title;
animation-duration: 1s;
animation-iteration-count: infinite;
}

@keyframes Title
{
from {color: black;}
to{color:red};
}
h2
{ text-align:center;
margin:60px auto 30px;
position:relative;
line-height:60px;
font-size: 70px;
font-family: "Lucida Handwriting",cursive;
}
}
```

```

.col
{ flex-basis: 50%;
  min-width: 300px;

}

.col img
{ display: flex;
  max-width: 200%;
  padding: 100px 250px;
  margin-top: 30px;
  width: 60%;
  transition: transform 0.5s;
}

.col: hover
{ transform: translateY(-15px);
}

.col-4
{ flex-basis: 25px;
padding: 10px;
  min-width: 200px;
  margin-bottom: 50px;
  transition: transform 0.5s;
}

.col-4 img{
width: 100%;
}

.col-4: hover
{ transform: translateY(-5px);
}

.row
{ display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}

.col-4 p
{ font-size: 14px;
}

.rating .fa{
color: #ff523b;
}

</style>
</head>
<!-- ----header---->

```

```

<body>
<?php if (isset($_SESSION['adminID']) && isset($_SESSION['adminPass']))
?>
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="#"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main
page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card"
aria-hidden="true"></i>About us</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    <div class="small-container">
        <h1>RECOMMENDED BOOKS </h1>
        <div class="row">
            <div class="col-4">
                <img src = "images/nonfic4.jpg" alt = "RECOMMENDED" align =
"middle" width="350" height="206.25">
                <h3>Humongous Fungus</h3>
                <div class="rating">
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star-o"></i>
                </div>
            </div>
            <div class="col-4">

```

```

        <img src = "/Bibliophile/images/book1.jpg" alt =
"RECOMMENDED" align = "middle" width="350" height="206.25">
        <h3>The Little House</h3>
        <div class="rating">
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star-half-o"></i>
        <i class="fa fa-star-o"></i>
        </div>
        </div>

        <div class="col-4">
        <img src = "/Bibliophile/images/book11.jpg" alt =
"RECOMMENDED" align = "middle" width="350" height="206.25">
        <h3>Black Box</h3>
        <div class="rating">
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star-half-o"></i>
        <i class="fa fa-star-o"></i>
        </div>
        </div>

        <div class="col-4">
        <img src = "/Bibliophile/images/refbook6.png" alt =
"RECOMMENDED" align = "middle" width="350" height="206.25">
        <h3>Bacalah Anakku</h3>
        <div class="rating">
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star-o"></i>
        <i class="fa fa-star-o"></i>
        </div>
        </div>

</div>
<div class="row">
        <div class="col-4">
        <img src = "/Bibliophile/images/stargazing.jpg" alt =
"RECOMMENDED" align = "middle" width="350" height="206.25">
        <h3>Star Gazing</h3>
        <div class="rating">
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star-half-o"></i>
        <i class="fa fa-star-o"></i>
        </div>
        </div>

```

```

</div>

<div class="col-4">
  <img src = "/Bibliophile/images/refbook9.jpg" alt =
"RECOMMENDED" align = "middle" width="350" height="206.25">
  <h3>Solat</h3>
  <div class="rating">
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star-half-o"></i>
    <i class="fa fa-star-o"></i>
  </div>
</div>

<div class="col-4">
  <img src = "/Bibliophile/images/Famous-Last-Words.jpg" alt =
"RECOMMENDED" align = "middle" width="350" height="206.25">
  <h3>Famous Last Words</h3>
  <div class="rating">
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star-o"></i>
  </div>
</div>

<div class="col-4">
  <img src = "/Bibliophile/images/nonfic7.jpg" alt =
"RECOMMENDED" align = "middle" width="350" height="206.25">
  <h3>The Truth We Hold</h3>
  <div class="rating">
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star"></i>
    <i class="fa fa-star-half-o"></i>
    <i class="fa fa-star-o"></i>
  </div>
</div>
</div>
</div>
<h2>Genre</h2>
  <div class ="col">
    <a href="fictBook.php">

    </a>
  </div>
  <div class ="col">
    <a href="nonFict.Book.php">


```



```

        </a>
    </div>
<div class ="col">
<a href="mysteryBook.php">
    
    </a>
</div>
<div class ="col">
<a href="Ref.BookList.php">

    </a>
</div>
<div class ="col">
<style>
    .btn{
        width:20%;
        display:inline-block;
        background: #1351E4;
        color:#FFFFFF;
        padding:8px 30px;
        margin:15px 0;
        border-radius:30px;
        transition:background 0.5s;
    }
    .btn:hover
    {background:#563434;
    }

</style>
<center>
    <form action="adminMainPage.php">
    <button class="btn">Menu</button>

</form>
</div>
</center>

</body>
</html>

```

4)adminLogin.php

```
<!doctype html><head>
<meta charset="utf-8">
<title>Accountpage</title>
<link rel="stylesheet" href="Accountstyle.css">
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css"
"

<?php
session_start();
include "connection.php";
?>
</head>
<!-- ----header---->
<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh
punya main page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card"
aria-hidden="true"></i>About us</a></li>
            <li><a href="dtl_Order.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
            <div class="sub-navbar-1">
                <ul>
                    <li><a href="#">Profile</a></li> <!-- Ahh-->
                    <li><a href="ReturnBook.php">Return Book</a></li>
                    <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                </ul>
            </div>
        </li>
    </ul>
</div>
<!-------header----->
<!-------Account page----->
<style>

.error
```

```

{ background: #F2DEDE;
  color:#A94442;
  padding: 10PX;
  width:95%;
  border-radius:5px;
  margin:20px auto;
}
</style>
<div class="account">
  <div class="contain">
    <div class="row">
      <div class="col-2">
        
      </div>

      <div class="col-2">
        <div class="form-container">
          <form id="login" name="login" action="Login.php" method="post"
name="login">Login
          <hr id="Indicator">
            <?php if (isset($_GET['error'])){?>
            <p class="error"><?php echo $_GET['error'];?></p>
            <?php }?>
            <input type="text" placeholder="ID" name="userid" id="userid">
            <input type="password" placeholder="Password"
name="password" id="password">

            <button type="submit" class="btn" name="status" id="status"
value="admin">Login</button>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
</body>

```

5) adminMainPage.php

```
<!doctype html>
<html>
<head>
<meta charset="utf-8">
<title>ADMIN </title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css"
<?php
session_start();
include "connection.php";
?>
</head>
<!-- ----header---->
<body>
<div class="contain">
  <div class="navbar">
    <ul>
      <li class="active">
        <a href="index.php"><i class="fa fa-home"></i>Home</a></li>

      <li><a href="Bookview.html"><i class="fa fa-book"></i>Genre</a>
        <div class="sub-navbar-1">
          <ul>
            <li><a href="fictBook.php">Fiction</a></li>
            <li><a href="nonFict.Book.php">Non-Fiction</a></li>
            <li><a href="mysteryBook.php">Mystery</a></li>
            <li><a href="Ref.BookList.php">References</a></li>
          </ul>
        </div>
      </li>
      <li><a href="About Us.html"><i class="fa fa-address-card"></i>About us</a></li>
      <li><a href=""><i class="fa fa-user-circle-o"></i>
        <div class="sub-navbar-1">
          <ul>
            <li><a href="LogOut.php">Logout</a></li>
          </ul>
        </div>
      </li>
    </ul>
  </div>
<!------- header----->
<style>
  .body
  {background-image:url('1.png');

  }
  h1
  { margin-top:100px;
```

```

        font-family: "Lucida Handwriting",cursive;
    }
    .btn{
        width:30%;
        display:inline-block;
        background: #1351E4;
        color:#FFFFFF;
        padding:8px 30px;
        margin:30px 0;
        border-radius:30px;

        transition:background 0.5s;
    }
    .btn:hover
    {background:#563434;
    }

    .form-container
    { background:#fff;
        width:520px;
        height:600px;
        position:relative;
        text-align:center;
        padding: 30px 0;
        margin-top:100px;
        box-shadow:0 0 20px 0px rgba(0,0,0,0.1);
        overflow:hidden;
    }

    .form-container span
    { font-weight:bold;
        padding :0 10px;
        color: #555;
        cursor: pointer;
        width:100px;
    }
    .form-btn
    { display:inline-block;

    }

    form .btn
    { width:80%;
        border:none;
        cursor:pointer;
        margin:60px 0;
    }

    .row
    { display: flex;
        align-items: center;
        flex-wrap: wrap;
        justify-content: space-around;
    }

```

```

</style>

<center><h1>WELCOME TO BILIOPHILE LIBRARY</h1>

<div class="form-container">
    <h1>Menu</h1>
    <form action="ListBorrower.php">
        <div class="row"><button class="btn">Members</button></div>
        </form>
        <form action="adminBookView.php">
            <div class="row"> <button class="btn">List of Book</button></div>
            </form>
            <form action="LogOut.php">
                <div class="row"><button type="submit" class="btn" name="logout"
id="logout">Logout</button></div>
            </form>
        </div>
    </center>

</div>
</div>
</body>
</html>

```

6)Bookview.php

```
<!doctype html>
<head>
<meta charset="utf-8">
<title>ListBook</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
?>
<style>
.small-container
{max-width:1080px;
margin:auto;
padding-left:25px;
padding-right:25px;
}
h1
{ text-align:center;
margin:200px auto 80px;
position:relative;
line-height:60px;
}
h1
{
font-size : 70px;
font-family: "Lucida Handwriting",cursive;
color:black;
animation-name:Title;
animation-duration: 1s;
animation-iteration-count: infinite;
}

@keyframes Title
{
from {color: black;}
to{color:red};
}
h2
{ text-align:center;
margin:60px auto 30px;
position:relative;
line-height:60px;
font-size: 70px;
font-family: "Lucida Handwriting",cursive;
}
```

```

.col
{ flex-basis: 50%;
  min-width: 300px;
}

.col img
{ display: flex;
  max-width: 200%;
  padding: 100px 250px;
  margin-top: 30px;
  width: 60%;
  transition: transform 0.5s;
}

.col: hover
{ transform: translateY(-15px);
}

.col-4
{ flex-basis: 25px;
padding: 10px;
  min-width: 200px;
  margin-bottom: 50px;
  transition: transform 0.5s;
}

.col-4 img{
width: 100%;
}

.col-4: hover
{ transform: translateY(-5px);
}

.row
{ display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}

.col-4 p
{ font-size: 14px;
}

.rating .fa{
color: #ff523b;
}

</style>
</head>
<!-- ----header-->

<body>

```



```

        <?php
if(isset($_SESSION["log"]))
{
    ?>
    Welcome <?php echo $_SESSION["userName"]; ?><br>
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="Bookview.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="#"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
            <li><a href="dtl_Order.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
            <div class="sub-navbar-1">
                <ul>
                    <li><a href="Profile 2.php">Profile</a></li> <!-- Ahh-->
                    <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
                    <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                </ul>
            </div>
            </li>
        </ul>
    </div>
    <div class="small-container">

        <h1>RECOMMENDED BOOKS </h1>

        <div class="row">
            <div class="col-4">
                <img src = "/Bibliophile/images/nonfic4.jpg" alt = "RECOMMENDED"
align = "middle" width="350" height="206.25">
                <h3>Humongous Fungus</h3>
                <div class="rating">
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star-o"></i>

```

```

    </div>
  </div>

  <div class="col-4">
    <img src = "/Bibliophile/images/book1.jpg" alt = "RECOMMENDED" align
= "middle" width="350" height="206.25">
    <h3>The Little House</h3>
    <div class="rating">
      <i class="fa fa-star"></i>
      <i class="fa fa-star"></i>
      <i class="fa fa-star"></i>
      <i class="fa fa-star-half-o"></i>
      <i class="fa fa-star-o"></i>
    </div>
  </div>

  <div class="col-4">
    <img src = "/Bibliophile/images/book11.jpg" alt = "RECOMMENDED" align
= "middle" width="350" height="206.25">
    <h3>Black Box</h3>
    <div class="rating">
      <i class="fa fa-star"></i>
      <i class="fa fa-star"></i>
      <i class="fa fa-star"></i>
      <i class="fa fa-star-half-o"></i>
      <i class="fa fa-star-o"></i>
    </div>
  </div>

  <div class="col-4">
    <img src = "/Bibliophile/images/refbook6.png" alt = "RECOMMENDED"
align = "middle" width="350" height="206.25">
    <h3>Bacalah Anakku</h3>
    <div class="rating">
      <i class="fa fa-star"></i>
      <i class="fa fa-star"></i>
      <i class="fa fa-star"></i>
      <i class="fa fa-star-o"></i>
      <i class="fa fa-star-o"></i>
    </div>
  </div>

</div>
<div class="row">
  <div class="col-4">
    <img src = "/Bibliophile/images/stargazing.jpg" alt = "RECOMMENDED"
align = "middle" width="350" height="206.25">
    <h3>Star Gazing</h3>
    <div class="rating">
      <i class="fa fa-star"></i>
      <i class="fa fa-star"></i>

```

```

        <i class="fa fa-star"></i>
        <i class="fa fa-star-half-o"></i>
        <i class="fa fa-star-o"></i>
    </div>
</div>

<div class="col-4">
    <img src = "/Bibliophile/images/refbook9.jpg" alt = "RECOMMENDED"
align = "middle" width="350" height="206.25">
    <h3>Solat</h3>
    <div class="rating">
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star-half-o"></i>
        <i class="fa fa-star-o"></i>
    </div>
</div>

<div class="col-4">
    <img src = "/Bibliophile/images/Famous-Last-Words.jpg" alt =
"RECOMMENDED" align = "middle" width="350" height="206.25">
    <h3>Famous Last Words</h3>
    <div class="rating">
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star-o"></i>
    </div>
</div>

<div class="col-4">
    <img src = "/Bibliophile/images/nonfic7.jpg" alt = "RECOMMENDED"
align = "middle" width="350" height="206.25">
    <h3>The Truth We Hold</h3>
    <div class="rating">
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star-half-o"></i>
        <i class="fa fa-star-o"></i>
    </div>
</div>
</div>
</div>
<h2>Genre</h2>
    <div class = "col">
        <a href="fictBook.php">

        </a>

```

```

        </div>
        <div class ="col">
            <a href="nonFict.Book.php">

            </a>
        </div>
<div class ="col">
<a href="mysteryBook.php">

        </a>
    </div>
<div class ="col">
<a href="Ref.BookList.php">

        </a>
    </div>
    <div class ="col">
        <style>
            .btn{
                width:20%;
                display:inline-block;
                background: #1351E4;
                color:#FFFFFF;
                padding:8px 30px;
                margin:15px 0;
                border-radius:30px;
                transition:background 0.5s;
            }
            .btn:hover
            {background:#563434;
            }

        </style>
        <center>
    </form>
    </div>
    </center>
<?php
        }
        ?>
</body>
</html>

```

7)connection.php

```
<!-- Connection for PHP -->
<?php
$hostname = "localhost";
$username = "root";
$password = "";
$databaseName = "bibliophilelibrary";
$connect = new mysqli($hostname, $username, $password, $databaseName) or exit("Unable to
connect to database!");
$mysqli_select_db = mysqli_select_db($connect, "bibliophilelibrary");
?>
```

8)DeleteBookEngine.php

```
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

if(isset($_POST["Send"]))
{
    $bookID = $_POST["txtbookid"];
    $sql = "DELETE FROM book WHERE id= ".$bookID."";
    $query = mysqli_query($connect,$sql) or die("fail");

    if($query)
    {
        header("Location:BookView.php");
        exit();
    }
    else
        die("fail");

}
else
{header("Location:Bookview.php");
exit();
}
?>
```

9)DeleteBookPage.php

```
<html>
<head>
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
?>
</head>

<?php
if(isset($_GET['bookid']))
{
    $bookID = $_GET['bookid'];

    $sql = "SELECT * FROM book WHERE id = ".$bookID."";
    $query = mysqli_query($connect,$sql) or die("Fail");
    $data = mysqli_fetch_array($query);

    ?>

    <form id="form1" name="form1" method="post" action="DeleteBookEngine.php">
        <table width="635" border="1">
            <tr>
                <td width="92">ID</td>
                <td width="527"><?php echo $data["id"];?>
                <input type="hidden" name="txtbookid" id="txtbookid" value="<?php
echo $data["id"]; ?>"/></td>

            </tr>
            <tr>
                <td>Title</td>
                <td>
                    <?php echo $data["name"]; ?></td>
            </tr>
            <tr>
                <td>Author</td>
                <td><?php echo $data["author"]; ?></td>
            </tr>
            <tr>
                <td>ISBN</td>
                <td><?php echo $data["isbn"]; ?></td>
            </tr>
            <tr>
                <td>Publication</td>
                <td><?php echo $data["publisher"]; ?></td>
            </tr>
            <tr>
                <td>Publish date</td>
                <td><?php echo $data["published_date"]; ?></td>
            </tr>
        </table>
    </form>
}
```

```

        </tr>
        <tr>
            <td>Category</td>
            <td><?php echo $data["category_id"]; ?>
                <input type="hidden" name="txtcategory" id="txtcategory" value="<?php
echo $data["category_id"]; ?>" /></td>
            </tr>
            <tr>
                <td>Admin id</td>
                <td><?php echo $data["adminID"]; ?></td>
            </tr>

            <td colspan="2"><input type="submit" name="Send" id="Send"
value="DELETE"/>

        </tr>
    </table>
    <p><a href="adminBookView.php">Back</a></p>
</form>
<?php
}
else
    header("Location:adminMainPage.php");
?>

```


10)deleteFicBook.php

```
<!doctype html>
<head>
<meta charset="utf-8">
<title>BookList</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
</head>
<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="Home.html"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="Bookview.html"><i class="fa fa-book"></i>Genre</a>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">References</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    <li><a href="About Us.html"><i class="fa fa-address-card" ></i>About us</a></li>
    <li><a href="#"><i class="fa fa-user-circle-o"></i>
        <div class="sub-navbar-1">
            <ul>
                <li><a href="LogOut.php">Logout</a></li>
            </ul>
        </div>
    </li>
</ul>
</div>
<!--List Of Borrower-->

<style>
h1
{ margin:50px 50px;
font-family: "Lucida Handwriting",cursive;
font-size : 50px;
```

```

    }

    P
    {font-size : 25px;
    }

.btn{

    display:inline-block;
    background: #1351E4;
    color:#FFFFFF;
    padding:8px 30px;
    margin:30px 0;
    border-radius:50px;

    transition:background 0.5s;
}
.btn:hover
{background:#563434;
}

    .form display
    { margin:30px 0px;
    }

    .row-1
{ display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}

    </style>
    <?php
$bookid = "";

if(isset($_POST["Search"]))
{
    $bookid = $_POST["txtbookid"];
}

$sql = "SELECT * FROM book WHERE category_id LIKE ".$bookid."%";
$query = mysqli_query($connect,$sql) or die(mysqli_error());

?>
<center>
<h1>Fiction Book</h1>
<form action="deleteFicBook.php" method="post" name="frmSearch">
    <p>Enter category :
    <input name="txtbookid" type="text" size="30" maxlength="10"/>
    <input class="btn" name="Search" type="submit" value="SEARCH"/>
    </p>
</form>

```

```

<table width="80%" border="1">
<tr>

        <td>Book ID</td>
        <td>Title</td>
        <td>Image</td>
        <td>Author</td>
        <td>Publisher</td>
        <td>Published Date</td>
        <td>Category</td>
        <td>AdminID</td>
        <td>Action</td>
</tr>

</center>

<?php
$x=1;

while($row = mysqli_fetch_array($query))

{
    if($row['category_id']==7||$row['category_id']==8||$row['category_id']==9)
    {
        ?>
        <tr>
        <td><?php echo $row["id"]?></td>
        <td><?php echo $row["name"]?></td>
        <td><?php echo $row["image"]?></td>
        <td><?php echo $row["author"]?></td>
        <td><?php echo $row["publisher"]?></td>
        <td><?php echo $row["published_date"]?></td>
        <td><?php echo $row["category_id"]?></td>
        <td><?php echo $row["adminID"]?></td>
        <td><a href = "DeleteBookPage.php?bookid=<?php echo
$row["id"];?>">DELETE</a></td>
        </tr>

        </center>
        <?php
        }
    }
    $x++;

    ?>

    </table>
    <center>
    <div class="row-1">
    <form action="fictBook.php">

```

```
<button class="btn">Back</button>
</form>
      <form action="admiMainPage.php">
<button class="btn">Menu</button>
</form>
    </div>
  </center>
</body>
</html>
```

```

11)deleteMysterybook.php
<!doctype html>
<head>
<meta charset="utf-8">
<title>BookList</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
</head>
<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="Home.html"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="Bookview.html"><i class="fa fa-book"></i>Genre</a>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">References</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    </li>

    <li><a href="About Us.html"><i class="fa fa-address-card" ></i>About us</a></li>
    <li><a href="#"><i class="fa fa-user-circle-o"></i>
        <div class="sub-navbar-1">
            <ul>
                <li><a href="LogOut.php">Logout</a></li>
            </ul>
        </div>
    </li>
</ul>
</div>
<!--List Of Borrower-->

<style>
    h1
    { margin:50px 50px;
      font-family: "Lucida Handwriting",cursive;
      font-size : 50px;
    }

```

```

P
{font-size : 25px;
}

.btn{

    display:inline-block;
    background: #1351E4;
    color:#FFFFFF;
    padding:8px 30px;
    margin:30px 0;
    border-radius:50px;

    transition:background 0.5s;
}
.btn:hover
{background:#563434;
}

    .form display
    { margin:30px 0px;
    }

    .row-1
{ display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}

    </style>
    <?php
$bookid = "";

if(isset($_POST["Search"]))
{
    $bookid = $_POST["txtbookid"];
}

$sql = "SELECT * FROM book WHERE category_id LIKE ".$bookid."%";
$query = mysqli_query($connect,$sql) or die(mysqli_error());

?>
<center>
<h1>Mystery Book</h1>
<form action="deleteMysteryBook.php" method="post" name="frmSearch">
    <p>Enter category :
    <input name="txtbookid" type="text" size="30" maxlength="10"/>
    <input class="btn" name="Search" type="submit" value="SEARCH"/>
    </p>
</form>

    <table width="80%" border="1">

```

```

        <tr>
            <td>Book ID</td>
            <td>Title</td>
            <td>Image</td>
            <td>Author</td>
            <td>Publisher</td>
            <td>Published Date</td>
            <td>Category</td>
            <td>AdminID</td>
            <td>Action</td>
        </tr>
    </center>

    <?php
    $x=1;

    while($row = mysqli_fetch_array($query))

    {
        if($row['category_id']==10||$row['category_id']==11||$row['category_id']==12)
        {
            ?>
            <tr>
                <td><?php echo $row["id"]?></td>
                <td><?php echo $row["name"]?></td>
                <td><?php echo $row["image"]?></td>
                <td><?php echo $row["author"]?></td>
                <td><?php echo $row["publisher"]?></td>
                <td><?php echo $row["published_date"]?></td>
                <td><?php echo $row["category_id"]?></td>
                <td><?php echo $row["adminID"]?></td>
                <td><a href ="DeleteBookPage.php?bookid=<?php echo
$row["id"];?>">DELETE</a></td>
            </tr>

            </center>
            <?php
            }
        }
        $x++;

        ?>

    </table>
    <center>
    <div class="row-1">
    <form action="mysteryBook.php">
        <button class="btn">Back</button>

```

```
        </form>
        <form action="adminview.php">
<button class="btn">Menu</button>
</form>
    </div>
</center>
</body>
</html>
```



```

12)deleteNonFicBook.php
<!doctype html>
<head>
<meta charset="utf-8">
<title>BookList</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
</head>
<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="Home.html"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="Bookview.html"><i class="fa fa-book"></i>Genre</a>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">References</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    <div class="sub-navbar-1">
        <ul>
            <li><a href="About Us.html"><i class="fa fa-address-card" ></i>About us</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="LogOut.php">Logout</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
</div>
<!--List Of Borrower-->

<style>
    h1
    { margin:50px 50px;
      font-family: "Lucida Handwriting",cursive;
      font-size : 50px;
    }

```

```

P
{font-size : 25px;
}

.btn{

    display:inline-block;
    background: #1351E4;
    color:#FFFFFF;
    padding:8px 30px;
    margin:30px 0;
    border-radius:50px;

    transition:background 0.5s;
}
.btn:hover
{background:#563434;
}

    .form display
    { margin:30px 0px;
    }
    .row-1
{ display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}
    </style>
    <?php
$bookid = "";

if(isset($_POST["Search"]))
{
    $bookid = $_POST["txtbookid"];
}

$sql = "SELECT * FROM book WHERE  category_id LIKE ".$bookid."%";
$query = mysqli_query($connect,$sql) or die(mysqli_error());

?>
<center>
<h1>Non-Fiction Book</h1>
<form action="deleteNonFicBook.php" method="post" name="frmSearch">
    <p>Enter category :
    <input name="txtbookid" type="text" size="30" maxlength="10"/>
    <input class="btn" name="Search" type="submit" value="SEARCH"/>
    </p>
</form>

    <table width="80%" border="1">

```

```

        <tr>
            <td>Book ID</td>
            <td>Title</td>
            <td>Image</td>
            <td>Author</td>
            <td>Publisher</td>
            <td>Published Date</td>
            <td>Category</td>
            <td>AdminID</td>
            <td>Action</td>
        </tr>
    </center>

    <?php
    $x=1;

    while($row = mysqli_fetch_array($query))

    {
        if($row['category_id']==1||$row['category_id']==2||$row['category_id']==3)
        {
            ?>
            <tr>
                <td><?php echo $row["id"]?></td>
                <td><?php echo $row["name"]?></td>
                <td><?php echo $row["image"]?></td>
                <td><?php echo $row["author"]?></td>
                <td><?php echo $row["publisher"]?></td>
                <td><?php echo $row["published_date"]?></td>
                <td><?php echo $row["category_id"]?></td>
                <td><?php echo $row["adminID"]?></td>
                <td><a href ="DeleteBookPage.php?bookid=<?php echo
$row["id"];?>">DELETE</a></td>
            </tr>

            </center>
            <?php
            }
        }
        $x++;

        ?>

    </table>
    <center>
    <div class="row-1">
    <form action="nonFict.Book.php">
        <button class="btn">Back</button>

```

```
        </form>
        <form action="adminview.php">
<button class="btn">Menu</button>
</form>
    </div>
</center>
</body>
</html>
```

```

13)deleteRefBook.php
<!doctype html>
<head>
<meta charset="utf-8">
<title>BookList</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
</head>
<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="Home.html"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="Bookview.html"><i class="fa fa-book"></i>Genre</a>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">References</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    </li>

    <li><a href="About Us.html"><i class="fa fa-address-card" ></i>About us</a></li>
    <li><a href="#"><i class="fa fa-user-circle-o"></i>
        <div class="sub-navbar-1">
            <ul>
                <li><a href="LogOut.php">Logout</a></li>
            </ul>
        </div>
    </li>
</ul>
</div>
<!--List Of Borrower-->

<style>
    h1
    { margin:50px 50px;
      font-family: "Lucida Handwriting",cursive;
      font-size : 50px;
    }

```

```

P
{font-size : 25px;
}

.btn{

    display:inline-block;
    background: #1351E4;
    color:#FFFFFF;
    padding:8px 30px;
    margin:30px 0;
    border-radius:50px;

    transition:background 0.5s;
}
.btn:hover
{background:#563434;
}

    .form display
    { margin:30px 0px;
    }

    .row-1
{ display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}

    </style>
    <?php
$bookid = "";

if(isset($_POST["Search"]))
{
    $bookid = $_POST["txtbookid"];
}

$sql = "SELECT * FROM book WHERE category_id LIKE ".$bookid."%";
$query = mysqli_query($connect,$sql) or die(mysqli_error());

?>
<center>
<h1>References Book</h1>
<form action="deleteRefBook.php" method="post" name="frmSearch">
    <p>Enter category :
    <input name="txtbookid" type="text" size="30" maxlength="10"/>
    <input class="btn" name="Search" type="submit" value="SEARCH"/>
    </p>
</form>

    <table width="80%" border="1">

```

```

        <tr>
            <td>Book ID</td>
            <td>Title</td>
            <td>Image</td>
            <td>Author</td>
            <td>Publisher</td>
            <td>Published Date</td>
            <td>Category</td>
            <td>AdminID</td>
            <td>Action</td>
        </tr>
    </center>

    <?php
    $x=1;

    while($row = mysqli_fetch_array($query))

    {
        if($row['category_id']==4||$row['category_id']==5||$row['category_id']==6)
        {
            ?>
            <tr>
                <td><?php echo $row["id"]?></td>
                <td><?php echo $row["name"]?></td>
                <td><?php echo $row["image"]?></td>
                <td><?php echo $row["author"]?></td>
                <td><?php echo $row["publisher"]?></td>
                <td><?php echo $row["published_date"]?></td>
                <td><?php echo $row["category_id"]?></td>
                <td><?php echo $row["adminID"]?></td>
                <td><a href ="DeleteBookPage.php?bookid=<?php echo
$row["id"];?>">DELETE</a></td>
            </tr>

            </center>
            <?php
            }
        }
        $x++;

        ?>

    </table>
    <center>
    <div class="row-1">
    <form action="Ref.BookList.php">
        <button class="btn">Back</button>

```

```
</form>
      <form action="adminview.php">
<button class="btn">Menu</button>
</form>
    </div>
  </center>
</body>
</html>
```



```

14)deleteUser.php
<head>
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>

    <style>
    body
{
    background-position:center;
    box-sizing: border-box;
    background-color: rgb(238,174,202);
    background: linear-gradient(90deg, rgba(238,174,202,1) 5%, rgba(148,187,233,1) 50%);

}

    </style>
</head>

<?php
    if(isset($_GET['userID']))
    {
        $userID = $_GET['userID'];

        $sql = "SELECT * FROM user WHERE userID = '".$_userID.'"";
        $qry = mysqli_query($connect,$sql) or die(mysqli_error());
        $data = mysqli_fetch_array($qry);

        ?>
<body><center>
<h4> User Information </h4>
        <form id="form1" name="form1" method="post" action="deleteuserEngine.php">
            <table width="635" border="1">
                <tr>
                    <td width="92">User ID</td>
                    <td width="527"><?php echo $userID ?>
                        <input type="hidden" name="txtuserID" id="txtuserID" value="<?php
echo $userID ?>" /></td>
                </tr>
                <tr>
                    <td>User Name</td>
                    <td><?php echo $data["userName"]?></td>
                </tr>
                <tr>
                    <td>Password</td>
                    <td><?php echo $data["userPass"]?></td>
                </tr>
            </table>
        </form>
    }
}

```

```

        <tr>
            <td>Date</td>
            <td><?php echo $data["dateCreated"]?></td>
        </tr>
        <tr>
            <td colspan="2"><input type="submit" name="Send" id="Send"
value="DELETE" />
        </td>
        </tr>
    </table>
    <style>
        .btn{
            width:20%;
            display:inline-block;
            background: #1351E4;
            color:#FFFFFF;
            padding:8px 30px;
            margin:15px 0;
            border-radius:30px;
            transition:background 0.5s;
        }
        .btn:hover
        {background:#563434;
        }
    </style>

    <center> <form action="adminview.php">
        <button class="btn">Menu</button>
    </form>
    </form>
<?php
    }
    else
        echo "<meta http-equiv=\"refresh\" content=\"2;URL=displayInfo.php\"/>";
//}
//else
    //echo "<meta http-equiv=\"refresh\" content=\"2;URL=../logInForm.php\"/>";
?>

    </center>
</body>
</html>

```

```

15)deleteuserengine.php
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

if(isset($_POST["Send"]))
{
    $userID = $_POST["txtuserID"];

    $sql = "DELETE FROM user WHERE userID = ".$userID."";
    $query = mysqli_query($connect,$sql) or die(mysqli_error());

    if($query)
    {echo header("Location:ListBorrower.php");
      exit();}
    else
        die(mysqli_error());
}
else
    echo header("Location:adminMainPage.php");
?>

```

```

16)dtl_order.php
<?php
session_start();
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

if(isset($_GET["action"]))
{
    if($_GET["action"] == "delete")
    {
        foreach($_SESSION["shopping_cart"] as $keys => $values)
        {
            if($values["item_id"] == $_GET["id"])
            {
                unset($_SESSION["shopping_cart"][$keys]);
                echo '<script>alert("Item Removed")</script>';
                echo '<script>window.location="#"</script>'; /* user main page */
            }
        }
    }
}
?>
<!DOCTYPE html>
<html>
    <head>
        <title>My Cart</title>
        <link rel="stylesheet" href="navbar.css">
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
        <!-- Font Google -->
        <link rel="preconnect" href="https://fonts.gstatic.com">
        <link
href="https://fonts.googleapis.com/css2?family=Dancing+Script:wght@700&family=Roboto:wght
@500&display=swap" rel="stylesheet">
        <link href="https://fonts.googleapis.com/css2?family=Dosis:wght@800&display=swap"
rel="stylesheet">
        <!-- -->
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />
        <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>
        <style>
            h1
            {
                font-family: 'Dancing Script', cursive;
                text-align: center;
                color: #F76c6c;
            }
            h3
            {

```

```

        text-align: center;
        font-family: 'Dosis', sans-serif;
    }
    body
    { font-size: 17px;
      background-color: #A8D0E6;
      font-family: 'Roboto', sans-serif;
    }
    table
    {
        background-color: #f8e9a1;
    }
    .button {
padding: 10px 15px;
font-size: 18px;
text-align: center;
cursor: pointer;
outline: none;
color: #fff;
background-color: #E7717d;
border: none;
border-radius: 15px;
box-shadow: 0 9px #999;
}

.button:hover {background-color:#c2cad0 }

.button:active {
    background-color: #c2cad0;
    box-shadow: 0 5px #666;
    transform: translateY(4px);
}
.fancyLine7 {
{
border: 18px groove pink;
width: 60%;
margin-left: auto;
margin-right: auto;
}
    }
    </style>
    </head>
    <body>
    <?php
        if(isset($_SESSION["log"]) && ($_SESSION["log"]==1))
    {
        $sid = $_SESSION['userID'];
        $name=$_SESSION['userName'];

        $sql3 = "SELECT * FROM user WHERE userID = ".$sid."";
        $query = mysqli_query($connect,$sql3) or die("Query Fail");
    }

```

```

        $data = mysqli_fetch_array($query);
        echo $name;
    ?>
        <!-- Nav bar-->
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="#"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main page-->
                    <div class="sub-navbar-1">
                        <ul>
                            <li><a href="fictBook.php">Fiction</a></li>
                            <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                            <li><a href="mysteryBook.php">Mystery</a></li>
                            <li><a href="Ref.BookList.php">Reference Book</a></li>
                        </ul>
                    </div>
                </li>
                <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
                <li><a href="dtl_Order.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
                <li><a href="#"><i class="fa fa-user-circle-o"></i>
                    <div class="sub-navbar-1">
                        <ul>
                            <li><a href="Profile 2.php">Profile</a></li> <!-- Ahh-->
                            <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
                            <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                        </ul>
                    </div>
                </li>
            </ul>
        </div>
        <!-- nav bar-->
        <div style="clear:both"></div>
        <br />
        <h1>Order Details</h1>

```

```

        <?php
        if(!empty($_SESSION["shopping_cart"]))
        { echo"<div class='table-responsive'>";
        echo "<table class='table table-bordered'>";
        echo"<tr>";
            echo"<th width='15%'>Item Name</th>";
            echo"<th width='5%'>Quantity</th>";
            echo"<th width='5%'>Action</th>";
        echo"</tr>";
        $total = 0;
        foreach($_SESSION["shopping_cart"] as $keys =>
$values)

```

```

        {
        ?>

        <tr>
            <td><?php echo $values["item_name"]; ?></td>
            <td><?php echo $values["item_quantity"]; ?></td>
            <td><a
href="dtl_Order.php?action=delete&id=<?php echo $values["item_id"]; ?>"><span
class="text-danger">Remove</span></a></td>
            </tr>
            <?php
                $total = $total + ($values["item_quantity"]);
            }
        ?>
        <tr>
            <td colspan="2" align="right">Total Books:</td>
            <td align="right"><?php echo
number_format($total); ?></td>
        </tr>
        <tr>
            <td colspan="2" align="right"></td>
            <td align="right">
                <a href="Receipt/ReceiptBorrow.php"><input type="submit"
name="add_to_cart" style="margin-top:5px;" class="btn btn-success" value="Check Out"
                <?php
                $sql = "INSERT INTO receipt (name,userName) VALUES ('$values[item_name]','$name)";
                if(mysqli_query($connect, $sql)){
                    echo "Records inserted successfully.";
                } else{
                    echo "ERROR: Could not able to execute $sql. " . mysqli_error($connect);
                }?></a></td>
            </tr>
            <?php
            }
            else
            {
                echo"<hr class='fancyLine'>";
                echo"<h3>The Cart is Empty</h3>";
                echo"<br><center><a href='Bookview.php'><button
class='button'>Back to Home Page</button></a></center>";
                echo"<hr>";
            }
        ?>
    </div>
</table>

</div>
</div>
<br />
<?php
    }
    ?>

```

```
</body>  
</html>
```



```

17.enginedit.php
<!DOCTYPE html>
<html>
<head>
<meta charset=utf-8>
<title>USER UPDATE</title>
<?php
session_start();
include 'connection.php';
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

// Check connection
if($connect === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

?>
</head>

<body>
<?php
    if(isset($_POST['submit']))
    {
$id= $_POST["iduser"];
$name = $_POST["username"];
$pw = $_POST["passw"];
$address= $_POST["addresstxt"];
$email= $_POST["emailtxt"];

$sql = "UPDATE user SET userName = '". $name . "',userPass = '". $pw . "',address =
'". $address . "',email = '". $email . "'WHERE userID = '". $id . "'";

$query = mysqli_query($connect,$sql) or die(mysqli_error());
if($query)
{ echo "<meta http-equiv=\\"refresh\\" content=\\"2;URL=Profile 2.php\\"/>";
  echo "<script type='text/javascript'>
      alert('You have successfully updated your profile!')
    </script>";
}
    else
        die(mysqli_error());
    }
?>

</body>
</html>

```

```

18)fictBook.php
<?php
session_start();
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

if(isset($_POST["add_to_cart"]))
{
    if(isset($_SESSION["shopping_cart"]))
    {
        $item_array_id = array_column($_SESSION["shopping_cart"], "item_id");
        if(!in_array($_GET["id"], $item_array_id))
        {
            $count = count($_SESSION["shopping_cart"]);
            $item_array = array(
                'item_id'           =>    $_GET["id"],
                'item_name'         =>    $_POST["hidden_name"],
                'item_quantity'     =>    $_POST["quantity"]
            );
            $_SESSION["shopping_cart"][$count] = $item_array;
            echo<script>alert("Item Has Been Added Into Cart")</script>;
        }
        else
        {
            echo '<script>alert("Item Already Added")</script>';
        }
    }
    else
    {
        $item_array = array(
            'item_id'           =>    $_GET["id"],
            'item_name'         =>    $_POST["hidden_name"],
            'item_quantity'     =>    $_POST["quantity"]
        );
        $_SESSION["shopping_cart"][0] = $item_array;
    }
}
?>
<!DOCTYPE html>
<html>
    <head>
        <link rel="stylesheet" href="navbar.css">
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">

        <title>Fiction Book List</title>
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />
        <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>

```

```

        <!-- Google Font-->
        <link rel="preconnect" href="https://fonts.gstatic.com">
<link
href="https://fonts.googleapis.com/css2?family=Ribeye&family=Ribeye+Marrow&family=Yusei+
Magic&display=swap" rel="stylesheet">
<style>
        body
        {
                font-family: 'Yusei Magic', sans-serif;

        }
        h2
        {
                font-family: 'Ribeye', cursive;
                color:tan;
                text-align: center;

        }
        hr.style-eight {
overflow: visible; /* For IE */
padding: 0;
border: none;
border-top: medium double #333;
color: #333;
text-align: center;
}
hr.style-eight:after {
content:"\1F4D6";
display: inline-block;
position: relative;
top: -0.7em;
font-size: 1.5em;
padding: 0 0.25em;
background:repeat;
}

        .row
        { display: flex;
        align-items: center;
        flex-wrap: wrap;
        justify-content: space-around;
        }

        .btn-1{

                display:inline-block;
                background: #1351E4;
                color:#FFFFFF;
                padding:8px 30px;
                margin:50px 0;
                border-radius:30px;

                transition:background 0.5s;
        }

```



```

<br />
<br />
<br />
<br /> <br /> <br />
<h2> CHILDREN FICTION </h2>
<?php
    $query = "SELECT * FROM book where category_id='7'";
    $result = mysqli_query($connect, $query);
    if(mysqli_num_rows($result) > 0)
    {
        while($row = mysqli_fetch_array($result))
        {
            ?>

            <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">
                <form method="post" action="fictBook.php?action=add&id=<?php
echo $row["id"]; ?>">
                    <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                        "
style="width:120px;height:160px" /><br />

                        <h4 class="text-info"><?php echo $row["name"];
?></h4>

                        <input type="hidden" name="quantity" value="1"/>
                        <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />
                        <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                    </div>
                </form>
            </div>

            <?php
                }
            }
        ?>
    </div>

    <br>
    <hr class="style-eight">
    <h2> ADULT FICTION </h2>
    <br /><br />
    <div class="container">
        <br />
        <?php
            $query = "SELECT * FROM book where category_id='8'";
            $result = mysqli_query($connect, $query);
            if(mysqli_num_rows($result) > 0)

```

```

        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                    <form method="post" action="fictBook.php?action=add&id=<?php
echo $row["id"]; ?>">

                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                                <h4 class="text-info"><?php echo $row["name"];
?></h4>

                                    <input type="hidden" name="quantity" value="1"/>
                                    <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />
                                    <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                                </div>
                            </form>
                        </div>
                    <?php
                    }
                }
            ?>
        </div> <br /> <br />

        <hr class="style-eight">
        <h2> TEEN FICTION </h2>
        <br /><br />
        <?php
            $query = "SELECT * FROM book where category_id='9'";
            $result = mysqli_query($connect, $query);
            if(mysqli_num_rows($result) > 0)
            {
                while($row = mysqli_fetch_array($result))
                {
                    ?>

                    <div class="container">
                        <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                            <form method="post" action="fictBook.php?action=add&id=<?php
echo $row["id"]; ?>">

                                <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">

```

```

style="width:120px;height:160px" /><br />
?></h4>
value="<?php echo $row["name"]; ?>" />
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

        </div>
        </form>
    </div>
    <?php
    }
    }
    ?>
</div>
<?php
} //end user session

    else
    {
        ?> <div class="contain">
<div class="navbar">
    <ul>
        <li class="active">
            <a href="adminMainPage.php"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya
main page-->
            <div class="sub-navbar-1">
                <ul>
                    <li><a href="fictBook.php">Fiction</a></li>
                    <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                    <li><a href="mysteryBook.php">Mystery</a></li>
                    <li><a href="Ref.BookList.php">Reference Book</a></li>
                </ul>
            </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
            <div class="sub-navbar-1">
                <ul>
                    <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                </ul>
            </div>
            </li>
        </ul>
    </div>

```

```

</div>
<!-- nav bar-->
<br />
<div class="container">
    <br />
    <br />
    <br />
    <br /> <br /> <br />
    <h2> CHILDREN FICTION </h2>
    <?php
        $query = "SELECT * FROM book where category_id='7'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">
                    <form method="post" action="fictBook.php?action=add&id=<?php
echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            " style="width:120px;height:160px" /><br />
                            <h4 class="text-info"><?php echo $row["name"];
?></h4>
                                <input type="hidden" name="quantity" value="1"/>
                                <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />
                                <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />
                            </div>
                        </form>
                    </div>

                    <?php
                        }
                    }
                ?>
            </div>

            <br>
            <hr class="style-eight">
            <h2> ADULT FICTION </h2>
            <br /><br />
            <div class="container">
                <br />
                <?php

```



```

        $query = "SELECT * FROM book where category_id='8'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>
            }
        }

        <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

            <form method="post" action="fictBook.php?action=add&id=<?php
echo $row["id"]; ?>">

                <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                    "
style="width:120px;height:160px" /><br />

                    <h4 class="text-info"><?php echo $row["name"];
?></h4>

                    <input type="hidden" name="quantity" value="1"/>
                    <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                    <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                </div>
            </form>
        </div>
    <?php
    }
}
?>
</div> <br /> <br />

<hr class="style-eight">
<h2> TEEN FICTION </h2>
<br /><br />
<?php
    $query = "SELECT * FROM book where category_id='9'";
    $result = mysqli_query($connect, $query);
    if(mysqli_num_rows($result) > 0)
    {
        while($row = mysqli_fetch_array($result))
        {
            ?>
        }
    }
    <div class="container">
        <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

```

```

        <form method="post" action="fictBook.php?action=add&id=<?php
echo $row["id"]; ?>">
        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">

        "
style="width:120px;height:160px" /><br />

        <h4 class="text-info"><?php echo $row["name"];
?></h4>

        <input type="hidden" name="quantity" value="1"/>
        <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />
        <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

        </div>
        </form>
    </div>
    <?php
        }
    }
    ?>
</div>
<form action="updatebookFic.php">
    <div class="row">
        <button type="submit" class="btn-1" name="submit"
id="submit">Update</button>
    </form>
    <form action="deleteFicBook.php">
        <button type="submit" class="btn-1" >Delete</button>
    </form>
    <form action="adminBookView.php">
        <button type="submit" class="btn-1">Back</button>
    </form>
    </div>
</style>
</head>
<?php
}
?>
</body>
</html>

</body>
</html>

```

19)index.php

```
<!doctype html>
<html>
<head>
<meta charset="utf-8">
<title>BILIOPHILE LIBRARY </title>
<link rel="stylesheet" href="Homestyle.css">
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">

</head>
<!-- ----header---->
    <body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="Bookview.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main
page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
            <li><a href="Accountpage.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    <div class="row">
```

```
<div class="col-1">
  <h1>BILIOPHILE LIBRARY </h1>
  <h3>"A book is a garden, an orchard, a storehouse, a party, a company by the
way, a counselor, a multitude of counselors."</h3>
  <h4 align="right">– Charles Baudelaire</h4>

  <a href="adminLogin.php" class="btn">Admin</a>
  <a href="Accountpage.php" class="btn">User</a>
</div>

<div class="col-1">
  
</div>

</div>
</div>
</body>
</html>
```

```

20)ListBorrower.php
<!doctype html>
<head>
<meta charset="utf-8">
<title>ListBorrower</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$conn = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
</head>
<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="adminBookView.php"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="Home.html">Fiction</a></li>
                        <li><a href="Home.html">Non-Fiction</a></li>
                        <li><a href="Home.html">Mystery</a></li>
                        <li><a href="Home.html">References</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" ></i>About us</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="Home.html">Logout</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
</div>
<!-------List Of Borrower-->

<style>
h1
{ margin:50px 50px;
font-family: "Lucida Handwriting",cursive;
font-size : 50px;
}

```

```

P
{font-size : 25px;
}

.btn{
display:inline-block;
background: #1351E4;
color:#FFFFFF;
padding:8px 30px;
margin:30px 0;
border-radius:30px;

transition:background 0.5s;
}
.btn:hover
{background:#563434;
}

.form display
{ margin:30px 0px;
}
</style>
<?php
$userID = "";
if(isset($_POST["Search"]))
{
    $userID = $_POST["txtuserID"];
}

$sql = "SELECT * FROM user WHERE userID LIKE ".$userID."%";
$query = mysqli_query($connect,$sql) or die(mysqli_error());

?>
<center>
<h1>MEMBERS</h1>
<form class="display" action="ListBorrower.php" method="post" name="frmSearch">
<p>Enter user ID :
<input name="txtuserID" type="text" size="30" maxlength="10"/>
<input class="btn" name="Search" type="submit" value="SEARCH"/>
</p>
</form>
<table width="80%" border="1">
<tr>
 Number</td>  User ID</td>  User Name</td>  Date</td>  ACTION</td> | | | | |
```

```

while($row = mysqli_fetch_array($query))
{
    ?>
        <tr>
            <td><?php echo $x;?></td>
            <td><?php echo $row["userID"]?></td>
            <td><?php echo $row["userName"]?></td>
            <td><?php echo $row["dateCreated"]?></td>
            <td><a href ="deleteuser.php?userID=<?php echo
$row["userID"];?>">DELETE</a></td>
        </tr>
        <?php
        $x++;
        }
    ?>
</table>
<form action="adminMainPage.php">
<button class="btn">Menu</button>
</form>
</center>

</div>
</body>
</html>

```

```

21)Login.php
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
/* admin sahaja */

if(isset($_POST['userid'])&& isset($_POST['password']))
{
    function validate($data)
    {
        $data = trim($data);
        $data = stripslashes($data);
        $data = htmlspecialchars($data);
        return $data;
    }
    $userid= validate($_POST['userid']);
    $password=validate($_POST['password']);

    if (empty($userid))
    { header("Location:adminLogin.php?error=User Name is required");
      exit();
    }
    else if(empty($password))
    {
        header("Location:adminLogin.php?error=Password is required");
        exit();
    }
    else
    { $sql ="SELECT * FROM admin WHERE adminID='$userid' AND
adminPass='$password'";

        $result =mysqli_query($connect,$sql);

        if(mysqli_num_rows($result)===1)
        {
            $row=mysqli_fetch_assoc($result);
            if ($row['adminID'] ===$userid &&
$row['adminPass']=== $password)
            { $_SESSION['adminID'] =$row['userid'];
              $_SESSION['adminName'] =$row['name'];
              $_SESSION['adminPass'] =$row['password'];

                  header("Location: adminMainPage.php");
                  exit();
            }
            else
            { header("Location: adminLogin.php?error=Incorrect username or password");
              exit();
            }
        }
    }
}

```



```

    }
    }
}

else if(isset($_POST['iduser']) && isset($_POST['passUser']))
/* for user */
$username = $_POST["iduser"]; //based on login user
$password = $_POST["passUser"];
$query = "SELECT * FROM user WHERE userID = '". $username.'" AND userPass =
        '". $password.'"';

$result = mysqli_query($connect,$query);
$numRow = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);

if($numRow == 0)//for failed
{ echo "<meta http-equiv='refresh' content='2;URL=index.php' />";
  echo "<script>The user is not exist</script>";
}
else //failed
{
    echo "<meta http-equiv='refresh' content='2;URL=Bookview.php' />";
    $_SESSION["userID"]=$row["userID"];
    $_SESSION["userPass"]=$row["passUser"];
    $_SESSION["userName"]=$row["userName"];
    $_SESSION["log"] = 1;
    header("Location: Bookview.php");

}

?>

```

```
22)Logout.php
<?php
session_start();
if($_SESSION["Login"]==1) /*login 1-user */
{
    unset($_SESSION['userID']);
    unset($_SESSION['userName']);
    unset($_SESSION['userPass']);
}
else
{
    unset($_SESSION['adminID']);
    unset($_SESSION['adminName']);
}
//unset($_SESSION['log']);
session_destroy();
header ("Location:Login.php");
exit();
?>
```

```

23)mysterybook.php
<?php
session_start();
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

if(isset($_POST["add_to_cart"]))
{
    if(isset($_SESSION["shopping_cart"]))
    {
        $item_array_id = array_column($_SESSION["shopping_cart"], "item_id");
        if(!in_array($_GET["id"], $item_array_id))
        {
            $count = count($_SESSION["shopping_cart"]);
            $item_array = array(
                'item_id'           =>    $_GET["id"],
                'item_name'         =>    $_POST["hidden_name"],
                'item_quantity'     =>    $_POST["quantity"]
            );
            $_SESSION["shopping_cart"][$count] = $item_array;
            echo'<script>alert("Item Has Been Added Into Cart")</script>';
        }
        else
        {
            echo '<script>alert("Item Already Added")</script>';
        }
    }
    else
    {
        $item_array = array(
            'item_id'           =>    $_GET["id"],
            'item_name'         =>    $_POST["hidden_name"],
            'item_quantity'     =>    $_POST["quantity"]
        );
        $_SESSION["shopping_cart"][0] = $item_array;
    }
}

?>
<!DOCTYPE html>
<html>
    <head>
        <title>Mystery Book List</title>
        <link rel="stylesheet" href="navbar.css">
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />
        <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>

```

```

        <!-- Google Font-->
        <link rel="preconnect" href="https://fonts.gstatic.com">
<link
href="https://fonts.googleapis.com/css2?family=Ribeye&family=Ribeye+Marrow&family=Yusei+
Magic&display=swap" rel="stylesheet">
<style>
        body
        {
                font-family: 'Yusei Magic', sans-serif;

        }
        h2
        {
                font-family: 'Ribeye', cursive;
                color:tan;
                text-align: center;

        }
        hr.style-eight {
        overflow: visible; /* For IE */
        padding: 0;
        border: none;
        border-top: medium double #333;
        color: #333;
        text-align: center;
        }
        hr.style-eight:after {
        content:"\1F4D6";
        display: inline-block;
        position: relative;
        top: -0.7em;
        font-size: 1.5em;
        padding: 0 0.25em;
        background:repeat;
        }
        .row
        { display: flex;
        align-items: center;
        flex-wrap: wrap;
        justify-content: space-around;
        }
        .btn-1{

        display:inline-block;
        background: #1351E4;
        color:#FFFFFF;
        padding:8px 30px;
        margin:50px 0;
        border-radius:30px;

        transition:background 0.5s;
        }

```

```

        .btn-1:hover
        {background:#563434;
        }

        </style>

<!-- ----header---->
<body class="colorbody">
<?php
if(isset($_SESSION["log"]) && ($_SESSION["log"]==1))
{
    {
        $id = $_SESSION['userID'];
        $sql = "SELECT * FROM user WHERE userID = '". $id ."'";
        $query = mysqli_query($connect,$sql) or die("Query Fail");
        $data = mysqli_fetch_array($query);
        echo $_SESSION["userName"];
    }
}

?>
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="Bookview.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="Bookview.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main
page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
            <li><a href="Accountpage.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="Profile 2.php">Profile</a></li> <!-- Ahh-->
                        <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
                        <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    <div>

```

```

<!-- nav bar-->
<br />

        <br />
        <br />
        <br /><br />
        <h2> CHILDREN MYSTERY</h2>
<br>
<div class="container">
    <?php
        $query = "SELECT * FROM book where category_id='10'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">
                    <form method="post"
action="mysteryBook.php?action=add&id=<?php echo $row["id"]; ?>"
                    <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                        "
style="width:120px;height:160px" /><br />

                        <h4 class="text-info"><?php echo $row["name"];
?></h4>

                        <input type="hidden" name="quantity" value="1"/>
                        <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                        <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                    </div>
                </form>
            </div>

            <?php
                }
            }
        ?>
    </div><br>
    <hr class="style-eight">
    <div class="container">
        <h2> ADULT MYSTERY </h2>
        <br /><br />
        <?php
            $query = "SELECT * FROM book where category_id='11'";
            $result = mysqli_query($connect, $query);

```

```

        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                    <form method="post"
action="mysteryBook.php?ook.php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                            <h4 class="text-info"><?php echo $row["name"];
?></h4>

                            <input type="hidden" name="quantity" value="1"/>
                            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                    </form>
                </div>
                <?php
            }
        }
    ?>
</div> <br /> <br />
<hr class="style-eight">
<div class="container">
    <h2> TEEN MYSTERY </h2>
    <br /><br />
    <?php
        $query = "SELECT * FROM book where category_id='12'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                    <form method="post"
action="mysteryBook.php?action=add&id=<?php echo $row["id"]; ?>">

```

```


104


```



```

</ul>
</div>
</div>
<!-- nav bar-->
<br />

<br />
<br />
<br /><br />
<h2> CHILDREN MYSTERY</h2>
<br>
<div class="container">
    <?php
        $query = "SELECT * FROM book where category_id='10'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">
                    <form method="post"
action="mysteryBook.php?action=add&id=<?php echo $row["id"]; ?>"
                    <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                        "
style="width:120px;height:160px" /><br />

                        <h4 class="text-info"><?php echo $row["name"];
?></h4>

                        <input type="hidden" name="quantity" value="1"/>
                        <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                        <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                    </div>
                </form>
            </div>

            <?php
                }
            }
        ?>
    </div><br>
    <hr class="style-eight">
    <div class="container">
        <h2> ADULT MYSTERY </h2>
        <br /><br />

```

```

        <?php
            $query = "SELECT * FROM book where category_id='11'";
            $result = mysqli_query($connect, $query);
            if(mysqli_num_rows($result) > 0)
            {
                while($row = mysqli_fetch_array($result))
                {
                    ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                    <form method="post"
action="mysteryBook.php".php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                            <h4 class="text-info"><?php echo $row["name"];
?></h4>

                            <input type="hidden" name="quantity" value="1"/>
                            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                    </form>
                </div>
            <?php
                }
            ?>
        </div> <br /> <br />
<hr class="style-eight">
<div class="container">
    <h2> TEEN MYSTERY </h2>
    <br /><br />
    <?php
        $query = "SELECT * FROM book where category_id='12'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

            <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

```

```

        <form method="post"
action="mysteryBook.php?action=add&id=<?php echo $row["id"]; ?>">
        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
        "
style="width:120px;height:160px" /><br />

        <h4 class="text-info"><?php echo $row["name"];
?></h4>

        <input type="hidden" name="quantity" value="1"/>
        <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />
        <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

        </div>
    </form>
</div>
<?php
    }
}
?>
</div>
<form action="updatebookMystery.php">
    <div class="row">
        <button type="submit" class="btn-1" name="submit"
id="submit">Update</button>
    </form>
    <form action="deleteMysteryBook.php">
        <button type="submit" class="btn-1" >Delete</button>
    </form>
    <form action="adminBookView.php">
        <button type="submit" class="btn-1">Back</button>
    </form>
    </div>
</style>
</head>
<?php
}
?>
</body>
</html>

```

24)nonFictBook.php

```
<?php
session_start();
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

if(isset($_POST["add_to_cart"]))
{
    if(isset($_SESSION["shopping_cart"]))
    {
        $item_array_id = array_column($_SESSION["shopping_cart"], "item_id");
        if(!in_array($_GET["id"], $item_array_id))
        {
            $count = count($_SESSION["shopping_cart"]);
            $item_array = array(
                'item_id'           =>    $_GET["id"],
                'item_name'         =>    $_POST["hidden_name"],
                'item_quantity'     =>    $_POST["quantity"]
            );
            $_SESSION["shopping_cart"][$count] = $item_array;
            echo<script>alert("Item Has Been Added Into Cart")</script>;
        }
        else
        {
            echo '<script>alert("Item Already Added")</script>';
        }
    }
    else
    {
        $item_array = array(
            'item_id'           =>    $_GET["id"],
            'item_name'         =>    $_POST["hidden_name"],
            'item_quantity'     =>    $_POST["quantity"]
        );
        $_SESSION["shopping_cart"][0] = $item_array;
    }
}
?>
<!DOCTYPE html>
<html>
    <head>
        <link rel="stylesheet" href="navbar.css">
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">

        <title>Non-Fiction Book List</title>
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />
```

```

<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>
<!-- Google Font-->
<link rel="preconnect" href="https://fonts.gstatic.com">
<link
href="https://fonts.googleapis.com/css2?family=Ribeye&family=Ribeye+Marrow&family=Yusei+
Magic&display=swap" rel="stylesheet">
<style>
    body
    {
        font-family: 'Yusei Magic', sans-serif;
        background-color:#B2D9EA;
    }
    h2
    {
        font-family: 'Ribeye', cursive;
        color:tan;
        text-align: center;
    }
    hr.style-eight {
    overflow: visible; /* For IE */
    padding: 0;
    border: none;
    border-top: medium double #333;
    color: #333;
    text-align: center;
    }
    hr.style-eight:after {
    content:"\1F4D6";
    display: inline-block;
    position: relative;
    top: -0.7em;
    font-size: 1.5em;
    padding: 0 0.25em;
    background:repeat;
    }
    .row
    { display: flex;
    align-items: center;
    flex-wrap: wrap;
    justify-content: space-around;
    }
    .btn-1{

    display:inline-block;
    background: #1351E4;
    color:#FFFFFF;
    padding:8px 30px;
    margin:50px 0;
    border-radius:30px;

```

```

        transition:background 0.5s;
    }
    .btn-1:hover
    {background:#563434;
    }
    </style>
</head>
<body>
<?php
if(isset($_SESSION["log"]) && ($_SESSION["log"]==1))
{
    {
        $sid = $_SESSION['userID'];
        $sql = "SELECT * FROM user WHERE userID = '". $sid. "'";
        $query = mysqli_query($connect,$sql) or die("Query Fail");
        $data = mysqli_fetch_array($query);
        echo $_SESSION["userName"];
    }
}
?>

<!-- Nav bar-->
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="adminMainPage.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya
main page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    <div class="container">
        <div>
            <!-- nav bar-->
            <br />
        </div>
    </div>

```

```

        <br />
        <br />
        <br />
        <br /> <br /> <br />
        <h2> CHILDREN NON-FICTION </h2>
        <?php
            $query = "SELECT * FROM book where category_id='1'";
            $result = mysqli_query($connect, $query);
            if(mysqli_num_rows($result) > 0)
            {
                while($row = mysqli_fetch_array($result))
                {
                    ?>

                    <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">
                        <form method="post"
action="nonFict.Book.php?action=add&id=<?php echo $row["id"]; ?>">
                            <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                                "
style="width:120px;height:160px" /><br />

                                <h4 class="text-info"><?php echo $row["name"];
?></h4>

                                <input type="hidden" name="quantity" value="1"/>
                                <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                                <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                                </div>
                            </form>
                        </div>

                        <?php
                            }
                        }
                    ?>
                </div>

                <br>
                <hr class="style-eight">
                <h2> ADULT NON-FICTION </h2>
                <br /><br />
                <div class="container">
                    <br />
                    <?php
                        $query = "SELECT * FROM book where category_id='2'";
                        $result = mysqli_query($connect, $query);
                        if(mysqli_num_rows($result) > 0)

```

```

        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                    <form method="post"
action="nonFict.Book.php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                            <h4 class="text-info"><?php echo $row["name"];
?></h4>

                            <input type="hidden" name="quantity" value="1"/>
                            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />
                            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                    </form>
                </div>
                <?php
            }
        }
    ?>
</div> <br /> <br />

<hr class="style-eight">
<h2> TEEN NON-FICTION </h2>
<br /><br />
<?php
    $query = "SELECT * FROM book where category_id='3'";
    $result = mysqli_query($connect, $query);
    if(mysqli_num_rows($result) > 0)
    {
        while($row = mysqli_fetch_array($result))
        {
            ?>

            <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                <form method="post"
action="nonFict.Book.php?action=add&id=<?php echo $row["id"]; ?>">
                    <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">

```



```

style="width:120px;height:160px" /><br />
?></h4>
value="<?php echo $row["name"]; ?>" />
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />
"
<h4 class="text-info"><?php echo $row["name"];
<input type="hidden" name="quantity" value="1"/>
<input type="hidden" name="hidden_name"
<input type="submit" name="add_to_cart"
</div>
</form>
</div>
<?php
}
?>
</div>
<?php
} //end user session
else
{
?>
<div class="contain">
<div class="navbar">
<ul>
<li class="active">
<a href="Bookview.php"><i class="fa fa-home"></i>Home</a></li>
<li><a href="Bookview.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main
page-->
<div class="sub-navbar-1">
<ul>
<li><a href="fictBook.php">Fiction</a></li>
<li><a href="nonFict.Book.php">Non-Fiction</a></li>
<li><a href="mysteryBook.php">Mystery</a></li>
<li><a href="Ref.BookList.php">Reference Book</a></li>
</ul>
</div>
</li>
<li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
<li><a href="Accountpage.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
<li><a href="#"><i class="fa fa-user-circle-o"></i>
<div class="sub-navbar-1">
<ul>
<li><a href="Profile 2.php">Profile</a></li> <!-- Ahh-->
<li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
<li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
</ul>
</div>

```

```

</li>
</ul>
</div>
<!-- nav bar-->
<br />
<div class="container">
    <br />
    <br />
    <br />
    <br /> <br /> <br />
    <h2> CHILDREN NON-FICTION </h2>
    <?php
        $query = "SELECT * FROM book where category_id='1'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">
                    <form method="post"
action="nonFict.Book.php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                            <h4 class="text-info"><?php echo $row["name"];
?></h4>

                            <input type="hidden" name="quantity" value="1"/>
                            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                    </form>
                </div>

                <?php
                    }
                }
            ?>
        </div>

        <br>
        <hr class="style-eight">
        <h2> ADULT NON-FICTION </h2>
        <br /><br />

```

```

<div class="container">
    <br />
    <?php
        $query = "SELECT * FROM book where category_id='2'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                    <form method="post"
action="nonFict.Book.php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                            <h4 class="text-info"><?php echo $row["name"];
?></h4>

                            <input type="hidden" name="quantity" value="1"/>
                            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                    </form>
                </div>
            <?php
                }
            }
        ?>
    </div> <br /> <br />

    <hr class="style-eight">
    <h2> TEEN NON-FICTION </h2>
    <br /><br />
    <?php
        $query = "SELECT * FROM book where category_id='3'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>
            }
        }
    ?>

```

```

        <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

            <form method="post"
action="nonFict.Book.php?action=add&id=<?php echo $row["id"]; ?>">
                <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                    "
style="width:120px;height:160px" /><br />

                    <h4 class="text-info"><?php echo $row["name"];
?></h4>

                    <input type="hidden" name="quantity" value="1"/>
                    <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                    <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                </div>
            </form>
        </div>

        <?php
        }
    }
?>
<form action="updatebookNonFic.php">
    <div class="row">
        <button type="submit" class="btn-1" name="submit"
id="submit">Update</button>
    </form>
    <form action="deleteNonFicBook.php">
        <button type="submit" class="btn-1" >Delete</button>
    </form>
    <form action="adminBookView.php">
        <button type="submit" class="btn-1">Back</button>
    </form>
    </div>
</div>
</body>
</html>

```

```

25)Profile 2.php
<?php
session_start();
include 'connection.php';
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

// Check connection
if($connect === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

?>

<!doctype html>
<html>
<head>
<meta charset="utf-8">
<title>Profile</title>
    <link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
    <link rel="preconnect" href="https://fonts.gstatic.com">
<link href="https://fonts.googleapis.com/css2?family=Bebas+Neue&display=swap"
rel="stylesheet">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <style>
        .button {
            background-color:#FFAAE8;
            color: white;
            padding: 10px 25px;
            text-align: center;
            font-family: 'Bebas Neue', cursive;
            text-decoration: none;
            display: inline-block;
            font-size: 16px;
            margin: 4px 2px;
            cursor: pointer;
            -webkit-transition-duration: 0.4s; /* Safari */
            transition-duration: 0.4s;
        }
        .button2:hover {
            box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24),0 17px 50px 0 rgba(0,0,0,0.19);
        }
        * {
            box-sizing: border-box;
        }

        body
        {

```

```

        font-family: Arial, Helvetica, sans-serif;
    }
    .colorbody
    {
        background: rgb(238,174,202);
        background: linear-gradient(90deg, rgba(238,174,202,1) 2%, rgba(148,187,233,1)
53%);
    }

    header
    {
        background-color: #D77EBE;
        padding: 20px;
        text-align: center;
        font-size: 40px;
        color: #490E6B;
    }

    footer
    {
        background-color: #D77EBE;
        padding: 20px;
        text-align: center;
        color: white;
    }
</style>
<!-- ----header---->
<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="#"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
            <li><a href="dtl_Order.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
            <div class="sub-navbar-1">
                <ul>
                    <li><a href="Profile 2.php">Profile</a></li> <!-- Ahh-->
                    <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->

```

```

        </li><a href="Logout.php">Logout</a></li> <!--Pipi-->
    </ul>
</div>
</li>
</ul>
</div>
    </div>
<!--header-->

<header>
    <p style="font-family:verdana;">MY PROFILE</p>
</header><br><br><br> <center>
    <?php
if(isset($_SESSION["log"]) && ($_SESSION["log"]==1))
{
    $id = $_SESSION['userID'];

    $sql = "SELECT * FROM user WHERE userID = '". $id . "'";
    $query = mysqli_query($connect,$sql) or die("Query Fail");
    $data = mysqli_fetch_array($query);
    $result = $connect->query($sql);
    if ($result->num_rows > 0) {
        // output data of each row
        while($row = $result->fetch_assoc()) {

            echo "<tr><td>Username:" . $row["userID"]. "</td><br><td>Name: " .
$row["userName"] . "</td><br><td>Account created on:"
            . $row["dateCreated"]. "</td><br><td>Address: " . $row["address"]
            . "</td><br><td>Email: " . $row["email"] . "</td><br><td></tr>";
        }
        echo "</table>";
    } else { echo "0 results"; }
    $connect->close();
    ?>
    <br>
    <a href="profileUpdate.php"><button class="button
button2">UPDATE</button></a>
    </center>

    <?php
}
    ?>
<footer>
    <p>Bibliophile Library</p>
</footer>
</html>

```

```

26)profile Update.php
<?php
session_start();
include 'connection.php';
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

// Check connection
if($connect === false){
    die("ERROR: Could not connect. " . mysqli_connect_error());
}

?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <link rel="stylesheet" href="navbar.css">
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
    <link rel="preconnect" href="https://fonts.gstatic.com">
<link
href="https://fonts.googleapis.com/css2?family=Playball&family=Roboto+Condensed:wght@300
&display=swap" rel="stylesheet"><link
href="https://fonts.googleapis.com/css2?family=Bebas+Neue&display=swap" rel="stylesheet">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Update User Information</title>
<style>
body
{
    font-family: 'Roboto Condensed', sans-serif;
}
.colorbody
{
    background-color: rgb(238,174,202);
background: linear-gradient(90deg, rgba(238,174,202,1) 5%, rgba(148,187,233,1) 50%);
}

h1
{
    font-family: 'Playball', cursive;
color:#FFA1F1;
}
.container {
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
}

table {
    width: 800px;

```



```

        border-collapse: collapse;
        overflow: hidden;
        box-shadow: 0 0 20px rgba(0,0,0,0.1);
    }

    th,
    td {
        padding: 15px;
        background-color: rgba(255,255,255,0.2);
        color: #fff;
    }

    th {
        text-align: left;
    }

    thead {
        th {
            background-color: #55608f;
        }
    }

    tbody {
        tr {
            &:hover {
                background-color: rgba(255,255,255,0.3);
            }
        }
        td {
            position: relative;
            &:hover {
                &:before {
                    content: "";
                    position: absolute;
                    left: 0;
                    right: 0;
                    top: -9999px;
                    bottom: -9999px;
                    background-color: rgba(255,255,255,0.2);
                    z-index: -1;
                }
            }
        }
    }
}

.button {
    background-color: #ADE3FF;
    color: white;
    padding: 10px 30px;
    text-align: center;
    font-family: 'Bebas Neue', cursive;
    text-decoration: none;

```

```

display: inline-block;
font-size: 20px;
margin: 4px 2px;
cursor: pointer;
-webkit-transition-duration: 0.4s; /* Safari */
transition-duration: 0.4s;
}

.button2:hover {
box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24),0 17px 50px 0 rgba(0,0,0,0.19);
}

* {
box-sizing: border-box;
}

</style>
</head>

<body class="colorbody">
    <center>

                                <!-- Nav bar-->

<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="#"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main page-->
                    <div class="sub-navbar-1">
                        <ul>
                            <li><a href="fictBook.php">Fiction</a></li>
                            <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                            <li><a href="mysteryBook.php">Mystery</a></li>
                            <li><a href="Ref.BookList.php">Reference Book</a></li>
                        </ul>
                    </div>
                </li>
                <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
                <li><a href="dtl_Order.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
                <li><a href="#"><i class="fa fa-user-circle-o"></i>
                    <div class="sub-navbar-1">
                        <ul>
                            <li><a href="Profile 2.php">Profile</a></li> <!-- Ahh-->
                            <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
                            <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                        </ul>
                    </div>
                </li>
            </ul>
        </div>
    </div>
</div>
<?php

```

```

if(isset($_SESSION["log"]) && ($_SESSION["log"]==1))
{
    $id = $_SESSION['userID'];

    $sql = "SELECT * FROM user WHERE userID = '". $id . "'";
    $query = mysqli_query($connect,$sql) or die("Query Fail");
    $data = mysqli_fetch_array($query);

    ?>
    <h1>User Information</h1>
    <form id="formEdit" name="formEdit" method="post" action="engineEdit.php">
        <div class="container">
            <table width="635">
                <tr>
                    <td width="92">User ID:</td>
                    <td width="527"><input type="text" name="iduser" id="iduser" value="<?php
echo $id ?>" readonly="readonly"/></td>
                </tr>
                <tr>
                    <td>Name:</td>
                    <td><input type="text" name="username" value="<?php echo
$data["userName"]?>" /></td>
                </tr>
                <tr>
                    <td>Password:</td>
                    <td><input type="password" name="passw" value="<?php echo
$data["userPass"]?>" /></td>
                </tr>
                <tr>
                    <td>Address:</td>
                    <td><input type="text" name="addresstxt" value="<?php echo
$data["address"]?>" /></td>
                </tr>
                <tr>
                    <td>Email:</td>
                    <td><input type="text" name="emailtxt" value="<?php echo $data["email"]?>"
/></td>
                </tr>
            </table>

            <p>&nbsp;</p>
            <input type="submit" name="submit" value="UPDATE" class="button
button2"><a href="Profile 2.php">
                </div>
            </form>
        <?php
    }
    ?>
    </center>
</body>
</html>

```

27)refBookList.php

```
<?php
session_start();
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

if(isset($_POST["add_to_cart"]))
{
    if(isset($_SESSION["shopping_cart"]))
    {
        $item_array_id = array_column($_SESSION["shopping_cart"], "item_id");
        if(!in_array($_GET["id"], $item_array_id))
        {
            $count = count($_SESSION["shopping_cart"]);
            $item_array = array(
                'item_id'           =>    $_GET["id"],
                'item_name'         =>    $_POST["hidden_name"],
                'item_quantity'     =>    $_POST["quantity"]
            );
            $_SESSION["shopping_cart"][$count] = $item_array;
            echo<script>alert("Item Has Been Added Into Cart")</script>;
        }
        else
        {
            echo '<script>alert("Item Already Added")</script>';
        }
    }
    else
    {
        $item_array = array(
            'item_id'           =>    $_GET["id"],
            'item_name'         =>    $_POST["hidden_name"],
            'item_quantity'     =>    $_POST["quantity"]
        );
        $_SESSION["shopping_cart"][0] = $item_array;
    }
}
?>
<!DOCTYPE html>
<html>
    <head>
        <link rel="stylesheet" href="navbar.css">
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">

        <title>Reference Book List</title>
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />
```

```

<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>
<!-- Google Font-->
<link rel="preconnect" href="https://fonts.gstatic.com">
<link
href="https://fonts.googleapis.com/css2?family=Ribeye&family=Ribeye+Marrow&family=Yusei+
Magic&display=swap" rel="stylesheet">
<style>
    body
    {
        font-family: 'Yusei Magic', sans-serif;

    }
    h2
    {
        font-family: 'Ribeye', cursive;
        color:tan;
        text-align: center;

    }
    hr.style-eight {
    overflow: visible; /* For IE */
    padding: 0;
    border: none;
    border-top: medium double #333;
    color: #333;
    text-align: center;
    }
    hr.style-eight:after {
    content:"\1F4D6";
    display: inline-block;
    position: relative;
    top: -0.7em;
    font-size: 1.5em;
    padding: 0 0.25em;
    background:repeat;
    }

    .row
    { display: flex;
    align-items: center;
    flex-wrap: wrap;
    justify-content: space-around;
    }

    .btn-1{

    display:inline-block;
    background: #1351E4;
    color:#FFFFFF;
    padding:8px 30px;
    margin:50px 0;
    border-radius:30px;

```

```

        transition:background 0.5s;
    }
    .btn-1:hover
    {background:#563434;
    }
    </style>
</head>
<body>
<?php
if(isset($_SESSION["log"]) && ($_SESSION["log"]==1))
{
    {
        $sid = $_SESSION['userID'];
        $sql = "SELECT * FROM user WHERE userID = '". $sid ."'";
        $query = mysqli_query($connect,$sql) or die("Query Fail");
        $data = mysqli_fetch_array($query);
        echo $_SESSION["userName"];
    }
}

?>

    <!-- Nav bar-->
    <body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="Bookview.php"><i class="fa fa-home"></i>Home</a></li>
                <li><a href="#"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
            <li><a href="dtl_Order.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
            <div class="sub-navbar-1">
                <ul>
                    <li><a href="Profile 2.php">Profile</a></li> <!-- Ahh-->
                    <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
                    <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                </ul>
            </div>
            </li>
        </ul>
    </div>

```

```

</div>
<!-- nav bar-->
<br />
<div class="container">
    <br />
    <br />
    <br />
    <br /> <br /> <br />
    <h2> CHILDREN REFERENCE BOOK </h2>
    <?php
        $query = "SELECT * FROM book where category_id='4'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">
                    <form method="post"
action="Ref.BookList.php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                            <h4 class="text-info"><?php echo $row["name"];
?></h4>

                            <input type="hidden" name="quantity" value="1"/>
                            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                    </form>
                </div>

                <?php
                    }
                }
            ?>
        </div>

        <br>
        <hr class="style-eight">
        <h2> ADULT REFERENCE LIST </h2>
        <br /><br />
        <div class="container">
            <br />

```

```

<?php
$query = "SELECT * FROM book where category_id='5'";
$result = mysqli_query($connect, $query);
if(mysqli_num_rows($result) > 0)
{
    while($row = mysqli_fetch_array($result))
    {
        ?>

<div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

        <form method="post"
action="Ref.BookList.php?action=add&id=<?php echo $row["id"]; ?>">
            <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                "
style="width:120px;height:160px" /><br />

                <h4 class="text-info"><?php echo $row["name"];
?></h4>

                <input type="hidden" name="quantity" value="1"/>
                <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

            </div>
        </form>
    </div>
<?php
    }
}
?>
</div> <br /> <br />

<hr class="style-eight">
<h2> TEEN REFERENCE LIST </h2>
<br /><br />
<?php
$query = "SELECT * FROM book where category_id='6'";
$result = mysqli_query($connect, $query);
if(mysqli_num_rows($result) > 0)
{
    while($row = mysqli_fetch_array($result))
    {
        ?>

    <div class="container">
        <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

```



```

        <form method="post"
action="Ref.BookList.php?action=add&id=<?php echo $row["id"]; ?>">
        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
            "
style="width:120px;height:160px" /><br />

            <h4 class="text-info"><?php echo $row["name"];
?></h4>

            <input type="hidden" name="quantity" value="1"/>
            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

        </div>
    </form>
</div>
<?php
    }
}
?>
</div>
<?php
} //user session

else
{ ?><div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="adminMainPage.php"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya
main page-->
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">Reference Book</a></li>
                    </ul>
                </div>
            </li>
            <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
                    </ul>
                </div>
            </li>
        </ul>
    </div>

```

```

</li>
</ul>
</div>
</div>
<!-- nav bar-->
<br />
<div class="container">
    <br />
    <br />
    <br />
    <br /> <br /> <br />
    <h2> CHILDREN REFERENCE BOOK </h2>
    <?php
        $query = "SELECT * FROM book where category_id='4'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">
                    <form method="post"
action="Ref.BookList.php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                            <h4 class="text-info"><?php echo $row["name"];
?></h4>

                            <input type="hidden" name="quantity" value="1"/>
                            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                    </form>
                </div>

                <?php
                    }
                }
            ?>
        </div>

        <br>
        <hr class="style-eight">
        <h2> ADULT REFERENCE LIST </h2>

```

```

        <br /><br />
<div class="container">
    <br />
    <?php
        $query = "SELECT * FROM book where category_id='5'";
        $result = mysqli_query($connect, $query);
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>

                <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                    <form method="post"
action="Ref.BookList.php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                            "
style="width:120px;height:160px" /><br />

                            <h4 class="text-info"><?php echo $row["name"];
?></h4>

                            <input type="hidden" name="quantity" value="1"/>
                            <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                            <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                    </form>
                </div>
            <?php
                }
            }
        ?>
    </div> <br /> <br />

<hr class="style-eight">
<h2> TEEN REFERENCE LIST </h2>
<br /><br />
<?php
    $query = "SELECT * FROM book where category_id='6'";
    $result = mysqli_query($connect, $query);
    if(mysqli_num_rows($result) > 0)
    {
        while($row = mysqli_fetch_array($result))
        {
            ?>
        }
    }
</div class="container">

```

```

        <div class="col-lg-4 d-flex flex-column justify-content-center
align-items-center">

                <form method="post"
action="Ref.BookList.php?action=add&id=<?php echo $row["id"]; ?>">
                        <div style="border:2px solid #333;
background-color:#F4DCD6; border-radius:5px; padding:14px;" align="center">
                                "
style="width:120px;height:160px" /><br />

                                <h4 class="text-info"><?php echo $row["name"];
?></h4>

                                <input type="hidden" name="quantity" value="1"/>
                                <input type="hidden" name="hidden_name"
value="<?php echo $row["name"]; ?>" />

                                <input type="submit" name="add_to_cart"
style="margin-top:5px;" class="btn btn-success" value="Add to Cart" />

                        </div>
                </form>
        </div>
        <?php
        }
    }
    ?>
</div>
<form action="updatebookRef.php">
    <div class="row">
        <button type="submit" class="btn-1" name="submit"
id="submit">Update</button>
    </div>
    <form action="deleteRefBook.php">
        <button type="submit" class="btn-1" >Delete</button>
    </form>
    <form action="adminBookView.php">
        <button type="submit" class="btn-1">Back</button>
    </form>
    </div>
</style>
</head>
<?php
}
?>
</body>
</html>

```

28)registerPage.php

```
<?php
session_start();
include 'connection.php';
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
if(isset($_POST['save']))
{
    $userId= $_POST['userid'];
    $username = $_POST['username'];
    $password= $_POST['pass'];
    $address = $_POST['address'];
    $email = $_POST['email'];
    $sql = "INSERT INTO user(userID,userName,userPass,address,email)
VALUES ('$userId','$username','$password','$address','$email')";
    if (mysqli_query($connect, $sql))
    {
        echo "<script>'WELCOME MY FRIEND !';
        window.location.href ='Accountpage.php';
        </script>";

    } else {
        echo "Error: " . $sql . "
" . mysqli_error($connect);
    }
    mysqli_close($connect);
}
?>
```

29)ReturnBook.php

```
<!--Tambah dekat head -->
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css
">

<!doctype html>

<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Font Awesome Icon Library -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.cs
s">
<!-- Google Font-->
<link rel="preconnect" href="https://fonts.gstatic.com">
<link
href="https://fonts.googleapis.com/css2?family=Ribeye&family=Ribeye+Marrow&family=
Yusei+Magic&display=swap" rel="stylesheet">

<title>Return Book</title>
<style>

/* Recommended Blink Text */
.Information
{font-size : 15px;
color:black;
animation-name:Title;
animation-duration: 2s;
animation-iteration-count: infinite;
}

@keyframes Title
{from {color: blue;}
to{color:red};
}

body
{font-family: 'Yusei Magic';
background-color: rgb(238,174,202);
background: linear-gradient(90deg, rgba(238,174,202,1) 5%, rgba(148,187,233,1) 50%);
}

.button {
background-color:#FFAAE8;
color: white;
padding: 15px 32px;
text-align: center;
```

```

text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
-webkit-transition-duration: 0.4s; /* Safari */
transition-duration: 0.4s;
}
.button2:hover {
box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24),0 17px 50px 0 rgba(0,0,0,0.19);
}
</style>
</head>

<!-- ----header-->
<body class="colorbody">
<div class="contain">
  <div class="navbar">
    <ul>
      <li class="active">
        <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
        <li><a href="#"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya main page-->
          <div class="sub-navbar-1">
            <ul>
              <li><a href="fictBook.php">Fiction</a></li>
              <li><a href="nonFict.Book.php">Non-Fiction</a></li>
              <li><a href="mysteryBook.php">Mystery</a></li>
              <li><a href="Ref.BookList.php">Reference Book</a></li>
            </ul>
          </div>
        </li>
        <li><a href="About Us.html"><i class="fa fa-address-card"
aria-hidden="true"></i>About us</a></li>
        <li><a href="dtl_Order.php"><i class="fa fa-shopping-cart"></i>Cart</a></li>
        <li><a href="#"><i class="fa fa-user-circle-o"></i>
          <div class="sub-navbar-1">
            <ul>
              <li><a href="ReturnBook.php">Return Book</a></li> <!--Ahh-->
            </ul>
          </div>
        </li>
      </ul>
    </div>
  </div>
  <div class="row">
    <span class="Information">
      <h1 align="center">Detail Return Book!!!!</h1></span>
      <fieldset >
    </div>
  </div>
  <div class="row">

```

```

<div class="column"><br>
<body>
<center><form action="ReturnReceipt.php" method="post">
<table border=0>
  <tr>
    <h3>PLEASE KEY IN YOUR DATA ACCURATELY!</h3>
    <br>
  </tr>
  <tr>
    <td><label class="col-sm-3 " for="name">NAME:</label></td>
    <td><input type="text" name="user_name" class="form-control" id="inName"
placeholder="NAME" required></td>
  </tr>

  <tr>
    <td><label class="col-sm-3 " for="TITTLEBOOK">TITLE BOOK:</label></td>
    <td><input type="text" name="title" class="form-control" id="title"
placeholder="TITTLEBOOK" required></td>
  </tr>

  <tr>
    <td><label class="col-sm-3 " for="TITTLEBOOK">TITLE BOOK:</label></td>
    <td><input type="text" name="title2" class="form-control" id="title2"
placeholder="TITTLEBOOK"></td>
  </tr>

  <tr>
    <td><label class="col-sm-3 " for="TITTLEBOOK">TITLE BOOK:</label></td>
    <td><input type="text" name="title3" class="form-control" id="title3"
placeholder="TITTLEBOOK"></td>
  </tr>

  <tr>
    <td><label class="col-sm-3 " for="TITTLEBOOK">TITLE BOOK:</label></td>
    <td><input type="text" name="title4" class="form-control" id="title4"
placeholder="TITTLEBOOK" ></td>
  </tr>

  <tr>
    <td><label class="col-sm-3">ISSUE DATE:</label></td>
    <td><input type="date" name="borrow_date" required></td>
  </tr>
  <tr><td><label class="col-sm-3">RETURN DATE:</label></td>
    <td><input type="date" name="return_date" required></td>
  </tr>
</table><br>
<input type="submit" value="Return" class="button button2">
</fieldse></form></center>

</body>

```


</html>

30)ReturnReceipt.php

```
<?php
session_start();
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
?>

<!doctype html>
<html><head>
    <!-- Google Font -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Quicksand:wght@500&family=Sofia&display=s
wap" rel="stylesheet">
    <div id="divToPrint">
    <center><div class="container" >
    <br></br></div></center>
    <br>
    <div class="col-md-2"></div>
    <div class="container">
<meta charset="utf-8">
<title>Book Return Receipt</title>

    <style>

        h2
            {
                font-family: 'Sofia', cursive;
                color:#67a3d9;
            }
        body
        {
            background-color: #fbd2d7;
            font-family: 'Quicksand', sans-serif;
        }

    </style>
</head>
<body>
<br><br>
<center><label
class="col-sm-3">*****</label>
    <h2>RETURN BOOK RECEIPT BY BIBLIOPHILE LIBRARY</h2>
<label class="col-sm-3">*****</label>
<?php
echo "<table>";
    echo "<h4>NAME:";echo $_POST['user_name'];</h4>";
    echo "<br/>";
    echo "<h4>BOOK TITLE:";echo $_POST['title'];</h4>";
```

```

        echo"<br/>";
echo"<h4>";echo $_POST['title2'];"</h4>";
echo"<br/>";
echo"<h4>";echo $_POST['title3'];"</h4>";
        echo"<br/>";
echo"<h4>";echo $_POST['title4'];"</h4>";

        echo"<br/>";
echo"<h4>ISSUE DATE:";echo $_POST['borrow_date'];"</h4>";
echo"<br/>";
echo"<h4>RETURN DATE:";echo $_POST['return_date'];"</h4>";

        echo "</table>";
        ?>
<h3>Please keep this receipt</h3>
<label
class="col-sm-3">*****</label></center>
        <center>
                <div class="hidden-print">
                        <button type="button" class="btn btn-primary btn-lg"
onclick="PrintDiv();">Print</button></center></div>
                </div><br>
</body>
</html>

<script type="text/javascript">
        function PrintDiv()
        { var divToPrint = document.getElementById('divToPrint');
          var popupWin = window.open("", '_blank', 'width=300,height=300');
          popupWin.document.open();
          popupWin.document.write('<html><body onload="window.print()">' + divToPrint.innerHTML
+ '</body></html>');
          popupWin.document.close();
        }
</script>

```

31)updatebookengine.php

```
<?php
session_start();
include 'connection.php';
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
if(isset($_POST['submit']))
{

    $name=$_POST["txtnamebook"];
    $image = $_FILES["image"]["name"];
    $data="/xampp/htdocs/Bibliophile/images".$image;
    // move_uploaded_file($_FILES["image"]["tmp_name"]);

    $author=$_POST["txtauthor"];
    $isbn=$_POST["txtisbn"];
    $publisher=$_POST["txtpublish"];
    $published_date=$_POST["date"];
    $category_id=$_POST["sltcategory"];
    $adminID=$_POST["txtID"];

    $sql5="INSERT INTO book (`name`,`image`,`author`,`isbn`,`publisher`,`published_date`,
`category_id`,`adminID`)
VALUES('".$name."','".$image."','".$author."','".$isbn."','".$publisher."','".$published_date."','".$category_id."','".$adminID."')";

    $result = mysqli_query($connect, $sql5) or die (mysqli_error());
    if($result)
    {

        header("Location:adminBookView.php");
        exit();
    }

    else
    die('Error: ' . mysqli_error($connect));
    }
    else
    {
        header("Location:updatebookpage.php");
        exit();
    }

?>
```

32)updatebookFic.php

```
<!doctype html>
<head>
<meta charset="utf-8">
<title>Register</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
</head>

<body class="colorbody">
<div class="contain">
  <div class="navbar">
    <ul>
      <li class="active">
        <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
      <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a>
        <div class="sub-navbar-1">
          <ul>
            <li><a href="fictBook.php">Fiction</a></li>
            <li><a href="nonFict.Book.php">Non-Fiction</a></li>
            <li><a href="mysteryBook.php">Mystery</a></li>
            <li><a href="Ref.BookList.php">References</a></li>
          </ul>
        </div>
      </li>
    </ul>
  </div>

  <li><a href="About Us.html"><i class="fa fa-address-card" ></i>About us</a></li>
  <li><a href="#"><i class="fa fa-user-circle-o"></i>
    <div class="sub-navbar-1">
      <ul>
        <li><a href="LogOut.php">Logout</a></li>
      </ul>
    </div>
  </li>
</ul>
</div>
<!--header-->

<!--form register-->
<style>
.colorbody
{background-color: rgb(238,174,202);
```

```

background: linear-gradient(90deg, rgba(238,174,202,1) 5%, rgba(148,187,233,1) 50%);
;
}
h1
{ margin:50px 50px;
  font-family: "Lucida Handwriting",cursive;
}
.btn{
display:inline-block;
background: #1351E4;
color:#FFFFFF;
padding:8px 30px;
margin:30px 0;
border-radius:30px;

  transition:background 0.5s;
}
.btn:hover
{background:#563434;
}
.form-container
{ background:#fff;
  width:720px;
  height:1150px;
  position:relative;
  text-align:center;
  padding: 30px 0;
  margin-top:200px;
  box-shadow:0 0 20px 0px rgba(0,0,0,0.1);
  overflow:hidden;
}
.form-container span
{ font-weight:bold;
  padding :0 10px;
  color: #555;
  cursor: pointer;
  width:100px;
}
.form-btn
{ display:inline-block;

}
form .btn
{ width:35%;
  border:none;
  cursor:pointer;
  margin-top:30px;
  margin-bottom:10px;
}
.form-container form
{ max-width:480px;

```

```

padding:20px 20px;
    margin:40px auto 40px;
position:center;
top:130px;
transition: transform 1s;
}
form input
{width:100%;
height:30px;
margin :20px 20px;
    text-align:center;
padding :5px 50px;
border :1px solid #ccc;
}
    form select
    { margin: 10px 0;
    }
    .row1
{ display: flex;
align-items: center;
flex-wrap: wrap;
justify-content: space-around;
}

```

</style>

<center>

<div class="form-container">

<h1>Register Book </h1>

<form id="formbook" name="formbook" method="POST" action="updatebookengine.php" enctype="multipart/form-data">

<div class="row1">

Title Book:

<input type="text" name="txtnamebook" id="txtnamebook"></div>

<div class="row1">

Image Of Book:

<input type="file" name="image" required="">

</div>

<div class="row1">

Name Author:

<input type="text" name="txtauthor" id="txtauthor"></div>

<div class="row1">

ISBN:

<input type="text" name="txtisbn" id="txtisbn"></div>

<div class="row1">

Publisher:

<input type="text" name="txtpublish" id="txtpublish"></div>

<div class="row1" >

Date:

```

<input type="date" name="date" id="date"></div>
<div class="row1" >
Staff ID:
<input type="text" name="txtID" id="txtID"></div>
<div class="row1" align="center">

Choose Category:

<select name="sltcategory">
<option>----Choose Category----</option>
<?php
    $sql = "SELECT * FROM category";
    $query = mysqli_query($connect,$sql);
    while($row = mysqli_fetch_array($query))
    {
if($row['category_id']==7||$row['category_id']==8||$row['category_id']==9)
    {
        ?>
        <option value="<?php echo $row["category_id"];?>"><?php echo $row["type"];?>
        <?php
            }
        }
        ?>
    }
</select>
</div>

<div class="row1">

    <button type="submit" class="btn" name="submit" id="submit"
value="submit">Submit</button>
    <button type="reset" class="btn" name="Clear" id="Clear"
Value="Clear">Cancel</button>
    <!--tukar--><a href="adminBookView.php" class="btn">Back</a>
    </div>
</form>

</div>
</center>
</body>
</html>

```

33)updatebookMystery.php

```
<!doctype html>
<head>
<meta charset="utf-8">
<title>Register</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
```

```

        <style>
h1
    { margin:50px 50px;
      font-family: "Lucida Handwriting",cursive;
    }
    .btn{
display:inline-block;
background: #1351E4;
color:#FFFFFF;
padding:8px 30px;
margin:30px 0;
border-radius:30px;

    transition:background 0.5s;
    }

        .colorbody
        {
            background-color: rgb(238,174,202);
background: linear-gradient(90deg, rgba(238,174,202,1) 5%, rgba(148,187,233,1) 50%);

        }

        .btn:hover
        {background:#563434;
        }

        .form-container
        { background:#fff;
          width:720px;
          height:1150px;
          position:relative;
          text-align:center;
          padding: 30px 0;
          margin-top:250px;
          box-shadow:0 0 20px 0px rgba(0,0,0,0.1);
          overflow:hidden;
        }
```



```

        .form-container span
        { font-weight:bold;
          padding :0 10px;
          color: #555;
          cursor: pointer;
          width:100px;
        }
        .form-btn
        { display:inline-block;

        }
        form .btn
        { width:35%;
          border:none;
          cursor:pointer;
          margin-top:30px;
            margin-bottom:10px;
        }
        .form-container form
        { max-width:480px;
          padding:20px 20px;
            margin:40px auto 40px;
          position:center;
          top:130px;
          transition: transform 1s;
        }
        form input
        {width:100%;
          height:30px;
          margin :20px 20px;
            text-align:center;
          padding :5px 50px;
          border :1px solid #ccc;
        }
        form select
        { margin: 10px 0;
        }
        .row1
        { display: flex;
          align-items: center;
          flex-wrap: wrap;
          justify-content: space-around;
        }

</style>
</head>

<body class="colorbody">
<div class="contain">
  <div class="navbar">
    <ul>

```

```

        <li class="active">
        <a href="adminBookView.php"><i class="fa fa-home"></i>Home</a></li>
        <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a> <!-- Ahh punya
main page-->
        <div class="sub-navbar-1">
        <ul>
        <li><a href="fictBook.php">Fiction</a></li>
        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
        <li><a href="mysteryBook.php">Mystery</a></li>
        <li><a href="Ref.BookList.php">Reference Book</a></li>
        </ul>
        </div>
        </li>
        <li><a href="About Us.html"><i class="fa fa-address-card" aria-hidden="true"></i>About
us</a></li>
        <li><a href="#"><i class="fa fa-user-circle-o"></i>
        <div class="sub-navbar-1">
        <ul>
        <li><a href="LogOut.php">Logout</a></li> <!--Pipi-->
        </ul>
        </div>
        </li>
        </ul>
        </div>
        </div>
        <!--header-->
        <?php

        ?>

        <!--form register-->

        <center>
        <div class="form-container">

        <h1>Register Book </h1>
        <form id="formbook" name="formbook" method="POST" action="updatebookengine.php"
        enctype="multipart/form-data">
        <div class="row1">
        Title Book:
        <input type="text" name="txtnamebook" id="txtnamebook"></div>
        <div class="row1">

        Image Of Book:
        <input type="file" name="image" required="">
        </div>
        <div class="row1">
        Name Author:
        <input type="text" name="txtauthor" id="txtauthor"></div>
        <div class="row1">

```

```

ISBN:
<input type="text" name="txtisbn" id="txtisbn"></div>
<div class="row1">
Publisher:
<input type="text" name="txtpublish" id="txtpublish"></div>
<div class="row1" >
Date:
<input type="date" name="date" id="date"></div>
<div class="row1" >
Staff ID:
<input type="text" name="txtID" id="txtID"></div>
<div class="row1" align="center">

Choose Category:

<select name="sltcategory">
<option>----Choose Category---</option>
<?php
    $sql = "SELECT * FROM category";
    $query = mysqli_query($connect,$sql);
    while($row = mysqli_fetch_array($query))
    {
if($row['category_id']==10||$row['category_id']==11||$row['category_id']==12)
    {
        ?>
        <option value="<?php echo $row['category_id'];?>"><?php echo $row['type'];?>
        <?php
            }
        }
        ?>
    }
</select>
</div>

    <div class="row1">

        <button type="submit" class="btn" name="submit" id="submit"
value="submit">Submit</button>
        <button type="reset" class="btn" name="Clear" id="Clear"
Value="Clear">Cancel</button>
        <!-- tukar --><a href="mysteryBook.php" class="btn">Back</a>
    </div>
</form>

</div>
</center>
</body>
</html>

```

34)updatebookNonFic.php

```
<!doctype html>
<head>
<meta charset="utf-8">
<title>Register</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css
">
<?php
session_start();
include "connection.php";
$conn = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
</head>

<body class="colorbody">
<div class="contain">
  <div class="navbar">
    <ul>
      <li class="active">
        <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
      <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a>
        <div class="sub-navbar-1">
          <ul>
            <li><a href="fictBook.php">Fiction</a></li>
            <li><a href="nonFict.Book.php">Non-Fiction</a></li>
            <li><a href="mysteryBook.php">Mystery</a></li>
            <li><a href="Ref.BookList.php">References</a></li>
          </ul>
        </div>
      </li>
    </ul>
  </div>

  <li><a href="About Us.html"><i class="fa fa-address-card" ></i>About us</a></li>

  <li><a href="#"><i class="fa fa-user-circle-o"></i>
    <div class="sub-navbar-1">
      <ul>
        <li><a href="LogOut.php">Logout</a></li>
      </ul>
    </div>
  </li>
</ul>
</div>
<!--header-->
<?php
//if(isset($_SESSION["login"])&& isset($_POST["password"]))
//if(isset($_SESSION["login"]) && ($_SESSION["login"]==2)
```

?>

```
<!--form register-->
<style>
.colorbody
{background:#B2D9EA;
}
h1
    { margin:50px 50px;
      font-family: "Lucida Handwriting",cursive;
    }
    .btn{
      display:inline-block;
      background: #1351E4;
      color:#FFFFFF;
      padding:8px 30px;
      margin:30px 0;
      border-radius:30px;

      transition:background 0.5s;
    }
    .btn:hover
    {background:#563434;
    }
    .form-container
    { background:#fff;
      width:720px;
      height:1150px;
      position:relative;
      text-align:center;
      padding: 30px 0;
      margin-top:200px;
      box-shadow:0 0 20px 0px rgba(0,0,0,0.1);
      overflow:hidden;
    }
    .form-container span
    { font-weight:bold;
      padding :0 10px;
      color: #555;
      cursor: pointer;
      width:100px;
    }
    .form-btn
    { display:inline-block;

    }
    form .btn
    { width:35%;
      border:none;
      cursor:pointer;
      margin-top:30px;
```

```

        margin-bottom:10px;
    }
    .form-container form
    { max-width:480px;
      padding:20px 20px;
        margin:40px auto 40px;
      position:center;
      top:130px;
      transition: transform 1s;
    }
    form input
    {width:100%;
      height:30px;
      margin :20px 20px;
        text-align:center;
      padding :5px 50px;
      border :1px solid #ccc;
    }
        form select
        { margin: 10px 0;
        }
    .row1
    { display: flex;
      align-items: center;
      flex-wrap: wrap;
      justify-content: space-around;
    }

```

</style>

<center>

<div class="form-container">

<h1>Register Book </h1>

<form id="formbook" name="formbook" method="POST"
action="updatebookengine.php" enctype="multipart/form-data">

<div class="row1">

Title Book:

<input type="text" name="txtnamebook" id="txtnamebook"></div>

<div class="row1">

Image Of Book:

<input type="file" name="image" required="">

</div>

<div class="row1">

Name Author:

<input type="text" name="txtauthor" id="txtauthor"></div>

<div class="row1">

ISBN:

<input type="text" name="txtisbn" id="txtisbn"></div>

<div class="row1">

```

Publisher:
<input type="text" name="txtpublish" id="txtpublish"></div>
<div class="row1" >
Date:
<input type="date" name="date" id="date"></div>
<div class="row1" >
Staff ID:
<input type="text" name="txtID" id="txtID"></div>
<div class="row1" align="center">

Choose Category:

<select name="slcategory">
<option>----Choose Category---</option>
<?php
    $sql = "SELECT * FROM category";
    $query = mysqli_query($connect,$sql);
    while($row = mysqli_fetch_array($query))
    {
if($row['category_id']==1||$row['category_id']==2||$row['category_id']==3)
    {
        ?>
        <option value="<?php echo $row["category_id"];?>"><?php echo $row["type"];?>
        <?php
            }
        }
        ?>
    </select>
</div>

    <div class="row1">

        <button type="submit" class="btn" name="submit" id="submit"
value="submit">Submit</button>
        <button type="reset" class="btn" name="Clear" id="Clear"
Value="Clear">Cancel</button>
        <!-- tukar --><a href="nonFict.Book.php" class="btn">Back</a>
    </div>
</form>

</div>
</center>
</body>
</html>

```

35)updateBookRef.php

```
<!doctype html>
<head>
<meta charset="utf-8">
<title>Register</title>
<link rel="stylesheet" href="navbar.css">
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
<?php
session_start();
include "connection.php";
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");

?>
</head>

<body class="colorbody">
<div class="contain">
    <div class="navbar">
        <ul>
            <li class="active">
                <a href="index.php"><i class="fa fa-home"></i>Home</a></li>
            <li><a href="adminBookView.php"><i class="fa fa-book"></i>Genre</a>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="fictBook.php">Fiction</a></li>
                        <li><a href="nonFict.Book.php">Non-Fiction</a></li>
                        <li><a href="mysteryBook.php">Mystery</a></li>
                        <li><a href="Ref.BookList.php">References</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
    <div class="sub-navbar-1">
        <ul>
            <li><a href="About Us.html"><i class="fa fa-address-card"></i>About us</a></li>
            <li><a href="#"><i class="fa fa-user-circle-o"></i>
                <div class="sub-navbar-1">
                    <ul>
                        <li><a href="Home.html">Logout</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
</div>
<!--header-->
<?php
//if(isset($_SESSION["login"])&& isset($_POST['password']))
//if(isset($_SESSION["login"]) && ($_SESSION["login"]==2)
```


?>

```
<!--form register-->
<style>
.colorbody
{background:#B2D9EA;
}
h1
    { margin:50px 50px;
      font-family: "Lucida Handwriting",cursive;
    }
    .btn{
      display:inline-block;
      background: #1351E4;
      color:#FFFFFF;
      padding:8px 30px;
      margin:30px 0;
      border-radius:30px;

      transition:background 0.5s;
    }
    .btn:hover
    {background:#563434;
    }
    .form-container
    { background:#fff;
      width:720px;
      height:1150px;
      position:relative;
      text-align:center;
      padding: 30px 0;
      margin-top:200px;
      box-shadow:0 0 20px 0px rgba(0,0,0,0.1);
      overflow:hidden;
    }
    .form-container span
    { font-weight:bold;
      padding :0 10px;
      color: #555;
      cursor: pointer;
      width:100px;
    }
    .form-btn
    { display:inline-block;

    }
    form .btn
    { width:35%;
      border:none;
      cursor:pointer;
      margin-top:30px;
```

```

        margin-bottom:10px;
    }
    .form-container form
    { max-width:480px;
      padding:20px 20px;
        margin:40px auto 40px;
      position:center;
      top:130px;
      transition: transform 1s;
    }
    form input
    {width:100%;
      height:30px;
      margin :20px 20px;
        text-align:center;
      padding :5px 50px;
      border :1px solid #ccc;
    }
        form select
        { margin: 10px 0;
        }
    .row1
    { display: flex;
      align-items: center;
      flex-wrap: wrap;
      justify-content: space-around;
    }

```

</style>

<center>

<div class="form-container">

<h1>Register Book </h1>

<form id="formbook" name="formbook" method="POST" action="updatebookengine.php" enctype="multipart/form-data">

<div class="row1">

Book ID:

<input type="text" name="txtbookid" id="txtbookid"></div>

<div class="row1">

Title Book:

<input type="text" name="txtnamebook" id="txtnamebook"></div>

<div class="row1">

Image Of Book:

<input type="file" name="image" required="">

</div>

<div class="row1">

Name Author:

<input type="text" name="txtauthor" id="txtauthor"></div>

<div class="row1">

```

ISBN:
<input type="text" name="txtisbn" id="txtisbn"></div>
<div class="row1">
Publisher:
<input type="text" name="txtpublish" id="txtpublish"></div>
<div class="row1" >
Date:
<input type="date" name="date" id="date"></div>
<div class="row1" >
Staff ID:
<input type="text" name="txtID" id="txtID"></div>
<div class="row1" align="center">

Choose Category:

<select name="sltcategory">
<option>----Choose Category---</option>
<?php
    $sql = "SELECT * FROM category";
    $query = mysqli_query($connect,$sql);
    while($row = mysqli_fetch_array($query))
    {
if($row['category_id']==4||$row['category_id']==5||$row['category_id']==6)
    {
        ?>
        <option value="<?php echo $row['category_id'];?>"><?php echo $row['type'];?>
        <?php
            }
        }
    }
    ?>
</select>
</div>

<div class="row1">

    <button type="submit" class="btn" name="submit" id="submit"
value="submit">Submit</button>
    <button type="reset" class="btn" name="Clear" id="Clear"
Value="Clear">Cancel</button>
    <!--tukar--><a href="Ref.BookList.php" class="btn">Back</a>
</div>
</form>

</div>
</center>
</body>
</html>

```

36)ReceiptBorrow.php

```

<?php
session_start();
$connect = mysqli_connect("localhost", "root", "", "bibliophilelibrary");
?>
<!DOCTYPE html>
<html>
<div id="divToPrint">
  <head>
    <!-- Google Font -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
  <link
href="https://fonts.googleapis.com/css2?family=Quicksand:wght@500&family=Sofia&display=s
wap" rel="stylesheet">
    <!-->
    <title>RECEIPT BORROW BOOK</title>
    <style>
      h3
      {
        font-family: 'Quicksand', sans-serif;
      }

      h2
      {
        font-family: 'Sofia', cursive;
        color:#24305e;
      }
    </style>
  </head>
  <body bgcolor="#a8d0e6">
    <?php
if(isset($_SESSION["log"]) && ($_SESSION["log"]==1))
{
  $id = $_SESSION['userID'];
  $name=$_SESSION['userName'];
  ?>
  <br>
  <div class="col-sm-6">
    <form name="myForm" onsubmit="return validateForm()" action="#" method="POST";>
    <center><br><br>
      <script>alert("Enter Ctrl+P to print");</script>
      <h2>BIBLIOPHILE LIBRARY</h2>
      <h3> No.5, JALAN MAHMOOD, 15200 KOTA BHARU,KELANTAN</h3>
      <h3>TEL : 09-7632189</h3></font><br>
      <label class="col-sm-3">*****</label>
      <h3>RECEIPT BIBLIOPHILE LIBRARY</h3>
      <label class="col-sm-3">*****</label>
      <table border=0><tr>
        <?php
        $query = "SELECT * FROM receipt where userName='".$name.'";

```

```

        $result = mysqli_query($connect, $query) or die ("Query Fail");
        if(mysqli_num_rows($result) > 0)
        {
            while($row = mysqli_fetch_array($result))
            {
                ?>
            }
        }
    ?>
</tr>
<td><label class="col-sm-3 " for="TITLEBOOK">TITLE BOOK:</label></td>
<td><h4 class="text-info"><?php echo $row["name"];
?></h4></td>
</tr>

<tr>
<td><label class="col-sm-3">ISSUE DATE:</label></td>
<td><h4 class="text-info"> <?php echo $row["borrowDate"]; ?></h4></td>
</tr>

<tr>
<td><label class="col-sm-3">BORROWER'S NAME:</label></td>
<td><h4 class="text-info"> <?php echo $row["userName"]; ?></h4></td>
</tr>

        <?php
        }
    ?>
</table><label
class="col-sm-3">*****</label>
<h3 align="center">Please Return This Book by 7 Days or else penalty will be
given!</h3>

</form>
<?php
}
?>
</body>
</div>
</html>

```

37)navbar.css

```
*
{ margin:0;
  padding:0;
}
body
{
  background-position:center;
  box-sizing: border-box;
  background-color: rgb(238,174,202);
  background: linear-gradient(90deg, rgba(238,174,202,1) 5%, rgba(148,187,233,1) 50%);
}

.contain
{max-width: 2000px;
 margin: auto;
 padding-left: 20px;
 padding-right: 20px;}

.navbar
{
  text-align:center;
}
.navbar ul
{ display :inline-flex;
  list-style: none;
  color:#B2D9EA;
}
.navbar ul li
{ width:120px;
  margin:15px;
  padding:15px;
}
a{
  text-decoration: none;
  color:#555;
  font-size:20px;
}
p{ color: #555;
}
.navbar ul li a
{text-decoration:none;
color:#000000;
}

.active,.navbar ul li:hover
```

```

{background:transparent;
border-radius:3px;
}
.navbar .fa
{ margin-right: 8px;
}
.sub-navbar-1
{ display:none;

}
.navbar ul li:hover .sub-navbar-1
{ display:block;
position:absolute;
background:#B2D9EA;
margin-top: 15px;
margin-left:-15px;
}
.navbar ul li:hover .sub-navbar-1 ul
{display:block;
margin:10px;
}
.navbar ul li:hover .sub-navbar-1 ul li
{ width:150px;
padding:10px;
border-bottom:1px dotted #fff;
background: transparent;
border-radius:0;
text-align:left;
}
.navbar ul li:hover .sub-navbar-1 ul li:last-child
{ border-bottom:none;
}
.navbar ul li:hover .sub-navbar-1 ul li a:hover
{ color: #b2ff00;
}
/*-----navbar-----*/

```

38)accountstyle.css

```
.row
{ display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}
.col-2
{flex-basis :50%;
min-width:300px;
}
.col-2 img
{ *max-width:100%;
padding:50px 0;
}
/*account page */
.btn{
    display:inline-block;
    background: #1351E4;
    color:#FFFFFF;
    padding:8px 30px;
    margin:50px 0;
    border-radius:30px;
    transition:background 0.5s;
}
.btn:hover
{background:#563434;
}
.account-page
{ padding: 50px 0;
}
.form-container
{ background:#fff;
width:320px;
height:400px;
position:relative;
text-align:center;
padding: 30px 0;
margin-top:60px;
box-shadow:0 0 20px 0px rgba(0,0,0,0.1);
overflow:hidden;
}

.form-container span
{ font-weight:bold;
padding :0 10px;
color: #555;
cursor: pointer;
width:100px;
```



```

    display:inline-block;
}
.form-btn
{ display:inline-block;
}
.form-container form
{ max-width:280px;
padding:0 20px;
position:absolute;
top:130px;
transition: transform 1s;
}
form input
{width:80%;
height:30px;
margin :10px 0;
padding :0 10px;
border :1px solid #ccc;
}
form .btn
{ width:100%;
border:none;
cursor:pointer;
margin:10px 0;
}
form .btn:focus
{ outline:none;
}
#LoginForm
{ left:-300px;
}
#RegForm
{ left:0;
}
form a
{ font-size:12px;
}
#Indicator
{
    width:80px;
border:none;
background: #1ad1ff;
height: 3px;
margin-top:8px;
transform:translateX(100px);
transition:transform 1s;
}

```

39)homestyle.css

```
.row
{ display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}
.row img
{ display:flex;

}
.col-1
{ flex-basis: 50%;
  min-width: 300px;

}
.col-1 h1
{ font-size:50px;
  font-family:"Papyrus",fantasy;
  line-height:60px;
  margin-top:160px;
  margin-bottom:20px;
  align-items:center;
  text-shadow:0 0 3px #FF0000;
}

.col-1 img
{ display:flex;
  max-width: 200%;
  padding: 100px 0;
  margin-top:50px;
  width :100%;
}

.btn{

  display:inline-block;
  background: #1351E4;
  color:#FFFFFF;
  padding:8px 30px;
  margin:50px 0;
  border-radius:30px;
  transition:background 0.5s;

}
.btn:hover
```

```
{background:#563434;  
}
```

```
.contain  
{max-width: 1300px;  
margin: auto;  
padding-left: 25px;  
padding-right: 25px;}
```