```
qgonsalv@LIN80033537 MINGW64 ~
$ git config --global user.name "queany"

qgonsalv@LIN80033537 MINGW64 ~
$ git config --global user.email "queanycarol@gmail.com"

qgonsalv@LIN80033537 MINGW64 ~
$ mkdir project_dir

qgonsalv@LIN80033537 MINGW64 ~
$ cd project_dir/

qgonsalv@LIN80033537 MINGW64 ~/project_dir
$ git init
Initialized empty Git repository in C:/Users/qgonsalv/project_dir/.git/

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ touch index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html

nothing added to commit but untracked files present (use "git add" to track)

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git add index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git commit -m "first commit"
[master (root-commit) 990e38b] first commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ vi index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ touch info.txt

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
```

```
qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ touch index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html

nothing added to commit but untracked files present (use "git add" to track)

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git add index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git commit -m "first commit"
[master (root-commit) 990e38b] first commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ vi index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ touch info.txt

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        info.txt

no changes added to commit (use "git add" and/or "git commit -a")

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ vi .gitignore

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
```

```
ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ touch info.txt

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        info.txt

no changes added to commit (use "git add" and/or "git commit -a")

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ vi .gitignore

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

no changes added to commit (use "git add" and/or "git commit -a")

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git commit -a -m "second commit"
warning: LF will be replaced by CRLF in index.html.
The file will have its original line endings in your working directory
[master 83f2813] second commit
 1 file changed, 1 insertion(+)

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git log
commit 83f2813cf732e89c0215831123729d47f1a331ab (HEAD -> master)
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 09:22:43 2021 +0530

    second commit
```

```
ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git commit -a -m "second commit"
warning: LF will be replaced by CRLF in index.html.
The file will have its original line endings in your working directory
[master 83f2813] second commit
 1 file changed, 1 insertion(+)

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git log
commit 83f2813cf732e89c0215831123729d47f1a331ab (HEAD -> master)
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 09:22:43 2021 +0530

    second commit

commit 990e38b03c4f42b10889f62c09ab4dcf982399c3
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 09:17:27 2021 +0530

    first commit

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ vi index.html

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git log
commit 83f2813cf732e89c0215831123729d47f1a331ab (HEAD -> master)
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 09:22:43 2021 +0530

    second commit

commit 990e38b03c4f42b10889f62c09ab4dcf982399c3
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 09:17:27 2021 +0530

    first commit

ggonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git reset index.html
Unstaged changes after reset:
M       index.html
```

```
$ git checkout index.html
Updated 1 path from the index

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ cat index.html
This is index.html file

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ vi index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git add index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore


qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git reset index.html
Unstaged changes after reset:
M       index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

no changes added to commit (use "git add" and/or "git commit -a")

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git config --global alias.my-add add

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
```

```
        .gitignore

no changes added to commit (use "git add" and/or "git commit -a")

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git config --global alias.my-add add

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git my-add index.html

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore


qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git commit -m "third commit"
[master a280fc1] third commit
 1 file changed, 1 insertion(+)

qgonsalv@LIN80033537 MINGW64 ~/project_dir (master)
$ git log
commit a280fc165ebb18059615d1fb3ac1bad1ea0bafe2 (HEAD -> master)
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 10:01:41 2021 +0530

    third commit

commit 83f2813cf732e89c0215831123729d47f1a331ab
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 09:22:43 2021 +0530

    second commit

commit 990e38b03c4f42b10889f62c09ab4dcf982399c3
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 09:17:27 2021 +0530

    first commit
```

```
git reset --hard  83f2813cf732e89c0215831123729d47f1a331ab
EAD is now at 83f2813 second commit


gonsalv@LIN80033537 MINGW64 ~/project_dir (master)
 cat index.html
his is index.html file


gonsalv@LIN80033537 MINGW64 ~/project_dir (master)
```

```
nothing added to commit but untracked files present (use "git add" to track)

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git config --global user.name "queany"

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git config --global user.email "queanycarol@gmail.com"

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git commit -a -m "first commit"
On branch master

Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        README.txt

nothing added to commit but untracked files present (use "git add" to track)

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git add README.txt
warning: LF will be replaced by CRLF in README.txt.
The file will have its original line endings in your working directory

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.txt


qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git commit -m "first commit"
[master (root-commit) 2f57c92] first commit
 1 file changed, 3 insertions(+)
 create mode 100644 README.txt
```

```
qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git checkout master
Switched to branch 'master'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ ls
README.txt  contact.html  home.html  index.html

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        contact.html
        home.html
        index.html

nothing added to commit but untracked files present (use "git add" to track)

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git checkout html-assignments
Switched to branch 'html-assignments'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git commit -a -m "second commit"
On branch html-assignments
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        contact.html
        home.html
        index.html

nothing added to commit but untracked files present (use "git add" to track)

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Turn this message off by running
hint: "git config advice.addEmptyPathspec false"

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git add .
```

```
qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git commit -m "first commit"
[master (root-commit) 2f57c92] first commit
 1 file changed, 3 insertions(+)
 create mode 100644 README.txt

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git branch
* master

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git branch html-assignments

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git checkout html-assignments
Switched to branch 'html-assignments'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ touch index.html home.html contact.html

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ ls
README.txt  contact.html  home.html  index.html

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git checkout Assignments
error: pathspec 'Assignments' did not match any file(s) known to git

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git branch
* html-assignments
  master

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git checkout master
Switched to branch 'master'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ ls
README.txt  contact.html  home.html  index.html

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git status
On branch master
```

```
ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git status
On branch html-assignments
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   contact.html
        new file:   home.html
        new file:   index.html


ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git commit -m "second commit"
[html-assignments ce3b9a7] second commit
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 contact.html
 create mode 100644 home.html
 create mode 100644 index.html

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ vi index.html

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ echo "this is home page" > home.html

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git status
On branch html-assignments
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   home.html
        modified:   index.html

no changes added to commit (use "git add" and/or "git commit -a")

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git commit -a -m "third commit"
warning: LF will be replaced by CRLF in home.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in index.html.
The file will have its original line endings in your working directory
[html-assignments ec620fe] third commit
 2 files changed, 2 insertions(+)

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git checkout master
```

```
$ git status
On branch html-assignments
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   home.html
        modified:   index.html

no changes added to commit (use "git add" and/or "git commit -a")

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git commit -a -m "third commit"
warning: LF will be replaced by CRLF in home.html.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in index.html.
The file will have its original line endings in your working directory
[html-assignments ec620fe] third commit
 2 files changed, 2 insertions(+)

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git checkout master
Switched to branch 'master'

ggonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ vi README.txt

ggonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git commit -a -m "second commmit"
warning: LF will be replaced by CRLF in README.txt.
The file will have its original line endings in your working directory
[master 3d696c5] second commmit
 1 file changed, 1 insertion(+)

ggonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git checkout html-assignments
Switched to branch 'html-assignments'

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git status
On branch html-assignments
nothing to commit, working tree clean

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ vi contact.html

ggonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ vi home.html
```

```
qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ vi home.html

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git log
commit ec620fe3e040bc5ff576f9914e54b5a004419d8b (HEAD -> html-assignments)
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 10:50:38 2021 +0530

    third commit

commit ce3b9a7b768beb24055da2982b2ff0e315a8b08d
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 10:48:33 2021 +0530

    second commit

commit 2f57c9261341f162a02fa3848b25aa70e19ec7a0
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 10:31:11 2021 +0530

    first commit

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git commit -a -m "Fourth commit"
warning: LF will be replaced by CRLF in contact.html.
The file will have its original line endings in your working directory
[html-assignments 8c2f16f] Fourth commit
 2 files changed, 2 insertions(+)

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git checkout master
Switched to branch 'master'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git merge html-assignments
Merge made by the 'recursive' strategy.
 contact.html | 1 +
 home.html    | 2 ++
 index.html   | 1 +
 3 files changed, 4 insertions(+)
 create mode 100644 contact.html
 create mode 100644 home.html
 create mode 100644 index.html

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ cat index.html
```

```
qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git commit -a -m "Fourth commit"
warning: LF will be replaced by CRLF in contact.html.
The file will have its original line endings in your working directory
[html-assignments 8c2f16f] Fourth commit
 2 files changed, 2 insertions(+)

qgonsalv@LIN80033537 MINGW64 ~/Assignments (html-assignments)
$ git checkout master
Switched to branch 'master'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git merge html-assignments
Merge made by the 'recursive' strategy.
 contact.html | 1 +
 home.html    | 2 ++
 index.html   | 1 +
 3 files changed, 4 insertions(+)
 create mode 100644 contact.html
 create mode 100644 home.html
 create mode 100644 index.html

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ cat index.html
This is index file

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ cat home.html
this is home page
title: grocery store

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ cat contact.html
This is contact page

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git branch -d html-assignments
Deleted branch html-assignments (was 8c2f16f).

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git branch
* master

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ |
```

```
qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git branch js-assignments

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git checkout js-assignments
Switched to branch 'js-assignments'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ touch home.js contact.js

qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ vi README.txt

qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ git commit -a -m "first commit
> "
[js-assignments ee1660a] first commit
 1 file changed, 1 insertion(+)

qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ git checkout master
Switched to branch 'master'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ vi README.txt


qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git log
commit 1e06b6ff75c6e46add2b666e43e5d7c87cc33df0 (HEAD -> master)
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 11:12:43 2021 +0530

    second commit

commit cc71d82c2c5919097d0271cefef397bb594125bf
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 11:09:42 2021 +0530

    first commit

commit 4fdcfd25c8753cf61a9d55a1a5df493bb0358502
Merge: 3d696c5 8c2f16f
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 10:57:08 2021 +0530

    Merge branch 'html-assignments'
    first merge

commit 8c2f16f6e14e0bb2e97b18c16d61449f1d3b84b7
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 10:55:52 2021 +0530

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git commit -a -m "third commit"
[master 907b4d5] third commit
 1 file changed, 1 insertion(+), 1 deletion(-)

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git checkout js-assignments
Switched to branch 'js-assignments'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ vi home.js

qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ vi contact.js

qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ git add .
warning: LF will be replaced by CRLF in contact.js.
The file will have its original line endings in your working directory
```

```
commit 1e06b6ff75c6e46add2b666e43e5d7c87cc33df0
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 11:12:43 2021 +0530

    second commit

commit cc71d82c2c5919097d0271cefef397bb594125bf
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 11:09:42 2021 +0530

    first commit

commit 4fdcfd25c8753cf61a9d55a1a5df493bb0358502
Merge: 3d696c5 8c2f16f
Author: queany <queanycarol@gmail.com>
Date:   Sun Nov 7 10:57:08 2021 +0530


qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ git commit -m "second commit"
[js-assignments 903d60b] second commit
 2 files changed, 2 insertions(+)
 create mode 100644 contact.js
 create mode 100644 home.js

qgonsalv@LIN80033537 MINGW64 ~/Assignments (js-assignments)
$ git checkout master
Switched to branch 'master'

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git merge js-assignments
Auto-merging README.txt
Merge made by the 'recursive' strategy.
 README.txt | 1 +
 contact.js | 1 +
 home.js    | 1 +
 3 files changed, 3 insertions(+)
 create mode 100644 contact.js
 create mode 100644 home.js

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git branch -d js-assignments
Deleted branch js-assignments (was 903d60b).

qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ |
```

```
gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 git remote add origin https://github.com/queany/freshersbatch-oct16.git

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 git remote -v
rigin  https://github.com/queany/freshersbatch-oct16.git (fetch)
rigin  https://github.com/queany/freshersbatch-oct16.git (push)

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 git push -u origin master index.html
rror: src refspec index.html does not match any
rror: failed to push some refs to 'https://github.com/queany/freshersbatch-oct'

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 ls
EADME.txt  contact.css  contact.html  contact.js  home.css  home.html  home.js

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 git status
n branch master
othing to commit, working tree clean

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 cat index.html
his is index file

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 vi .gitignore

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 git push -u origin master
atal: unable to access 'https://github.com/queany/freshersbatch-oct16.git/': s

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 git config --global http.sslVerify false

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 git push -u origin master
atal: unable to access 'https://github.com/queany/freshersbatch-oct16.git/':

gonsalv@LIN80033537 MINGW64 ~/Assignments (master)
 git push -u origin master
```

Type here to search

```
qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git remote add main https://github.com/queany/freshersbatch-oct16.git


qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git remote -v
main    https://github.com/queany/freshersbatch-oct16.git (fetch)
main    https://github.com/queany/freshersbatch-oct16.git (push)
origin  https://github.com/queany/freshersbatch-oct16.git (fetch)
origin  https://github.com/queany/freshersbatch-oct16.git (push)


qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git remote add origin https://github.com/queany/freshersbatch-oct16.git
error: remote origin already exists.


qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/queany/freshersbatch-oct16.git'


qgonsalv@LIN80033537 MINGW64 ~/Assignments (master)
$ git push -u origin master
Enumerating objects: 37, done.
Counting objects: 100% (37/37), done.
Delta compression using up to 8 threads
Compressing objects: 100% (28/28), done.
Writing objects: 100% (37/37), 3.14 KiB | 459.00 KiB/s, done.
Total 37 (delta 12), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (12/12), done.
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:      https://github.com/queany/freshersbatch-oct16/pull/new/master
remote:
```

⊙ Unwatch ▾ 1   ☆ Star 0   ⑂ Fork 0

<> Code   ⊙ Issues   ⇅ Pull requests   ⊙ Actions   ⊞ Projects   ⊞ Wiki   ⊙ Security   ⬚ Insights   ⚙ Settings

⑂ master ▾   ⑂ 2 branches   ⬚ 0 tags

Go to file   Add file ▾   Code ▾

About

freshersbatch-oct16 Assignment git

This branch is 12 commits ahead, 1 commit behind main.

⇅ Contribute ▾

☐ Readme

queany Merge branch 'js-assignments'   d0f0f9b 4 days ago   ⟳ 12 commits

Releases

No releases published
Create a new release

📄 README.txt	Merge branch 'js-assignments'	4 days ago
📄 contact.css	first commit	4 days ago
📄 contact.html	Fourth commit	4 days ago
📄 contact.js	second commit	4 days ago
📄 home.css	first commit	4 days ago

Packages

No packages published
Publish your first package

<> Code   ⊙ Issues   ⇊ Pull requests   ⊙ Actions   ⊟ Projects   ⊞ Wiki   ⊘ Security   ⮬ Insights   ⚙ Settings

⑂ main ▾   ⑂ 1 branch   ◇ 0 tags   Go to file   Add file ▾   Code ▾

About

No description, website, or topics provided.

📖 Readme

queany This is the first commit   85f3652 3 days ago   ◷ 2 commits

📁 sample project   This is the first commit   3 days ago

📄 README.md   Initial commit   3 days ago

Releases

No releases published
Create a new release

README.md   ✎

sample-project

Packages

No packages published
Publish your first package

<> Code   ⊙ Issues   ⏸ Pull requests   ▷ Actions   ▤ Projects   ▭ Wiki   ⊘ Security   ⬚ Insights   ⚙ Settings

⑂ main ▾   **sample-project** / sample project /

Go to file   Add file ▾   ⋯

🟢 **queany** This is the first commit   85f3652 3 days ago   ⟳ History

..

📁 .settings	This is the first commit	3 days ago
📄 .classpath	This is the first commit	3 days ago
📄 .gitignore	This is the first commit	3 days ago
📄 .project	This is the first commit	3 days ago