SAFETY DATA SHEET (SDS)

Product Name: Biozet Attack PLUS Eliminator Laundry Powder

SDS Number: KAO-BZA-ELI-03

Manufacturer / Supplier: Kao (Australia) Marketing Pty. Ltd.

Issue Date: January 2026

Address: 1911 Malvern Road, Malvern East VIC 3145, Australia

Version: 2.0 (GHS 7 compliant)

Emergency Telephone (Poisons Information): 13 11 26

Product Code / Ref: BZA-PLP-ELI-2026

SECTION 1: IDENTIFICATION

Product Name: Biozet Attack PLUS Eliminator Laundry Powder
Intended Use: Heavy-duty household and commercial washing machine laundry powder (Front and Top Loader).
Supplier: Kao (Australia) Marketing Pty. Ltd., 1911 Malvern Road, Malvern East VIC 3145.
Customer Care: 1800 468 318 | **Poisons Information Centre:** 13 11 26 (24/7 Australia-wide).

SECTION 2: HAZARDS IDENTIFICATION

Classification under Safe Work Australia & GHS 7:

Signal Word: DANGER
• H318: Causes serious eye damage (Category 1).
• H315: Causes skin irritation (Category 2).
• H302: Harmful if swallowed (Category 4).
• H335: May cause respiratory irritation (Category 3).
(Note: Contains NO enzyme dust, no H334 respiratory sensitizer classification).

Precautionary Statements:

- **P102:** Keep out of reach of children.
- **P260:** Do not breathe dust/spray.
- **P280:** Wear protective gloves, eye protection and face protection.
- **P305+P351+P338+P310:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER (13 11 26) or doctor.
- **P302+P352:** IF ON SKIN: Wash with plenty of water and soap.

- **P301+P330+P331:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Seek medical advice.
- **P501:** Dispose of contents/container in accordance with local and national regulations.

SECTION 3: COMPOSITION & INGREDIENT DISCLOSURE

Chemical / INCI Name	CAS Number	Function	Proportion (w/w)
Sodium sulfate	7757-82-6	Process aid / Mineral filler	20 – < 35 %
Sodium aluminosilicate (Zeolite)	1318-02-1	Insoluble water softener	15 – < 25 %
Sodium carbonate	497-19-8	Alkalinity agent / Builder	15 – < 25 %
Sodium percarbonate	15630-89-4	Oxidative oxygen bleach	5 – < 15 %
Sodium linear alkylbenzene sulfonate (LAS)	68081-81-2	Primary anionic surfactant	5 – < 10 %
Sodium silicate	1344-09-8	Alkalinity builder / Anti-corrosion	3 – < 10 %
Sodium alkyl sulfate	68955-19-1	Co-surfactant	2 – < 5 %
Sodium dodecanoyloxybenzene sulfonate (DOBS)	79532-92-6	Cold-water bleach activator	1 – < 5 %
Alcohol ethoxylate	68213-23-0	Non-ionic surfactant	1 – < 5 %
Polyethylene glycol & Polyacrylate	25322-68-3 / 9003-	Dispersant polymers	1 – < 4 %

Chemical / INCI Name	CAS Number	Function	Proportion (w/w)
	04-7		
Sodium fatty acids (Soap)	67701-10-4	Anionic surfactant / Foam regulator	1 – < 3 %
Silicone	63148-62-9	Anti-foaming agent	< 0.2 %
Fragrance & Moisture (Water)	Mixture / 7732-18-5	Odour-neutralizing perfume & process water	to 100 %

SECTION 4: FIRST AID MEASURES

- **Eye Contact:** Immediately hold eyelids open and flush continuously with clean running water for at least 15 minutes. Urgently transport to hospital or seek immediate medical attention.
- **Skin Contact:** Immediately remove contaminated clothing. Rinse skin thoroughly with abundant water. Wash contaminated clothing before reuse.
- **Inhalation:** Remove person to fresh air. If experiencing respiratory symptoms, call a POISON CENTRE (13 11 26) or doctor.
- **Ingestion:** Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Rinse mouth thoroughly with water and slowly drink 1-2 glasses of water. Call 13 11 26 immediately.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray jet, carbon dioxide, dry chemical powder, or alcohol-resistant foam. Product itself is non-flammable.
Hazardous Decomposition Products: Combustion or high thermal decomposition may release oxides of carbon, sulfur, sodium, and organic fumes.
Protective Equipment: Wear self-contained breathing apparatus (SCBA) and full chemical protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Avoid generating airborne dust. Prevent spillage from entering municipal stormwater drains or

waterways. Collect mechanically with a broom or industrial vacuum with HEPA filter into clean, labeled containers for appropriate disposal. Wash residue with plenty of water.

SECTION 7: HANDLING & STORAGE

Handling: Avoid direct contact with eyes and skin. Avoid breathing dust. Wash hands thoroughly after handling. Keep container tightly closed.
Storage: Store in a cool, dry, well-ventilated location below 40 °C. Protect from moisture and direct sunlight. Keep out of reach of children and separate from strong acids and chlorine-containing bleaches.

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

National Exposure Standards (Safe Work Australia): Atmospheric nuisance dust: TWA = 10 mg/m³.
Engineering Controls: Ensure adequate ventilation. If dust is generated, use local exhaust ventilation.
Personal Protective Equipment (PPE):
• Eyes: Chemical safety goggles or face shield (AS/NZS 1337).
• Hands: Chemical-resistant protective gloves (nitrile or rubber, AS/NZS 2161).
• Respiratory: Dust respirator (P2 class, AS/NZS 1715/1716) if ventilation is inadequate.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance:	White concentrated granular powder with green/blue active bleach activator particles
Odour:	Crisp hygienic antimicrobial fragrance
pH (1% aqueous solution):	10.0 – 11.2 (Alkaline detergent solution)
Bulk Density:	0.70 – 0.90 g/cm³
Solubility in Water:	Completely soluble / dispersible (Optimum dissolution: 20 °C)
Flash Point:	Not applicable (Non-combustible solid)
Phosphorus Content:	No added phosphorus (< 0.5% naturally occurring trace)

SECTION 10: STABILITY & REACTIVITY

Chemical Stability: Stable under recommended storage conditions.
Incompatible Materials: Strong acids (vigorous exothermic reaction releasing CO_2), chlorine-based bleaching agents (do not mix with chlorine bleach!).
Conditions to Avoid: High humidity, elevated temperatures (> 40 °C), moisture ingress.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: Oral LD50 (rat) calculated > 2000 mg/kg.
Skin Corrosion/Irritation: Irritating to skin (Category 2). Prolonged exposure may cause defatting and dermatitis.
Serious Eye Damage/Irritation: Causes severe and serious eye damage (Category 1). Risk of corneal burns.
Sensitization: Contains NO added enzyme proteins. Not classified as a respiratory sensitizer. Contains low concentration fragrance allergens.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: Harmful to aquatic life in concentrated form due to alkalinity and surfactants. Diluted wash water is suitable for grey water reuse on gardens.
Surfactant Biodegradability: All surfactants in this formulation comply with Australian standard AS 4351 for ready biodegradability.
Phosphorus: Meets the Australian voluntary environmental standard for zero phosphorus (NP symbol: < 0.5%).

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local State and Federal EPA waste management regulations. Uncontaminated packaging cardboard/cartons are fully recyclable in municipal paper streams.

SECTION 14: TRANSPORT INFORMATION

Australian Dangerous Goods (ADG) Code: Not classified as Dangerous Goods for transport by road or rail.
IMDG / IATA: Not regulated for maritime or air transport.

SECTION 15: REGULATORY INFORMATION

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5 (Caution) due to alkaline salts.
AICIS: All chemical introduction components are registered on the Australian Inventory of Industrial Chemicals (AIIC).

SECTION 16: OTHER INFORMATION

Document compiled in compliance with Safe Work Australia Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals.

Date of Compilation: 2026-09-03 | Replaces: V1.2

Biozet Attack® is a registered trademark of Kao Corporation Japan. Distributed in Australia by Kao (Australia) Marketing Pty. Ltd.