# Safety Data Sheet



**Cold Power Advanced Clean Laundry Liquid**

SDS No. : 565969
V001.0
Date of issue: 20.01.2026

## Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** Cold Power Advanced Clean Laundry Liquid

**Intended use:** heavy duty detergent

**Company name:**
Henkel Australia Pty. Ltd.
135-141 Canterbury Road
AUS-3137 Kilsyth, Victoria
Phone: 03 9724 6444

**Emergency telephone number** Poison Center (24/7): 131126

## Section 2. Hazards identification

**Classification of the substance or mixture**
Hazardous according to the criteria of Safe Work Australia.

**GHS Classification:**

| Hazard Class | Hazard Category |
|---|---|
| Serious eye irritation | Category 2 |
| Skin sensitizer | Category 1 |
| Acute hazards to the aquatic environment | Category 2 |

**Hazard pictogram:**



**Signal word:** None

**Hazard statement(s):**
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H401 Toxic to aquatic life.

**Precautionary Statement(s):**

**Prevention:**
P261 Avoid breathing mist/vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves, eye protection, and face protection.

**Response:**
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338+P315 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Get immediate medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**
P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

## Section 3. Composition / information on ingredients

**Type of preparation:** Mixture

**Identity of ingredients:**

| Chemical ingredients | CAS-No. | Proportion |
|---|---|---|
| Alcohols, C12-18, 7EO | 68213-23-0 | 3- < 10 % |
| Alcohols, C12-14, sulfates, sodium salt, 2EO | 68891-38-3 | 3- < 5 % |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | 3- < 10 % |
| Sodium metaborate, anhydrous | 7775-19-1 | < 3 % |
| 2-methylisothiazol-3(2H)-one | 2682-20-4 | 0.0015- < 0.1 % |

## Section 4. First aid measures

**Ingestion:**
Do not induce vomiting, seek medical advice immediately.
Rinse mouth with water, (only if the person is conscious).

**Skin:**
Rinse with water. Take off all clothing contaminated by the product.

**Eyes:**
Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

**Inhalation:**
Move to fresh air. In case of breathing difficulties seek immediate medical advise.

**First Aid facilities:**
Normal washroom facilities
Eye wash and safety shower

**Medical attention and special treatment:**
Treat symptomatically.

## Section 5. Fire fighting measures

**Suitable extinguishing media:**
Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

| | |
|---|---|
| **Improper extinguishing media:** | None |
| **Decomposition products in case of fire:** | Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide. |
| **Special protective equipment for fire-fighters:** | Use personal protective equipment and self-contained breathing apparatus. |

## Section 6. Accidental release measures

| | |
|---|---|
| **Personal precautions:** | Avoid contact with skin and eyes.<br>Ensure adequate ventilation.<br>If large amounts are released contact the fire service.<br>Danger of slipping on spilled product. |
| **Environmental precautions:** | Do not empty into drains / surface water / ground water. |
| **Clean-up methods:** | Remove mechanically. Rinse away residue with plenty of water. |

## Section 7. Handling and storage

| | |
|---|---|
| **Precautions for safe handling:** | No special measures required if used properly. |
| **Conditions for safe storage:** | Store dry at between +5 and +40°C.<br>Consider national regulations. |

## Section 8. Exposure controls / personal protection

**National exposure standards:**

contains no components

| | |
|---|---|
| **Eye protection:** | Wear tight fitting goggles. |
| **Skin protection:** | Protective clothing against chemicals. Observe manufacturer's instructions.<br>Suitable protective gloves. |
| **Respiratory protection:** | Not needed. |
| **General protection measures:** | The following Australian Standards will provide general advice regarding safety clothing and equipment:<br>Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210. |

## Section9. Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

| | |
|---|---|
| Appearance | liquid<br>clear<br>blue |
| Odor | floral |
| Physical state | liquid |
| Melting point | Currently under determination |
| Initial boiling point | Currently under determination |
| Flammability | Currently under determination |
| Explosive limits | Currently under determination |
| Flash point | > 100 °C (> 212 °F); ASTM D 6450/DIN EN ISO 3679<br>D::00668700<br>No flash point up to 100°C. Aqueous preparation. |
| Auto-ignition temperature | Currently under determination |
| Decomposition temperature | Currently under determination |
| pH<br>(20 °C (68 °F); Conc.: 100 % product; Solvent: None) | 8.2 - 8.6 pH/aqueous solutions, dispersions/pH meter::97001401 |
| Viscosity (kinematic) | Currently under determination |
| Viscosity, dynamic<br>(Brookfield; Instrument: RV; 20 °C (68 °F); speed of rotation: 20 min-1; Conc.: 100 % product; Solvent: None) | 300 - 700 mPa.s Viscosity/Brookfield::97001501 |
| Solubility (qualitative) | soluble in water |
| Partition coefficient: n-octanol/water | Currently under determination |
| Vapour pressure | Currently under determination |
| Density<br>() | 1.020 - 1.040 g/cm3 Density/fluids/oscillation method::97003901 |
| Relative vapour density: | Currently under determination |
| Particle characteristics | Currently under determination |

**9.2. Other information**

Other information not applicable for this product

## Section 10. Stability and reactivity

**Stability:** Stable under normal conditions of temperature and pressure.

**Conditions to avoid:** No decomposition if used according to specifications.

**Incompatible materials:** None if used for intended purpose.

**Hazardous decomposition products:** No decomposition if used according to specifications.

## Section 11. Toxicological information

**Health Effects:**

**Ingestion:** Not an anticipated route of exposure.
**Skin:** May cause an allergic skin reaction.
**Eyes:** Causes serious eye irritation.
**Inhalation:** Not an anticipated route of exposure.

**Acute toxicity:**

| Hazardous components<br>CAS-No. | Value type | Value | Route of application | Exposure time | Species | Method |
|---|---|---|---|---|---|---|
| Alcohols, C12-18, 7EO<br>68213-23-0 | LD50 | 1,700 mg/kg | oral | | rat | not specified |
| Alcohols, C12-14, sulfates, sodium salt, 2EO<br>68891-38-3 | LD50<br>LD50 | 2,870 mg/kg<br>> 2,000 mg/kg | oral<br>dermal | | rat<br>rat | OECD Guideline 401 (Acute Oral Toxicity)<br>OECD Guideline 402 (Acute Dermal Toxicity) |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts<br>68081-81-2 | LD50<br>LD50 | 1,080 mg/kg<br>> 2,000 mg/kg | oral<br>dermal | | rat<br>rat | not specified<br>not specified |
| Sodium metaborate, anhydrous<br>7775-19-1 | LD50<br>LC50<br>LD50 | 2,330 mg/kg<br>> 2.04 mg/l<br>> 2,000 mg/kg | oral<br>inhalation<br>dermal | 4 h | rat<br>rat<br>rabbit | not specified<br>OECD Guideline 403 (Acute Inhalation Toxicity)<br>not specified |
| 2-methylisothiazol-3(2H)-one<br>2682-20-4 | LD50<br>LC50<br>LD50 | 120 mg/kg<br>0.11 mg/l<br>242 mg/kg | oral<br>inhalation<br>dermal | 4 h | rat<br>rat<br>rat | EPA OPPTS 870.1100 (Acute Oral Toxicity)<br>OECD Guideline 403 (Acute Inhalation Toxicity)<br>OECD Guideline 402 (Acute Dermal Toxicity) |

**Skin corrosion/irritation:**

| Hazardous components<br>CAS-No. | Result | Exposure time | Species | Method |
|---|---|---|---|---|
| Alcohols, C12-18, 7EO<br>68213-23-0 | moderately irritating | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| Alcohols, C12-14, sulfates, sodium salt, 2EO<br>68891-38-3 | irritating | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts<br>68081-81-2 | irritating | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| 2-methylisothiazol-3(2H)-one<br>2682-20-4 | corrosive | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

**Serious eye damage/irritation:**

| Hazardous components<br>CAS-No. | Result | Exposure time | Species | Method |
|---|---|---|---|---|
| Alcohols, C12-18, 7EO<br>68213-23-0 | highly irritating | 24 h | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| Alcohols, C12-14, sulfates, sodium salt, 2EO<br>68891-38-3 | highly irritating | 24 h | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts<br>68081-81-2 | Category 1 (irreversible effects on the eye) | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| Sodium metaborate, anhydrous<br>7775-19-1 | irritating | | human | Weight of evidence |

**Respiratory or skin sensitization:**

| Hazardous components<br>CAS-No. | Result | Test type | Species | Method |
|---|---|---|---|---|
| Alcohols, C12-14, sulfates, sodium salt, 2EO<br>68891-38-3 | not sensitising | Guinea pig maximisation test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| 2-methylisothiazol-3(2H)-one<br>2682-20-4 | sensitising | Buehler test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |

**Germ cell mutagenicity:**

| Hazardous components<br>CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|---|---|---|---|---|---|
| Alcohols, C12-14, sulfates, sodium salt, 2EO<br>68891-38-3 | negative<br>negative | bacterial reverse mutation assay (e.g Ames test)<br>mammalian cell gene mutation assay | with and without<br>with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay)<br>OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| Alcohols, C12-14, sulfates, sodium salt, 2EO<br>68891-38-3 | negative | oral: gavage | | mouse | OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test) |
| 2-methylisothiazol-3(2H)-one<br>2682-20-4 | negative<br>negative<br>negative | bacterial reverse mutation assay (e.g Ames test)<br>in vitro mammalian chromosome aberration test<br>mammalian cell gene mutation assay | with and without<br>with and without<br>with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay)<br>OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)<br>OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| 2-methylisothiazol-3(2H)-one<br>2682-20-4 | negative<br>negative | oral: gavage<br>oral: gavage | | mouse<br>rat | OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)<br>OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo) |

**Repeated dose toxicity:**

| Hazardous components<br>CAS-No. | Result | Route of application | Exposure time / Frequency of treatment | Species | Method |
|---|---|---|---|---|---|
| Alcohols, C12-14, sulfates, sodium salt, 2EO<br>68891-38-3 | NOAEL=225 mg/kg | oral: gavage | 90 daysonce daily, 5 times a week | rat | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| 2-methylisothiazol-3(2H)-one<br>2682-20-4 | NOAEL=60 mg/kg | oral: gavage | 90 ddaily | rat | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |

## Section 12. Ecological information

**General ecological information:** Do not empty into drains / surface water / ground water.

**Ecotoxicity:** H401 Toxic to aquatic life.

**Toxicity:**

| Hazardous components CAS-No. | Value type | Value | Acute Toxicity Study | Exposure time | Species | Method |
|---|---|---|---|---|---|---|
| Alcohols, C12-18, 7EO 68213-23-0 | LC50 | 1.2 mg/l | Fish | 48 h | Leuciscus idus | DIN 38412-15 |
| Alcohols, C12-18, 7EO 68213-23-0 | NOEC | 0.32 mg/l | Fish | 28 d | Oncorhynchus mykiss | OECD Guideline 204 (Fish, Prolonged Toxicity Test: 14-day Study) |
| Alcohols, C12-18, 7EO 68213-23-0 | EC50 | 3 mg/l | Daphnia | 24 h | Daphnia magna | not specified |
| Alcohols, C12-18, 7EO 68213-23-0 | EC50 | 3.1 mg/l | Algae | 72 h | Scenedesmus subspicatus (new name: Desmodesmus subspicatus) | DIN 38412-09 |
| Alcohols, C12-18, 7EO 68213-23-0 | EC0 | 10,000 mg/l | Bacteria | 16 h | | not specified |
| Alcohols, C12-14, sulfates, sodium salt, 2EO 68891-38-3 | LC50 | 7.1 mg/l | Fish | 96 h | Danio rerio | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Alcohols, C12-14, sulfates, sodium salt, 2EO 68891-38-3 | EC50 | 7.2 mg/l | Daphnia | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Alcohols, C12-14, sulfates, sodium salt, 2EO 68891-38-3 | EC50 | 27 mg/l | Algae | 72 h | Desmodesmus subspicatus | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Alcohols, C12-14, sulfates, sodium salt, 2EO 68891-38-3 | EC10 | 4.4 mg/l | Algae | 72 h | Desmodesmus subspicatus | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Alcohols, C12-14, sulfates, sodium salt, 2EO 68891-38-3 | EC0 | 360 mg/l | Bacteria | 30 min | Pseudomonas putida | DIN 38412, part 27 (Bacterial oxygen consumption test) |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2 | LC50 | 5.9 mg/l | Fish | 96 h | Brachydanio rerio (new name: Danio rerio) | not specified |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2 | NOEC | 0.23 mg/l | Fish | 72 d | Salmo gairdneri (new name: Oncorhynchus mykiss) | OECD Guideline 210 (fish early life stage toxicity test) |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2 | EC50 | 4.4 mg/l | Daphnia | 48 h | Daphnia magna | not specified |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2 | NOEC | 2.4 mg/l | Algae | 72 h | Scenedesmus subspicatus (new name: Desmodesmus subspicatus) | other guideline: |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2 | ErC50 | 127.9 mg/l | Algae | 72 h | Scenedesmus subspicatus (new name: Desmodesmus subspicatus) | other guideline: |
| Sodium metaborate, anhydrous 7775-19-1 | LC50 | 455 mg/l | Fish | 96 h | Pimephales promelas | other guideline: |
| Sodium metaborate, anhydrous 7775-19-1 | NOEC | 36.6 mg/l | Fish | 34 d | Danio rerio (reported as Brachydanio rerio) | OECD Guideline 210 (fish early life stage toxicity test) |
| Sodium metaborate, anhydrous 7775-19-1 | EC50 | 520 mg/l | Daphnia | 48 h | Ceriodaphnia dubia | other guideline: |
| Sodium metaborate, anhydrous 7775-19-1 | EC50 | 299.6 mg/l | Algae | 72 h | Pseudokirchneriella subcapitata (reported as Raphidocelis subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Sodium metaborate, anhydrous 7775-19-1 | EC10 | 200.12 mg/l | Algae | 72 h | Pseudokirchneriella subcapitata (reported as Raphidocelis subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2-methylisothiazol-3(2H)-one | LC50 | 4.77 mg/l | Fish | 96 h | Oncorhynchus mykiss | OECD Guideline |

| | | | | | | |
|---|---|---|---|---|---|---|
| 2682-20-4 | | | | | | 203 (Fish, Acute Toxicity Test) |
| 2-methylisothiazol-3(2H)-one 2682-20-4 | EC50 | 0.93 mg/l | Daphnia | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| 2-methylisothiazol-3(2H)-one 2682-20-4 | NOEC | 0.03 mg/l | Algae | 72 h | Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2-methylisothiazol-3(2H)-one 2682-20-4 | EC50 | 0.22 mg/l | Algae | 72 h | Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2-methylisothiazol-3(2H)-one 2682-20-4 | EC50 | 41 mg/l | Bacteria | 3 h | activated sludge | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |

**Persistence and degradability:**

| **Hazardous components CAS-No.** | **Result** | **Route of application** | **Degradability** | **Method** |
|---|---|---|---|---|
| Alcohols, C12-18, 7EO 68213-23-0 | readily biodegradable | aerobic | 79 % | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |
| Alcohols, C12-14, sulfates, sodium salt, 2EO 68891-38-3 | readily biodegradable | aerobic | 77 - 79 % | EU Method C.4-E (Determination of the "Ready" BiodegradabilityClosed Bottle Test) |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2 | readily biodegradable | aerobic | 85 % | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test) |
| 2-methylisothiazol-3(2H)-one 2682-20-4 | inherently biodegradable | aerobic | 97 % | OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test) |
| 2-methylisothiazol-3(2H)-one 2682-20-4 | readily biodegradable | aerobic | > 70 % | OECD Guideline 309 (Aerobic Mineralisation in Surface WaterSimulation Biodegradation Test) |

**Bioaccumulative potential / Mobility in soil:**

| **Hazardous components** CAS-No. | LogPow | Bioconcentration factor (BCF) | Exposure time | Species | Temperature | Method |
|---|---|---|---|---|---|---|
| Alcohols, C12-14, sulfates, sodium salt, 2EO 68891-38-3 | 0.3 | | | | 23 °C | OECD Guideline 123 (Partition Coefficient (1-Octanol / Water), Slow-Stirring Method) |
| Sodium metaborate, anhydrous 7775-19-1 | -1.09 | | | | 22 °C | EU Method A.8 (Partition Coefficient) |
| 2-methylisothiazol-3(2H)-one 2682-20-4 | -0.5 | | | | | OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method) |

## Section 13. Disposal considerations

**Waste disposal of product:** Dispose of in accordance with local and national regulations.

**Disposal for uncleaned package:** Only completely empty containers are to be disposed of as recoverable materials.

## Section 14. Transport information

**Road and Rail Transport:**
Not dangerous goods

**Marine transport IMDG:**
Not dangerous goods

**Air transport IATA:**
Not dangerous goods

## Section 15. Regulatory information

**SUSMP Poisons Schedule** None

## Section 16. Other information

**Abbreviations/acronyms:**
ADGC - Australian Dangerous Goods Code
SUSMP - Standard for the Uniform Medicines of Medicines and Poisons
RID: International Rule for Transport of Dangerous Substances by Railway
IMDG: International Maritime Dangerous Goods code
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
AIIC - Australian Inventory of Industrial Chemicals (AIIC)
AICIS - Australian Industrial Chemicals Introduction Scheme

**Reason for issue:** This Safety Data Sheet contains changes from the previous version in Section(s): involved chapters: 1 - 16

**Disclaimer:**

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.