

TrueLend: Oracleless Lending with AMM-Native Gradual Liquidation

A Uniswap v4 hook protocol

Deployed · Unichain Sepolia (1301) · Hook `0xCD52d3f33DAf64aBE879DA38F0e55a280fc450c0`



ABSTRACT

Overcollateralized lending in decentralized finance rests on two fragile pillars: external price oracles, which import latency and manipulation risk into every solvency decision, and binary liquidations, which convert individual insolvency into systemic cascades. TrueLend removes both. Built as a Uniswap v4 hook, it uses the pool's own tick as its only price signal, and replaces the liquidation *event* with a liquidation *process*: while the pool price sits inside a position's liquidation range, the position's collateral is sold into the pool in small, rate-limited chunks that repay its debt; when the price recovers, the process pauses. We show that this active, in-range execution is not one design choice among many but the **only** mechanism class available to an oracle-free lender on a constant-function market maker — passive liquidity is mathematically incapable of performing a liquidation — and we present the complete protocol built around it: per-pool lender vaults with utilization-priced interest, a manipulation-resistant internal price for the single moment one is needed, a layered solvency framework with a declared loss waterfall, and strict per-swap gas bounds. Because liquidation is gradual, reversible, and executed at the pool's own prices, borrowers can safely select liquidation thresholds as high as 99%. The protocol is implemented, tested, and deployed on Unichain Sepolia.

1 Introduction

A collateralized lending protocol must answer one question continuously: *is this position still worth more than its debt?* The dominant designs — Aave, Compound, and their descendants — answer it with an external price feed, and act on the answer with a discrete event. When the feed says a position has crossed its liquidation threshold, a keeper repays the debt and seizes the collateral at a discount, all at once.

Each half of that architecture carries a structural cost.

The oracle half imports an attack surface and a listing bottleneck. Feeds lag volatile markets; they can be manipulated at their sources; and only assets with robust feeds can become collateral at all. The protocol's solvency logic is only as good as an input it does not control — and because that input is uncertain, protocols compensate with conservative liquidation thresholds, typically 50–80%, leaving large safety margins idle.

The event half creates reflexivity. A binary liquidation dumps an entire position onto the market at once; the sale moves the price; the move triggers the next liquidation. Cascades of this shape have marked every major deleveraging in DeFi's history, and the keeper networks that execute them are infrastructure that must exist, stay funded, and win gas auctions at the worst possible moments.

TrueLend is a redesign of both halves at once, made possible by Uniswap v4's hook architecture, which lets a lending protocol live *inside* the venue where its collateral trades.

Contributions

1. **An impossibility observation that organizes the design space (§3):** passive AMM liquidity can only trade against the direction of price movement, while liquidation always requires trading with it. Oracle-free *passive* liquidation therefore cannot exist; every gradual-liquidation design must either import direction from an oracle (Curve's LLAMMA), rebuild the AMM's curve (LIKWID, Ammalgam), or execute

actively. TrueLend takes the third path on unmodified v4 pools — the one previously empty cell of that matrix.

2. **A conditional TWAMM liquidation engine** (§4.2): collateral is sold in time-paced, depth-scaled chunks *only while* the pool tick is inside the position's liquidation range, by code running inside ordinary swaps' hook callbacks. No keeper is required for liveness; the market's own activity performs liquidations, and every seller-side flow the engine can produce is bounded per interval — the cascade channel is capped by construction.
3. **A complete oracle-free lending market around the engine** (§4.3–4.4): passive lender vaults with utilization-kinked rates, and a hook-internal truncated-median price used at exactly one moment — origination — hardened against the post-merge single-block adversary.
4. **A layered solvency framework with priced, declared tail risk** (§5): we show why guaranteed worst-case coverage is incompatible with high liquidation thresholds, and replace it with a ladder of backstops terminating in an explicit loss waterfall — which is what makes borrower-selected thresholds up to 99% sound to offer.

2 Preliminaries: Uniswap v4 in four facts

Four facts about the venue carry the whole construction. Readers fluent in v4 can skim; nothing else about the AMM is assumed.

First, prices and ticks. A pool between `token0` and `token1` quotes one price — how much token1 a unit of token0 buys — and tracks it on a logarithmic grid of **ticks**, $P = 1.0001^t$, so a move of a hundred ticks is very nearly a one-percent move. A rising tick means token0 appreciating.

Second, liquidity is *concentrated*: each provider chooses a price range, and their capital trades (and earns fees) only while the current price is inside it. Consequently a liquidity position's composition — how much of it currently sits in token0 versus

token1 — is a deterministic function of the current price alone. Section 3 leans entirely on this fact.

Third, a pool may name a **hook**: a contract the pool calls before and after every swap and at initialization, with its permissions encoded in its address. Two properties matter here: during a swap callback the pool's manager is already unlocked, so the hook itself may execute swaps or donations *directly*; and hook-initiated calls do not re-trigger the hook's own callbacks, so doing this is recursion-safe.

Fourth, v4 provides `donate()` : a native way to credit value to exactly the liquidity providers currently in range. This is the payment rail TrueLend uses for its liquidation penalties.

3 Why liquidation cannot be passive

The most elegant conceivable version of AMM-native lending would deposit the borrower's collateral *as pool liquidity* spanning the liquidation zone, letting ordinary trading convert it into the debt asset as the price deteriorates. This idea has circulated as the "inverse range order" (Instadapp, 2023). It cannot be built, and understanding why determines everything downstream.

3.1 Positions trade against the move

A position $(L, [P_a, P_b])$ holds, as a function of price:

$$\text{amount}_0 = L \left(\frac{1}{\sqrt{P}} - \frac{1}{\sqrt{P_b}} \right), \quad \text{amount}_1 = L \left(\sqrt{P} - \sqrt{P_a} \right), \quad P \in [P_a, P_b]$$

100% token0 below the range · 100% token1 above it

Consider a rising price: swappers are buying token0, and what they buy comes out of in-range positions — so as price rises, every position **sells token0**. As price falls, every position **buys token0**. Passive liquidity is structurally the mean-reversion side of every

trade. As an order type it offers exactly two things: a *take-profit* (sell what is appreciating) and a *buy-limit* (buy what is dipping). Uniswap's own documentation states the negative space plainly: an LP position cannot function as a stop-loss.

3.2 Liquidation is the forbidden trade




Figure 1. Passive liquidity is the limit side of every trade — it sells into strength and buys into weakness (black arrows: price move; colored arrows: the position's trade). Liquidation is a stop order in both borrow directions: it must trade *with* the move. The two never overlap; the required positions cannot even be minted, since single-sided deposits force the wrong token on the relevant side of spot.

An AMM position can only be counter-momentum with respect to the pool's own price. Supplying momentum-side flow requires either an external reference that says the market has moved — an oracle — or an agent that executes the trade. Oracle-free passive liquidation cannot exist. Oracle-free liquidation must be active.

3.3 The design space this creates

RESPONSE

MECHANISM

EXAMPLE

COST

Import direction from an oracle	quote worse-than-market around the feed so arbitrageurs perform the conversion	Curve LLAMMA	oracle dependency; borrower pays the arb subsidy
Rebuild the curve	virtual / mirror reserves make pool state itself the ledger	LIKWID, Amalgam	non-canonical pools; new AMM risk surface
Execute actively, rate-limited	a hook sells bounded chunks against in-range liquidity	TrueLend	execution is active; solvency is a modeled buffer
Avoid liquidation entirely	maturities, worst-case collateral, auctions	Timeswap, InfinityPools, Ajna	capital inefficiency or keeper games

TrueLend's cell — gradual, reversible, oracle-free, on unmodified Uniswap pools — was empty. The remainder of this paper is the protocol that fills it.

4 The protocol

4.1 Positions and liquidation ranges

A position is opened by depositing collateral in one pool currency and borrowing the other from that side's lender vault. The borrower selects a **liquidation threshold** $LT \in [50\%, 99\%]$. The liquidation start price is where debt equals $LT \times$ collateral value — for collateral C in token0 and debt D in token1:

$$D = LT \cdot C \cdot P_{liq} \quad \Rightarrow \quad P_{liq} = \frac{D}{LT \cdot C}$$

mirror case: $P_{liq} = LT \cdot C / D$ when collateral is token1 · computed in $\sqrt{\text{price Q96}}$, exact for any token decimals

The **liquidation range** runs from the tick of P_{liq} (rounded toward earlier triggering, aligned to tick spacing) a further w ticks in the adverse direction — default $w = 3,466$,

a price factor of $\sqrt{2}$. Opening requires initial LTV $\leq 95\%$ of the chosen LT at a manipulation-resistant price (§4.4): at LT 99% a borrower may take $\approx 94\%$ LTV, with liquidation beginning after a $\approx 5\%$ adverse move. The far edge of the range is a bankruptcy line — past it, gradual treatment has failed and the backstop applies (§5).




Figure 2. Position anatomy on the price axis (worked example: ETH at \$2,500; 1 ETH collateral, 1,800 USDC debt, LT 90%). While price stays right of \$2,000 the position costs the pool nothing. Inside the range, collateral converts chunk by chunk. Past \$1,414 the soft mechanism has been outrun and anyone may close the remainder, slippage-bounded.

4.2 Gradual liquidation: a conditional TWAMM

While the pool tick is inside a position's range, the hook sells collateral in **chunks**. The engine is a TWAMM — one large order executed as many small time-spaced slices — with two modifications that make it a liquidation machine: the order is *implied* (sell this position's collateral), and it *runs only while the tick is in range*, pausing on exit and resuming on re-entry.

Pacing. A chunk is due at most once per interval τ (default 60 s) per position:

$$\text{chunk} = \frac{C_{\text{rem}}}{N} \times \min\left(\frac{\Delta t}{\tau}, 5\right) \times (1 + d) \times (1 + \rho)$$

base: 1% of remaining ($N = 100$) · missed-interval catch-up, capped · d = depth into range $\in [0,1]$ · ρ = position/book-depth $\in [0,1]$
 clamped to at most 1% of the token depth of in-range liquidity measured across the position's own range, re-measured in the same transaction that sells

No single chunk can meaningfully move the price. “Thinner books produce smaller chunks” means proportional *to the pool's depth, not to the position*: a thin venue gets smaller absolute slices, while the pressure term quickens the cadence — decay proceeds as more, smaller steps. There is likewise no stranded remainder: decay normally ends when the *debt* reaches zero (the final chunk's excess proceeds route to the borrower, remaining collateral goes home); every chunk is clamped to what remains; and for true dust the base becomes the whole remainder, finishing the position in one chunk. With defaults, full decay takes ≈ 100 minutes typically and ≥ 25 minutes even with every multiplier at its cap. This bound is the anti-cascade property in closed form: a crash that puts many positions in range produces many independent trickles — never an avalanche — because *each* position's sell flow is capped per interval.




Figure 3. The decay timeline. Chunks step the collateral down only while the tick sits in the range (shaded); each chunk also steps the *debt* down — decay is deleveraging, not loss. A recovery pauses the process with everything remaining intact.

Execution. Chunks run lazily inside ordinary swaps. The swapper whose trade crossed a boundary pays a bounded gas surcharge and unknowingly is the liquidation infrastructure; the chunk trades against the pool's LP liquidity in the same transaction, while the swapper's own execution is untouched.




Figure 4. One chunk, executed inside a third-party swap. Detection is $O(\text{boundaries crossed})$: positions register their two range-boundary ticks in a per-pool bitmap and `afterSwap` walks only set bits between the previous and current tick, capped at 8 ticks and 32 position updates per swap. A permissionless `poke()` executes pending chunks in quiet markets and pays its caller from the penalty flow — a standing keeper incentive without privilege. (A *swapper* rebate is not implementable at the hook layer: the hook sees the router's address, not the trader's.)

Penalty. Each chunk donates a fee to the pool's in-range LPs — they replace keepers as the compensated absorbers of liquidation flow:

$$\text{penalty} = \text{proceeds} \times 0.5\% \times \frac{\text{LT}}{100\%} \times \min\left(1 + \frac{t_{\text{inLiq}}}{1 \text{ h}}, 5\right)$$

higher chosen risk and longer LP carry $\Rightarrow$ higher penalty · deliberately NO atomic liquidation bonus — a manipulated trigger farms nothing

4.3 The lending market

Each pool initialized with the hook automatically receives two **LendingVaults**, one per currency; either side is borrowable with the other as collateral. Lenders are strictly passive: deposit, receive shares, earn.

Accounting. Debt is tracked as shares against a per-vault borrow index I accruing linearly at the utilization-priced rate r : over Δt , I grows by $I \cdot r \cdot \Delta t / \text{year}$, and $\text{debt}(s) = s \cdot I$. Lender shares price against cash + outstanding debt (reserves excluded), with virtual-offset conversion against inflation attacks; rounding always favors the vault.

Rates. A kinked utilization curve — 0% base rising to 4% at the 80% kink, then a 100% slope above — with a **hard borrow cap at 90% utilization**. The cap is load-bearing rather than cosmetic: chunk repayments settle through the vault and lender withdrawals must always clear, so free liquidity is an invariant, not a preference. Ten percent of all interest accrues to a per-vault **reserve**, the first tranche of the loss waterfall.

Terms. Interest is the one force that erodes a position without price moving, so loans carry a term (default 180 days). Open-time headroom absorbs ordinary accrual; the health backstop catches the rest; expiry makes stale positions permissionlessly closable.




Figure 5. System architecture. One hook instance serves any number of pools; initializing an ERC-20/ERC-20 pool with the hook automatically deploys its two vaults and makes it a lending market.

4.4 Price integrity without an oracle

Liquidation needs no price input at all — the pool tick *is* the trigger, and by definition the state in which collateral actually converts at those prices in this venue. The single price-sensitive moment is **origination**: pump the pool for one block, borrow against inflated collateral, let the price revert, leave bad debt. Post-merge, a block proposer with consecutive slots can set an arbitrary price for one or two blocks at a cost of roughly swap fees; the design assumes this adversary.

The hook maintains its own filtered price and values collateral at the **worse of spot and the filter**:

- **Truncation.** One observation per 60 s, written in `beforeSwap` with the *pre-swap* tick (a swap can never record its own price), movement clamped to $\pm 9,116$ ticks ($\sim 2.49\times$) per observation. A spike must be sustained across many arbitrage-bleeding observations before it reaches the record.
- **Median-of-9.** A minority of corrupted observations is ignored entirely.
- **Widen-only extremes.** The raw min/max tick seen within recent intervals also bounds the borrow-side price — a spike-and-revert *inside* one interval still counts against the next borrower.
- **Bootstrap gate.** No originations until the observation ring is fully populated (~ 9 minutes after pool creation); attacker-seeded pools cannot fabricate their own history.

Three further gates apply at opening: a minimum distance between the filtered price and the range start, a minimum position size, and the 95%-of-LT headroom on opening LTV.

An attacker who pumps spot changes nothing about their borrowing power. An attacker who shoves the price into a victim's range merely starts a rate-limited, pausable, penalty-paying decay and hands two-way fees to LPs — an attack with negative expected value.

5 Solvency

5.1 Why guaranteed coverage is the wrong goal

It is tempting to demand that even a worst-case traversal — price gapping instantly to the far edge of the range, all chunks filling there — must repay the debt. That demand has a closed form, and it is fatal to the product. Proceeds from full conversion at the range edge are approximately $C \cdot P_{liq} / f$ for range factor f , so coverage requires roughly:

$$\frac{1}{LT \cdot \sqrt{f}} \geq 1 + i + h$$

i = interest reserve · h = execution haircut – caps LT near 50–70% for any reasonable i, h

— recreating exactly the conservative-threshold regime TrueLend exists to escape. High thresholds are possible *because* the worst case is instead handled by a priced, layered backstop structure. The residual tail is not ignored; it is charged for (LT-scaled penalties, utilization interest, reserves), and its loss path is declared in the contract.

5.2 The solvency ladder




Figure 6. Each layer only catches what the previous lets through; the narrowing widths reflect the shrinking flow of risk. Layer 3–4 closes are permissionless, pay the caller from the penalty flow, and are slippage-bounded ($\leq \sim 10\%$ price impact): in a drained or manipulated book the sale fills partially or not at all, the remainder stays as collateral, and the close is retried when liquidity returns — a fire sale into an empty book is structurally impossible.

5.3 The buffer inequality

To first order, the gap between LT and 100% must absorb four costs across a decay episode of duration T :

$$1 - \text{LT} \gtrsim s + \pi + i(T) + \mu, \quad \mu \sim \sigma\sqrt{T}$$

s = chunk slippage & fees · π = penalty share · $i(T)$ = interest over the episode
 · μ = adverse drift at volatility σ

Faster pacing shrinks μ but raises s ; wider ranges lower s per tick but lengthen T . Sweeping this tradeoff against historical volatility, per pool-depth tier, is the protocol's principal open parameterization exercise — analogous to LLAMMA's empirically measured soft-liquidation loss curve.

6 Security considerations

VECTOR	DEFENSE
Single/multi-block price manipulation at borrow	worse-of(spot, truncated median) + widen-only extremes + bootstrap gate
Manipulation-forced liquidation of a victim	rate-limited pausable decay, no atomic bonus, penalties to LPs — negative EV
Gas-bombing swappers via lending state	hard bounds: ≤ 8 trigger ticks + ≤ 32 position updates per walk, ≤ 2 chunks per swap; persisted resume points; <code>poke</code> absorbs deferred work
Dust-position pileups on one tick	per-pool minimum borrow size; bounded walks
LP withdrawal + backstop fire sale	<code>forceClose</code> slippage bound with partial fill and retry
Reentrancy via token callbacks	checks-effects-interactions in all selling paths; guards on all user entrypoints; v4 <code>noSelfCall</code> prevents hook recursion
Vault share inflation	virtual-offset share pricing; vault-favoring rounding throughout
Governance	owner powers limited to per-pool config; recommended behind a timelock

Scope assumptions (v1). Standard ERC-20 pairs only — no fee-on-transfer, rebasing, or transfer-hook tokens. **Native-ETH pools are fully supported** by bridging the native side to canonical WETH at the hook boundary: `open` and `repay` are payable (raw ETH wrapped on arrival), vaults hold WETH, chunk settlement unwraps/wraps against the PoolManager, and *all user-facing payouts are WETH* — deliberately, since paying raw ETH to borrowers inside swap callbacks would let a reverting `receive()` block the very transactions that close a position. Chains with transient storage (Cancun+).

Tested invariants (randomized sequences of open / repay / swap / poke / forceClose): the hook holds exactly the sum of open positions' collateral; position debt shares reconcile with vault totals; vault balances cover tracked reserves; utilization never exceeds its cap; lender value falls below principal only through the declared waterfall.

7 Parameters

SET BY	PARAMETERS
Borrower (per position)	$LT \in [50\%, 99\%]$ · borrow amount ($LTV \leq 95\% \cdot LT$) · collateral side · size
Pool owner (per pool)	range width ($\sqrt{2}$) · min gap (100 ticks) · max LT (99%) · base penalty (0.5%) · slippage buffer (2%) · chunk depth cap (1%) · target chunks (100) · chunk interval (60 s) · catch-up cap ($5\times$) · term (180 d) · forceClose reward (0.1%) · minimum borrow
Protocol constants	LTV headroom 95% · min LT 50% · 2 chunks/swap, 10/poke · 8 ticks + 32 refreshes/walk · forceClose slippage 1,000 ticks · oracle: 60 s $\times$ 9 observations, $\pm 9,116$ -tick truncation
Interest model (per vault)	base 0% · 4% to kink 80% · +100% above · hard cap 90% · reserve factor 10% · ceiling 400%
The market (continuously)	interest rates (utilization) · liquidation execution prices (the book) · decay speed (swap activity)

8 Related work

Curve LLAMMA is the closest relative and the only battle-tested gradual liquidation: collateral in $\sim 1\%$ price bands converts to crvUSD and back as price moves — but the conversion is *forced by an external EMA oracle*, around which LLAMMA deliberately

quotes losing prices so arbitrageurs do the work ($\approx 1-2\%$ borrower cost per episode; bad debt from gap-through has still occurred). TrueLend is LLAMMA's user experience with the oracle deleted, at the price of active execution.

Instadapp's inverse range orders proposed the passive oracle-free version; the required negative-liquidity primitive does not exist in v4 and the design was never built — TrueLend's chunk engine is its only sound realization.

LIKWID and **Ammalgam** achieve oracle-freedom by rebuilding the AMM itself (virtual/mirror reserves) rather than living on canonical pools; Ammalgam contributes the price-*range* solvency toolkit (worse-of bounds, widen-only extremes, bootstrap gating) that TrueLend adopts at origination. **GammaSwap** denominates debt and collateral in swap-invariant units, eliminating price from solvency where positions are naturally balanced — inapplicable to token-vs-token debt, but its spirit survives in TrueLend's price-free liquidation trigger.

Ajna replaces the oracle with lender-expressed prices and bonded auctions, at the cost of active lender management; **Timeswap** converts liquidation risk into option risk via fixed terms (TrueLend borrows the bounded-term idea); **InfinityPools** eliminates liquidation by collateralizing the worst case of borrowed LP ranges; **Panoptic** contributes the internal-median solvency check that inspired the oracle here.

9 Extensions

Perpetual-style leverage. A leveraged long is a looped TrueLend position (deposit ETH $\rightarrow$ borrow USDC $\rightarrow$ buy ETH $\rightarrow$ redeposit), constructible atomically by a small periphery router with the liquidation engine unchanged. The dictionary: initial margin = $1 - \text{LTV}$; **maintenance margin** = $1 - \text{LT}$ (LT 99% $\Rightarrow$ 1% maintenance margin); bankruptcy price = the range's far edge; the range interior = a progressive auto-deleveraging zone replacing one-shot ADL. Funding emerges organically: long open interest borrows one vault, short open interest the other, so OI skew becomes utilization skew becomes a rate differential — funding without a funding oracle. The

§3 impossibility applies to perp margin identically, which is precisely why the chunk engine transfers intact.

Maximum leverage, derived. The loop is a geometric series: margin M is deposited, a fraction LTV of its value is borrowed, swapped into the collateral asset, and redeposited, so total exposure is $E = M \cdot (1 + \text{LTV} + \text{LTV}^2 + \dots) = M / (1 - \text{LTV})$, hence:

$$\lambda = \frac{E}{M} = \frac{1}{1 - \text{LTV}}, \quad \lambda_{\max} = \frac{1}{1 - h \cdot \text{LT}_{\max}}$$

$h = 95\%$ opening headroom · $\text{LT}_{\max} = \text{simulated tier cap}$

TIER	LT_MAX	MAX LTV = H · LT_MAX	Λ_MAX
Stable	99%	94.05%	16.8×
Major	95%	90.25%	10.3×
Long-tail	90%	85.5%	6.9×

A perp-profile pool config could raise h (at $h = 99\%$, LT 99%: $\lambda = 50\times$), but thinner headroom means positions enter their ranges far more often, so each step must re-clear the tolerance constraints of the parameter model — the ceiling formula is structural, the safe value is empirical.

Safe-side automation. Take-profit range orders — auto-deleveraging into strength — are the one passive order type the AMM *does* offer, and compose naturally as an opt-in periphery feature.

10 Implementation and status

Six contracts, ~1,600 lines of Solidity 0.8.26: `TrueLendHook` (lending core + engine, 24,444 bytes — 132 under the EIP-170 limit), `LendingVault` ×2 per pool, `VaultFactory`, and linked libraries `LiqRangeMath`, `ChunkMath`, `TruncatedOracle`,

`TriggerIndex` . Any ERC-20/ERC-20 pool initialized with the hook becomes a lending market automatically. 86 tests: fuzzed unit tests for all math, vault accounting and waterfall tests, 28 full-lifecycle integration scenarios plus 4 native-ETH pool scenarios (including LT-99 leverage, manipulation rejection, the drained-pool backstop, and a 6-vs-18-decimals pair), and randomized invariant tests.

Deployment — Unichain Sepolia (1301):

CONTRACT	ADDRESS
TrueLendHook	<code>0xCD52d3f33DAf64aBE879DA38F0e55a280fc450c0</code>
VaultFactory	<code>0x1C4E9f5b89e096c98592a304f4aF8DDc529fA057</code>
PoolManager (canonical)	<code>0x00B036B58a818B1BC34d502D3fE730Db729e62AC</code>

11 Limitations and future work

The protocol is not audited. Chunk-pacing constants, the penalty curve, and per-pool LT tiers are engineering defaults pending the volatility-sweep parameterization of §5.3. Decay liveness in fully quiescent markets depends on `poke` being called (by anyone); per-block borrow caps and aggregate per-tick-region exposure caps are designed but deferred. Lender-side risk is a genuine short-tail position and must be communicated as such — the waterfall is declared precisely so that it can be priced.

References. Uniswap v4 core & periphery (github.com/Uniswap) · Uniswap docs, *Range Orders* · Egorov, *Curve Stablecoin (LLAMMA) whitepaper*, 2022 · Curve docs, *Soft Liquidations* · Instadapp, *Oracleless Lending Protocol on Uniswap v4*, 2023 · LIKWID protocol docs · Amalgam docs (*no-oracle, risk engine*) · GammaSwap protocol paper · Ajna Protocol whitepaper, 2024 · Timeswap v2 whitepaper · InfinityPools docs · Lambert & Axelrod (Panoptic), arXiv:2204.14232 · Milionis, Moallemi, Roughgarden, Zhang,

Automated Market Making and Loss-Versus-Rebalancing, [arXiv:2208.06046](#) · Uniswap Labs, *Truncated Oracle Hook* · ChainSecurity, *Oracle Manipulation After the Merge*.