

https://s3.console.aws.amazon.com/s3/buckets?region=us-east-1®ion=us-east-1

Playground - Open...JAVASCRIPT Progra...Online Classical Mu...Home | Linux JourneyLinux Survival | Wh...7 Beginner JavaScri...Linux Create File - j...Project: 0x01. Git [...]>Other favorites

awsServicesSearch[Alt+S]Globalvoclabs/user2060511=5bfca7f0-21c3-11ec-bc3c-33982fbb129d @ 37...

Amazon S3> Buckets

Account snapshot

Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

View Storage Lens dashboard

Buckets (1) Info

Buckets are containers for data stored in S3. [Learn more](#)

Find buckets by name

< 1 > ⚙

Name	AWS Region	Access	Creation date
my-queens-bucket	US East (N. Virginia) us-east-1	Public	December 15, 2022, 09:50:17 (UTC+03:00)

FeedbackLooking for language selection? Find it in the new [Unified Settings](#)© 2022, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Objects (5)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Copy S3 URICopy URLDownloadOpenDeleteActionsCreate folderUpload

Find objects by prefix

< 1 > ⚙

Name	Type	Last modified	Size	Storage class
css/	Folder	-	-	-
img/	Folder	-	-	-
index.html	html	December 15, 2022, 10:40:30 (UTC+03:00)	6.1 KB	Standard
README.txt	txt	December 15, 2022, 09:54:30 (UTC+03:00)	382.0 B	Standard
vendor/	Folder	-	-	-

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Edit

Static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

<http://my-queens-bucket.s3-website-us-east-1.amazonaws.com>

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "AddPerm",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::my-queens-bucket/*"
    }
  ]
}
```

Copy

CloudFront > Distributions

Distributions (1) [Info](#)

Search all distributions

< 1 >

ID	Description	Domain ...	Alternate...	Origins	Status	Last modified
E2LWMR0BE94R35	-	dfglto9721...	-	my-queens-bucke	Enabled	December 15, 2022 at 8:30:28 AM UTC

Feedback

Looking for language selection? Find it in the new [Unified Settings](#)

© 2022, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Origin domain

Choose an AWS origin, or enter your origin's domain name.

my-queens-bucket.s3-website-us-east-1.amazonaws.com

**Origin path - optional** | [Info](#)

Enter a URL path to append to the origin domain name for origin requests.

Enter the origin path

Name

Enter a name for this origin.

my-queens-bucket.s3.us-east-1.amazonaws.com

Add custom header - optional

CloudFront includes this header in all requests that it sends to your origin.

Add header

Enable Origin Shield | [Info](#)

Origin Shield is an additional caching layer that can help reduce the load on your origin and help protect its availability.

☒ No

☐ Yes

► Additional settings