


① Pre-Anode

A-A (2 : 1)




					Name	Date			
				Author	kuzmin	2024/05/23			
				Checked					
				Approved					
							Pre-Anode		2 / 7
									A4

②

Cathode Screen


B-B (2 : 1)




					Name	Date						
				Author	kuzmin	2024/05/23						
				Checked								
				Approved								
							Cathode Screen					3 / 7
												A4

③ Anode Holding Nut

C-C (5 : 1)




D-D (5 : 1)



				Name	Date		
			Author	kuzmin	2024/05/23		
			Checked				
			Approved				
						Anode Holding Nut	
						4 / 7	
						A4	

④ Electrode Skirt Short




					Name	Date						
				Author	kuzmin	2024/05/23						
				Checked								
				Approved								
								Electrode Skirt Short				5 / 7
												A4

⑤ Electrode Skirt Pipe

長さ (Length): 110 mm


数 (Number of parts): 3

[illegible]

⑥ Electrode Aligning Disk

厚さ (Thickness): 3 mm

数 (Number of parts): 3



パイプを通すための3つの穴: ⑤ Electrode Skirt Pipe

					Name	Date						
				Author	kuznir	2024/05/23						
				Checked								
				Approved								
								Electrode Aligning Disk			7 / 7	
												As