





PARTS LIST		
ITEM	QTY	PART NUMBER
1	1	Plasma Box Slit
2	1	probe-gate-spacer-angled
3	1	quartz window assembly
4	1	mesh-window-35mm-assembly
5	1	probe-gate-spacer-40mm-mesh-holder
6	1	probe-gate-with-spindel

[illegible]


① Plasma Box Slit

厚さ (Thickness): 1 mm




					Name	Date			
				Author	kuzmin	2024/05/23			
				Checked					
				Approved					
								Plasma Box Slit	
								2 / 8	
								A4	

② probe-gate-spacer-angled




					Name	Date					
				Author	kuzmin	2024/05/23					
				Checked							
				Approved							
							probe-gate-spacer-angled				
							3 / 8				
										A4	


厚さ (Thickness): 1 mm



③ 2 quartz window assembly: quartz-disk-window-holder




A-A (2 : 1)




					Name	Date					
				Author	kuzmin	2024/05/23					
				Checked							
				Approved							
							quartz-disk-window-holder				


厚さ (Thickness): 1 mm

[illegible]

⑤ probe-gate-spacer-40mm-mesh-holder




B-B (2 : 1)



				Name	Date							
				Author	kuzmin							2024/05/23
				Checked								
				Approved								
						probe-gate-spacer-40mm-mesh-holder7 / 8						
						A4						

⑥probe-gate

厚さ (Thickness): 1 mm



切り欠きはゲートがボルトを越えるためのものです。
正確な形状は重要ではありません。
ヤスリで調整しますので。

[illegible]