Code Snippets

```
public class Squint {
  public static void main(String args[]) {
    for (int i=0; i<25; i++)
      System.out.println(i*i);
  }
}
```

```
(println (take 25 (map (fn [x] (* x x)) (range))))
```

```
(println ;______________________ Print
  (take 25 ;____________________ the first 25
    (map (fn [x] (* x x)) ;__ squares
      (range)))) ;_____________ of Integers
```

```
(def counter (atom 0)) ; initialize counter to 0
(swap! counter inc)    ; safely increment counter.
```

Code Snippets

```
Rectangle r = …
r.setW(5);
r.setH(2);
assert(r.area() == 10);
```

purplecab.com/driver/Bob

```
purplecab.com/driver/Bob
        /pickupAddress/24 Maple St.
        /pickupTime/153
        /destination/ORD
```

```
if (driver.getDispatchUri().startsWith("acme.com"))…
```

URI	Dispatch Format
Acme.com	/pickupAddress/%s/pickupTime/%s/dest/%s
.	/pickupAddress/%s/pickupTime/%s/destination/%s

Code Snippets

```
                    *200
                    TLS
START,              CLA
                    TAD BUFR
                    JMS GETSTR
                    CLA
                    TAD BUFR
                    JMS PUTSTR
                    JMP START
BUFR,               3000

GETSTR,             0
                    DCA PTR
NXTCH,              KSF
                    JMP .-1
                    KRB
                    DCA I PTR
                    TAD I PTR
                    AND K177
                    ISZ PTR
                    TAD MCR
                    SZA
                    JMP NXTCH

K177,               177
MCR,                -15
```

Code Snippets

```
PRTCHR, 0
        TSF
        JMP .-1
        TLS
        JMP I PRTCHR
```

Code Snippets

```
function encrypt() {
  while(true)
    writeChar(translate(readChar()));
}
```

Code Snippets

```
public class Main implements HtwMessageReceiver {
  private static HuntTheWumpus game;
  private static int hitPoints = 10;
  private static final List<String> caverns = new
  ArrayList<>();
  private static final String[] environments = new String[]{
    "bright",
    "humid",
    "dry",
    "creepy",
    "ugly",
    "foggy",
    "hot",
```

```
    "cold",
    "drafty",
    "dreadful"
  };

  private static final String[] shapes = new String[] {
    "round",
    "square",
    "oval",
    "irregular",
    "long",
    "craggy",
    "rough",
    "tall",
    "narrow"
  };
```

```
private static final String[] cavernTypes = new String[] {
  "cavern",
  "room",
  "chamber",
  "catacomb",
  "crevasse",
  "cell",
  "tunnel",
  "passageway",
  "hall",
  "expanse"
};

private static final String[] adornments = new String[] {
```

```
 "smelling of sulfur",
  "with engravings on the walls",
  "with a bumpy floor",
  "",
  "littered with garbage",
  "spattered with guano",
  "with piles of Wumpus droppings",
  "with bones scattered around",
  "with a corpse on the floor",
  "that seems to vibrate",
  "that feels stuffy",
  "that fills you with dread"
};
```

```
public static void main(String[] args) throws IOException {
  game = HtwFactory.makeGame("htw.game.HuntTheWumpusFacade",
                              new Main());
  createMap();
  BufferedReader br =
    new BufferedReader(new InputStreamReader(System.in));
  game.makeRestCommand().execute();
  while (true) {
    System.out.println(game.getPlayerCavern());
    System.out.println("Health: " + hitPoints + " arrows: " +
                       game.getQuiver());
    HuntTheWumpus.Command c = game.makeRestCommand();
```

```
      System.out.println(">");
      String command = br.readLine();
      if (command.equalsIgnoreCase("e"))
        c = game.makeMoveCommand(EAST);
      else if (command.equalsIgnoreCase("w"))
        c = game.makeMoveCommand(WEST);
      else if (command.equalsIgnoreCase("n"))
        c = game.makeMoveCommand(NORTH);
      else if (command.equalsIgnoreCase("s"))
        c = game.makeMoveCommand(SOUTH);
      else if (command.equalsIgnoreCase("r"))
        c = game.makeRestCommand();
      else if (command.equalsIgnoreCase("sw"))
        c = game.makeShootCommand(WEST);
      else if (command.equalsIgnoreCase("se"))
        c = game.makeShootCommand(EAST);
      else if (command.equalsIgnoreCase("sn"))
        c = game.makeShootCommand(NORTH);
      else if (command.equalsIgnoreCase("ss"))
        c = game.makeShootCommand(SOUTH);
      else if (command.equalsIgnoreCase("q"))
        return;

      c.execute();
    }
  }
```

```java
 private static void createMap() {
    int nCaverns = (int) (Math.random() * 30.0 + 10.0);
    while (nCaverns-- > 0)
      caverns.add(makeName());

    for (String cavern : caverns) {
      maybeConnectCavern(cavern, NORTH);
      maybeConnectCavern(cavern, SOUTH);
      maybeConnectCavern(cavern, EAST);
      maybeConnectCavern(cavern, WEST);
    }

    String playerCavern = anyCavern();
    game.setPlayerCavern(playerCavern);
    game.setWumpusCavern(anyOther(playerCavern));
    game.addBatCavern(anyOther(playerCavern));
    game.addBatCavern(anyOther(playerCavern));
    game.addBatCavern(anyOther(playerCavern));

    game.addPitCavern(anyOther(playerCavern));
    game.addPitCavern(anyOther(playerCavern));
    game.addPitCavern(anyOther(playerCavern));

    game.setQuiver(5);
  }

  // much code removed…
}
```

Code Snippets

```
ISR(TIMER1_vect) { ... }
ISR(INT2_vect) { ... }
void btn_Handler(void) { ... }
float calc_RPM(void) { ... }
static char Read_RawData(void) { ... }
void Do_Average(void) { ... }
void Get_Next_Measurement(void) { ... }
void Zero_Sensor_1(void) { ... }
void Zero_Sensor_2(void) { ... }
void Dev_Control(char Activation) { ... }
char Load_FLASH_Setup(void) { ... }
void Save_FLASH_Setup(void) { ... }
void Store_DataSet(void) { ... }
float bytes2float(char bytes[4]) { ... }
void Recall_DataSet(void) { ... }
void Sensor_init(void) { ... }
void uC_Sleep(void) { ... }
```

```
float calc_RPM(void) { ... }
void Do_Average(void) { ... }
void Get_Next_Measurement(void) { ... }
void Zero_Sensor_1(void) { ... }
void Zero_Sensor_2(void) { ... }
```

```
ISR(TIMER1_vect) { ... }*

ISR(INT2_vect) { ... }

void uC_Sleep(void) { ... }
```

Functions that react to the on off button press

```
void btn_Handler(void) { ... }

void Dev_Control(char Activation) { ... }
```

A Function that can get A/D input readings from the hardware

```
static char Read_RawData(void) { ... }
```

```
char Load_FLASH_Setup(void) { ... }
void Save_FLASH_Setup(void) { ... }
void Store_DataSet(void) { ... }
float bytes2float(char bytes[4]) { ... }
void Recall_DataSet(void) { ... }
```

```
void Sensor_init(void) { ... }
```

```
#ifndef _ACME_STD_TYPES
#define _ACME_STD_TYPES
```

```c
#if defined(_ACME_X42)
    typedef unsigned int        Uint_32;
    typedef unsigned short      Uint_16;
    typedef unsigned char       Uint_8;

    typedef int                 Int_32;
    typedef short               Int_16;
    typedef char                Int_8;

#elif defined(_ACME_A42)
    typedef unsigned long       Uint_32;
    typedef unsigned int        Uint_16;
    typedef unsigned char       Uint_8;

    typedef long                Int_32;
    typedef int                 Int_16;
    typedef char                Int_8;
#else
    #error <acmetypes.h> is not supported for this environment
#endif

#endif
```

```
#ifndef _STDINT_H_
#define _STDINT_H_

#include <acmetypes.h>

typedef Uint_32 uint32_t;
typedef Uint_16 uint16_t;
typedef Uint_8  uint8_t;

typedef Int_32  int32_t;
typedef Int_16  int16_t;
typedef Int_8   int8_t;

#endif
```

```c
void say_hi()
{
    IE = 0b11000000;
    SBUF0 = (0x68);
    while(TI_0 == 0);
    TI_0 = 0;
    SBUF0 = (0x69);
    while(TI_0 == 0);
    TI_0 = 0;
    SBUF0 = (0x0a);
    while(TI_0 == 0);
    TI_0 = 0;
    SBUF0 = (0x0d);
    while(TI_0 == 0);
    TI_0 = 0;
    IE = 0b11010000;
}
```

Code Snippets

/pno 8475551212 /noise /dropped-calls