

SPAM EMAIL DETECTOR USING C

PROGRAM CODE:

```
#include <stdio.h>

#include <string.h>

#include <ctype.h>

int main() {

    char email[1000];

    char *spamWords[] = {

        "win",

        "winner",

        "free",

        "prize",

        "offer",

        "urgent",

        "money",

        "click",

        "congratulations",

        "lottery",

        "cash",

        "claim"

    };

    int wordCount = sizeof(spamWords) / sizeof(spamWords[0]);

    int spamScore = 0;

    printf("    SPAM EMAIL DETECTOR\n");

    printf("Enter the email message:\n");

    fgets(email, sizeof(email), stdin);


    for (int i = 0; email[i] != '\0'; i++) {
```

```
    email[i] = tolower(email[i]);
}
for (int i = 0; i < wordCount; i++) {
    if (strstr(email, spamWords[i]) != NULL) {
        printf("Spam keyword found: %s\n", spamWords[i]);
        spamScore++;
    }
}
printf("\nSpam Score: %d\n", spamScore);
if (spamScore >= 2) {
    printf("Result: SPAM EMAIL\n");
    printf("Warning: This email may be unsafe.\n");
} else {
    printf("Result: NOT SPAM\n");
    printf("This email appears to be safe.\n");
}

return 0;
}
```

OUTPUT:


C Online Compiler



[Learn more](#)



[Programiz PRO >](#)

main.c

Run

```
24 int spamScore = 0;
25 printf("SPAM EMAIL DETECTOR\n");
26 printf("Enter the email message:\n");
27 fgets(email, sizeof(email), stdin);
28 for (int i = 0; email[i] != '\0'; i++) {
29     email[i] = tolower(email[i]);
30 }
31 for (int i = 0; i < wordCount; i++) {
32     if (strstr(email, spamWords[i]) != NULL) {
33         printf("Spam keyword found: %s\n", spamWords[i]);
34         spamScore++;
35     }
36 }
37
38 printf("\nSpam Score: %d\n", spamScore);
39 if (spamScore >= 2) {
40     printf("Result: SPAM EMAIL\n");
41     printf("Warning: This email may be unsafe.\n");
42 } else {
43     printf("Result: NOT SPAM\n");
44     printf("This email appears to be safe.\n");
45 }
46
47 return 0;
48 }
49
```

Output

```
SPAM EMAIL DETECTOR
Enter the email message:
HI EVERYONE THE MEETING IS SCHEDULED AT 3 PM.BE ON TIME

Spam Score: 0
Result: NOT SPAM
This email appears to be safe.
```


C Online Compiler



[Learn more](#)



[Programiz PRO >](#)

main.c

Run

```
1 #include <stdio.h>
2 #include <string.h>
3 #include <ctype.h>
4
5 int main() {
6     char email[1000];
7
8     char *spamWords[] = {
9         "win",
10        "winner",
11        "free",
12        "prize",
13        "offer",
14        "urgent",
15        "money",
16        "click",
17        "congratulations",
18        "lottery",
19        "cash",
20        "claim"
21    };
22
23    int wordCount = sizeof(spamWords) / sizeof(spamWords[0]);
24    int spamScore = 0;
25    printf("SPAM EMAIL DETECTOR\n");
26    printf("Enter the email message:\n");
```

Output

```
SPAM EMAIL DETECTOR
Enter the email message:
YOU GOT A LOTTERY WIN UPTO 2 CRORES COMPLETELY FREE. GIVE A CALL TO 9876543218
Spam keyword found: win
Spam keyword found: free
Spam keyword found: lottery

Spam Score: 3
Result: SPAM EMAIL
Warning: This email may be unsafe.
```