Done

Elasticsearch Book Load

In this assignment you will download a book from:

```
https://www.pg4e.com/gutenberg/cache/epub/22381/pg22381.txt (https://www.pg4e.com/gutenberg/cache/
```

and create an Elasticsearch index called **pg4e_82e078b4f8** in the following Elasticsearch instance:

```
Host: www.pg4e.com
Scheme: https
Prefix: elasticsearch
Port: 443
Account: pg4e_82e078b4f8
Password:   (hide/show copy)
```

Check Answer

Please enter your Python code in the space below the assignment instructions.

Your code should clear out the index at the beginning so you start with a fresh index each time the code is executed.

You should download these files:

- https://www.pg4e.com/code/elasticbook.py (https://www.pg4e.com/code/elasticbook.py?PHPSESSID=c83661bcc6ef04b40099fb22a4b541fc)
- (If you have not already done this) https://www.pg4e.com/code/hidden-dist.py (https://www.pg4e.com/code/hidden-dist.py?PHPSESSID=c83661bcc6ef04b40099fb22a4b541fc)

If necessary, copy **hidden-dist.py** to **hidden.py** and put your Elasticsearch host/prefix/port/account/password values into the **elastic()** method. You should also put your PostgreSQL secrets into this file as well.

You will need to install the Python Elasticsearch library (version 7.13.x) if you have not already done so.

```
pip install 'elasticsearch<7.14.0'
```

If installing elasticsearch locally run **pip** with the **-m** flag enabled:

```
macOS: python3 -m pip install 'elasticsearch<7.14.0'
```

```
Windows: python -m pip install 'elasticsearch<7.14.0'
```

Done

This autograder will run a command equivalent to using the **elastictool.py** command as follows:

```
$ python3 elastictool.py

Enter command: search prometheus
https://pg4e_dca2724d69:*****@www.pg4e.com:443/elasticsearch/pg4e_dca2724d69/_search?pretty
{"query": {"query_string": {"query": "prometheus"}}}
200
{
  "took": 1,
  "timed_out": false,
  "_shards": {
    "total": 1,
    "successful": 1,
    "skipped": 0,
    "failed": 0
  },
  "hits": {
    "total": {
      "value": 5,
      "relation": "eq"
    },
    "max_score": 5.850847,
    "hits": [
      {
        "_index": "pg4e_dca2724d69",
        "_type": "_doc",
        "_id": "08083e37e9ee35b2e67385ba6dee0de1f704945063c65a22b517185f5df1cf0b",
        "_score": 5.850847,
        "_source": {
          "offset": 1237,
          "content": " is a distinct prometheus from the ..."
        }
      }
    ]
  }
}
```

And expect to get at least one hit.

You can download **elastictool.py** at https://www.pg4e.com/code/elastictool.py (https://www.pg4e.com/code/elastictool.py?PHPSESSID=c83661bcc6ef04b40099fb22a4b541fc). You will need to setup the **hidden.py** with your Elasticsearch host/port/account/password values.

Please enter your Python code here:

```
Done
```