## **Statement**

```
Carefully evaluate 'tradeoff-harden' for specific use case bad: not: Y: CONFIG_RETPOLINE bad: not: Y: CONFIG_PAGE_TABLE_ISOLATION bad: not: Y: CONFIG_PAGE_TABLE_ISOLATION bad: not: Y: CONFIG_CPU_UNRET_ENTRY bad: not: Y: CONFIG_CPU_IBPB_ENTRY bad: not: Y: CONFIG_CPU_IBRS_ENTRY bad: not: Y: CONFIG_SLS bad: not: Y: CONFIG_SLS bad: not: Y: CONFIG_X86_SGX_kVM bad: not: Y: TDX_GUEST_DRIVER bad: not: Y: CONFIG_AMD_MEM_ENCRYPT_ACTIVE_BY_DEFAULT kernelConfig: virtualization accessory kernelConfig: virtualization accessory kernelConfig: arch-x64 request: -march=sandybridge -mtune=skylake
  Carefully evaluate 'tradeoff-harden' for specific use cases.
bad: not: Y: CONFIG_RETPOLINE
    request: -march=sandybridge -mtune=skylake
export KCFLAGS="-02 -march=sandybridge -mtune=skylake -pipe"
export KCPPFLAGS="-02 -march=sandybridge -mtune=skylake -pipe"
mazard: MCORE2: CONFIG_MCORE2=y
ternelConfig: accessory
    kernelConfig: latency
warn: not: Y: CPU_FREQ_DEFAULT_GOV_ONDEMAND
hazard: CONFIG_PREEMPT: CONFIG_PREEMPT=y
hazard: CONFIG_PREEMPT_RT:
                                             N: CONFIG_DEBUG_NOTIFIERS
                                   Y: CONFIG_FRONTSWAP
                                   WFIG_NTFS_RW:
Y: CONFIG_GENTOO_LINUX
Y: CONFIG_GENTOO_LINUX_UDEV
Y: CONFIG_GENTOO_LINUX_PORTAGE
Y: CONFIG_GENTOO_LINUX_INIT_SCRIPT
Y: CONFIG_GENTOO_LINUX_INIT_SYSTEMD
                                      N: ACPI_HMAT
    warn: not: M/Y: CONFIG_UCLAMP_TASK
    warn: not: M/Y: LOCK_EVENT_COUNTS
```

## **Description**

```
Linux kernel 'mainline' 'intel' . Config file in this directory. May be exact duplicate of config from 'lts' .
```

## Reference