

Bleepay for Web3 Developers

Bleepay upgrades Web3 applications with fiat e-commerce payments, seamless wallet connections without browser extensions, and code-based transaction approvals. One integration, simpler UX, no maintenance headaches.

The problem you're solving for

Web3 companies waste up meaningful percentage of the engineering time on wallet integration maintaining overhead. Brittle SDKs, RPC errors, popup failures, extension conflicts, all causing user drop-off and endless maintenance cycles.

Every protocol update breaks something. Every new wallet means another integration. Your team spends more time fixing connections than building the product.

How Bleepay fixes this

Bleepay replaces unstable wallet connections with a single six-digit code flow. No extensions to conflict. No sessions to manage. Bringing web2 check out experience to web3.

We handle protocol updates, infrastructure abstraction, transaction logic, and gas management at the protocol level. You integrate once. We maintain it forever.

Two ways to integrate

For wallet providers

Implement Bleepay in your wallet to give users Web2 payment capabilities, code-based dApp connections, and per-transaction authorization. Users keep custody, generate a code, and approve on their device.

For decentralize applications

Accept code-based wallet connections and transaction authorizations. Users connect with a six-digit code instead of extensions or QR scans. No popups, no session management, no conflicts with other wallets.

Wallet connection with code

attachment:abbddd98-804d-40f8-8825-cc93ac4b656c:Code_web3_wallet_connection.mov

Verification with code before signature

attachment:d427ddc4-dbe3-4d6e-a0a8-b1d3f0b2814c:Swap_recording_2.mov

Why integrate?

Wallet providers:

- Differentiate your wallet with Web2 payment capabilities
- Let users actually spend crypto at online stores
- No custody risk each transaction authorized individually
- Add one more level of security

dApp developers:

- Simpler onboarding no extensions required
- No popup failures or extension conflicts
- Fewer drop-offs at connection
- Works on mobile without workarounds