





PCB basename: microcore (no dashes/underscores)		
Firmware board: coreefi_micro		
modules-v1 rev C - vr-max9924 + USB Mini-B		
Core EFI		
Sheet: /		
File: microcore.kicad_sch		
Title: Micro Core		
Size: A3	Date: 2026-09-13	Rev: C
KiCad E.D.A. 10.0.6		Id: 1/5

INJ4 Injectors
DPAK N-FET drivers (atphax LS style)
12 ohm gate, flyback/TVS TBD next pass
SPEC: SMBJ33A + UF flyback + 2x12 ohm high-Z



Core EFI

Sheet: /INJ4/
File: INJ4.kicad_sch

Title: INJ4 Injectors


Size: A4 Date: 2026-09-13

KiCad E.D.A. 10.0.6

Rev: B

Id: 2/5

LS3 Low-side
DPAK-N-FET drivers (atphax LS style)
12 ohm gate; flyback/TVS TBD next pass
SPEC: SMBJ33A + UF flyback + 2x12 ohm high-Z



Core EFI

Sheet: /LS3/
File: LS3.kicad_sch

Title: LS3 Low-side

Size: A4
Date: 2026-09-13

Rev: B
Id: 3/5

1	2
ANALOG input conditioning stub	
Pull-ups / dividers / ESD TBD – passthrough hierarchy for pin map	

