Joker of Academics

Maxwin's Equations: Sourced Win, Sourceless Loss, and Win-Loss Field Dynamics

Yao Xie*

Gate B29, Terminal 4, John F. Kennedy International Airport, Queens, NY 11430, USA

Joker of Academics Cite This Read Online Metrics & More

Article Type: Chaotic Review

Abstract

This paper, building upon a review of classical concepts in numbness mechanics, proposes the Maxwin equations to explain, from a dynamical perspective, the transformation mechanisms between the win field and the loss field, along with their physical significance. By defining the effects of win and loss fields on homonons and trollons, and introducing parameters such as win permittivity and loss permeability, we construct core equations including the Win-Loss Induction Law and the Gauss's Law for the Win Field. This framework reveals a symmetry-breaking phenomenon: the win field has sources, while the loss field is sourceless. The explanatory power of these equations is validated through practical cases, such as the win-loss transformation in the working hours data of menials in a Hive World. Furthermore, this paper explores the existence of win-loss waves and their potential connection to the Special Theory of Win Relativity, thereby providing new mathematical tools and theoretical support for the systematic development of Winnology.

Keywords: winnology, win field, Win-Loss field dynamics

1. Introduction

With the discontinuation of the Journal of Winnology Research, the field of Winnology once fell into a period of dormancy. However, in late 2025, the proposal of the "Execution Line" theory on video platforms, particularly Bilibili, ignited unprecedented discussions across the internet, bringing the concept of "Winnology" back into the public spotlight.1 As early as 2019, Professor Ping Chen introduced the "Champion's Inequality," which inspired numerous scholars to explore innovations in Winnology.2 Since then, Winnology has gradually expanded into disciplines such as mathematics, physics, economics, management science, and psychology, demonstrating its potential to bridge the natural and social sciences and emerge as a brilliant gem of human civilization.3

In cyberspace, numerous anomalous phenomena frequently occur. For instance, different individuals exhibit markedly divergent responses to the same defined event, and clearly unfavorable outcomes are often portrayed as favorable. Analyzing such anomalies through a traditional, static perspective easily leads to inconsistencies and contradictions, potentially triggering the collapse of existing theoretical frameworks.

In this paper, we adopt a dynamic perspective on win-loss interactions, revisit the classical concepts of “numbness mechanics” and propose Maxwin's equations. These equations successfully explain a wide range of observed phenomena in cyberspace. Notably, the explanation that the absence of "loss sources" in reality arises from symmetry breaking endows the entire equation system with a self-consistent and symmetric mathematical structure. Furthermore, we predict the necessity of integrating Maxwin's equations with the Special Theory of Win Relativity, laying a solid foundation for the further development of Winnology.

2. Results and Discussion

2.1 The Influence of Win and Loss Fields on Hominons and Trollons

First, we review some classical concepts: a unit Trollon and a unit Hominon have the same magnitude but opposite properties: $q_t = -q_h$.[4] Particles situated within a Win Field and a Loss Field are subject to the influence of the Numbness Force. The strength of the Win Field is defined by the magnitude of the Numbness Force experienced by a Hominon within that field, and its direction is oriented along the direction of the Numbness Force acting on the Hominon:

$$\boldsymbol{M} = \frac{\boldsymbol{W}}{\boldsymbol{q_h}} \tag{1}$$

Similarly, hominons and trollons are also affected within a Loss Field. This force is termed the Lossentz force:

$$\boldsymbol{M} = \boldsymbol{q}\boldsymbol{v} \times \boldsymbol{L} \tag{2}$$

Here, $\boldsymbol{v}$ denotes the velocity of the particle moving within the field. As illustrated in **Figure 1a**, a stronger Win Field causes a Hominon within it to feel "maximally numb with win", while simultaneously causing a Trollon to feel

"maximally numb with loss". Interestingly, the effects induced by a Loss Field are the opposite. Furthermore, a Loss Field exerts a normal acceleration on moving particles within it, following the right-hand screw rule (**Figure 1b**). The specific direction of rotation depends on the choice of the positive orientation within the coordinate system.



Figure 1. Effects experienced by Hominons and Trollons in (a) a Win Field and (b) a Loss Field.

2.2 Analysis of Win-Loss Field Dynamics and Physical Significance

In early idealized models, win and loss fields were assumed to remain constant. However, In the actual experiments, phenomena such as "flipping" and "boomerang effects" frequently occur, which cannot be adequately explained using static Winnology theories. Assuming a loss field **L**(**x**,t) in vacuum varies with time, its rate of change yields a circulational win field. Similarly, analyzing the temporal variation of a changing win field **W**(**x**,t) can also explain the origin of induced loss fields. To systematically describe these win-loss field transformations, we formulate the Win-Loss Induction Law：

$$\nabla \times \boldsymbol{W} = -\mu_l \frac{\partial \boldsymbol{L}}{\partial t} \quad (3)$$

$$\nabla \times \boldsymbol{L} = \mu_l \varepsilon_w \frac{\partial \boldsymbol{W}}{\partial t} + \mu_l \boldsymbol{J}_w \quad (4)$$

Where μ_l represents the loss permeability, ε_w represents the win permittivity, and $\boldsymbol{J}_w$ denotes the win current density.

Now we use the Win-Loss Induction Law to explain a concrete example. The average daily working hours of menials in a certain Hive World over the past decade are shown in Figure 2a, which clearly generates a loss field. However, the processed data, displayed in Figure 2b, involved adjusting the original data's coordinate axes to maximize the win field derived from the data.[5] This processed data indicates that the working hours remain stable, while the annual growth rate of the average daily working hours exhibits a significant downward trend, constituting a win field.

The Gauss's laws for the win field and loss field state:

$$\nabla \cdot \boldsymbol{W} = \frac{\rho_w}{\varepsilon_w} \quad (5)$$

$$\nabla \cdot \boldsymbol{L} = \boldsymbol{0} \quad (6)$$

From observation, it is evident that the win field is a field with sources, while the loss field is sourceless. As illustrated in Figure 2c, a burst water main in Atlanta, Country A, continuously releases a win field. Calculations of its win flux reveal that it contains a win charge exceeding 114,500 **C**. Due to the fact that the field lines of the loss field are always closed, the loss flux through any closed surface is always zero. Therefore, the loss field can be understood as sourceless, and moreover, no loss monopoles have yet been discovered, as depicted in Figure 2d.



Figure 2. (a) Working hours data of menials in a certain Hive World, representing a typical loss field; (b) Results obtained after processing according to the Maxwin induction equations; (c) Example of a sourced win field; (d) Hypothesis of a sourceless loss field.

2.3 Corollaries and Supplementary Details of the Maxwin Equations

The boundary conditions for win and loss fields in different media can also be readily derived using Ampère's circuital law and Gauss's law, so their derivations will not be elaborated here. Applying the Maxwin equations allows for the derivation of a propagating entity, tentatively named the win-loss wave. Its wave equation is derived as:

$$\frac{\partial^2 \boldsymbol{W}}{\partial t^2} = \frac{1}{\mu\varepsilon}\nabla^2 \boldsymbol{L} \tag{7}$$

Comparing this with the general wave equation, the propagation velocity is obtained as $v = \frac{1}{\sqrt{\mu\varepsilon}}$,

where the wave velocity in a vacuum is defined as the VV constant. Earlier, the directions of the two fields were mentioned without detailed explanation; their physical meanings are intuitively obvious, but a deeper

understanding requires incorporating the Special Theory of Win Relativity.[6] It is worth noting that equations (3) and (4) are not perfectly symmetric; the negative sign is precisely the reason for the generation of win-number waves, satisfying the law of win-loss conservation in the physical world. Furthermore, no physically existing loss monopole has yet been discovered, which represents a case of spontaneous symmetry breaking. We also observe that the win-loss transformation phenomena predicted by the Maxwin equations consistently yield a win number of 1.[7] In reality, however, win numbers of 2 or even higher orders do exist. This may imply that this theory is not necessarily applicable to the realm of social sciences, or that it still needs to be incorporated into a more generalized theoretical framework.

3. Conclusion

In this work, we have reviewed the classical concepts of numbness mechanics and proposed the Maxwin equations. We demonstrated the application of this theory using an example of a transformation from loss to win, and substantiated the causes underlying the phenomenon of sourced win and sourceless loss in experiments. Furthermore, we offered an outlook on future directions for the development of the Maxwin theory of win-loss transformation, paving the way for the advancement of Winnology.

4. Experimental Section

The content of this section is entirely generated by AI.

4.1 Sample Preparation

Hominon samples were collected from the comment sections of major social media platforms (Weibo, Bilibili, and Zhihu) between January 2025 and March 2026. A total of 11,451 individual hominons were identified, with an average "numbness coefficient" of 0.74 ± 0.03. Trollon samples were obtained from the same sources using a proprietary provocateur identification algorithm based on keyword density and reply-to-like ratio thresholds. All samples were stored in a controlled cyberspace environment at 25°C with constant Wi-Fi exposure to maintain baseline activity.

4.2Win/Loss Field Generation

Win fields were generated using a custom-built Win-O-Matic 3000 device (Winnology Instruments, Gate B29, JFK Airport), capable of producing stable win fields ranging from 0 to 114,514 WM/m. Loss fields were induced via a Loss Induction Coil (Model L-520) connected to a function generator producing square waves at frequencies between 0.1 Hz and 10 kHz. The vacuum permittivity constant $\varepsilon_0 = 8.85 \times 10^{-12}$ F/m was replaced with the win permittivity $\varepsilon_w = 1.45 \times 10^{-11}$ F_w/m, calibrated against the VV standard reference material (SRM 2026).

4.3Lossentz Force Measurements

The Lossentz force acting on hominons and trollons was measured using an atomic force microscopy setup modified with a "numbness probe" (NP-10 cantilever, spring constant 0.2 N/m). The probe tip was functionalized with anti-win antibodies to enhance sensitivity to win field gradients. Measurements were performed in triplicate under dark conditions to avoid photoelectric interference from γ-win photons. The coupling constant α in the Lossentz equation was determined by fitting the velocity-dependent force component (v × L) using a least-squares regression algorithm (OriginPro 2026, OriginLab).

5. Author Information

Corresponding Author

Yao Xie - Institute of Things Known Only to Those Who Know, Location Classified (If you know, you know; if you don't, don't ask)

6. Acknowledgments

This work is non-serious science, intended for entertainment purposes only.

7. REFERENCES

(1) Shenyibanyungong. Lao A 12.7 [Complete Original Cut] Execution Line Full Version. Bilibili, 2025-12-09; https://www.bilibili.com/video/BV1BoZyBNEdJ/ (accessed [Insert access date]).

(2) Chen, P. Chen Ping: Why I Say a Monthly Income of 2000 RMB in China Is Happier Than 3000 USD in the US. The Paper, 2020-08-13; https://www.thepaper.cn/newsDetail_forward_8705213.

(3) Journal of Winnology Research. Zhihu Column, 2022-06-24; https://zhuanlan.zhihu.com/p/533198387.

(4) Zhao, K. H. Electromagnetics; Higher Education Press: Beijing, 2011.

(5) spikenail. How Should We View the "Winnology" Bar Chart Released by the White House?. Zhihu, 2026-02-03; https://www.zhihu.com/question/2001717627266041618/answer/2002113298775183544.

(6) Tushoukaiwanxiao. Special Theory of Win Relativity. Zhihu Column, 2022-02-27; https://zhuanlan.zhihu.com/p/473063945.

(7) *Tushoukaiwanxiao*. Definitions and Applications of Real Variable Win Functions. Zhihu Column, 2022-01-30; https://zhuanlan.zhihu.com/p/461464919.

Joker of Academics

麦克斯赢输方程组：赢有源，输无源以及赢输场动力学转化

谢邀*

纽约皇后区肯尼迪国际机场 4 号航站楼 B29 登机口，11430

Joker of Academics 引用此内容 在线阅读 指标与更多

文章类型：混沌评论

摘 要：本文在回顾经典麻力学概念的基础上，提出了麦克斯赢输方程组（Maxwin’s equations），旨在从动力学角度解释赢场与输场之间的转化机制及其物理意义。通过定义赢场和输场对厚米子与串子的作用，引入赢导率和输导率等参数，构建了输赢感应定律、赢场高斯定理等核心方程，揭示了赢场有源、输场无源的对称性破缺现象。结合实际案例（如巢都世界机仆工作时长数据的赢输转化）验证了方程组的解释力。此外，本文还探讨了赢输波的存在及其与狭义相对赢理论的潜在联系，为赢学理论的系统化发展提供了新的数学工具和理论支撑。

关键词：赢学；赢场；赢输场动力学

中图分类号：C635-2　　**文献标识码：**O4-0

1. 引言

随着《赢理论研究杂志》（*Journal of Winnology Research* 的停刊，赢学研究一度陷入沉寂。然而，2025 年末，以小电视为主要阵地的视频平台中，“斩杀线”理论的提出引发了空前热烈的网络讨论，使“赢学”这一概念重新回到公众视野。[1]早在 2019 年，陈平教授提出的“陈平不等式”（*Champion's Inequality*）便启发了诸多学者在赢学理论领域的创新探索。[2]此后，赢学研究逐步拓展至数学、物理学、经济学、管理学和心理学等多个学科，展现出联结自然科学与社会科学的巨大潜力，有望成为人类文明的璀璨明珠。[3]

在赛博空间中，诸多反常现象层出不穷。例如，不同个体对同一已定性事件表现出迥异的反应，明显不利的事件却被渲染为利好。若以传统、静态的视角分析此类反常现象，则极易陷入不自洽的矛盾之中，甚至引发现有理论框架的崩溃。

本文从输赢的动力学视角出发，回顾经典的麻力学概念，提出麦克斯赢输方程组（*Maxwin's equations*），成功解释了实验中的诸多观测现象。其中，关于现实中“输源”缺失源于对称性破缺的解释，使整个方程组呈现出自洽的数学形式。此外，我们还预言了麦克斯赢输方程组与狭义相对赢理论（*Special Theory of Win Relativity*）相结合的必要性，为赢学理论的进一步发展奠定坚实基础。

2. 结果和讨论

2.1 赢输场对厚米子（Hominon）与串子（Trollon）的影响

首先我们回顾一些经典概念，单位串子和单位厚米子大小相同，性质相反：$q_t = -q_h$。[4]处在赢场（*Win Field*）和输场（*Loss Field*）中的粒子会受到麻力的影响。赢场强度由厚米子在赢场中受到的麻力大小定义，其方向沿着厚米子所受麻力方向：

$$\boldsymbol{M} = \frac{\boldsymbol{W}}{q_h} \tag{1}$$

同样的，厚米子和串子也会在输场中受到影响，这种麻力被命名为 Lossentz force：

$$\boldsymbol{M} = q\boldsymbol{v} \times \boldsymbol{L} \tag{2}$$



图 1. 厚米子和串子在(a)赢场和（b）输场中受到的影响。

其中 v 表示粒子在其中的运动速度。如图 1.a 所示，越强的赢场会让处于其中的厚米子感受到“赢麻了”，同时让串子感受到“输麻了”，而输场导致的结果相反，甚是有趣。而输场对于处于其中的运动粒子会产生法向的加速度，遵循右手螺旋定则（图 1.b），具体的转向取决于坐标系中正方向的选取。

2.2 赢输场的动力学转化与物理意义分析

早期理想状态下的赢输场维持恒定，然而在实际实验中经常发生“翻转”和“回旋镖”现象，使用静止的赢输学理论方法不足以解释这些转化现象。假设真空中的某一输场 $\boldsymbol{L}$ 随时间变化时可写作 $\boldsymbol{L}$ (x,t)，其对时间的变化率可以得到回旋赢场，同样的，针对变化赢场 $\boldsymbol{W}$ (x,t)的时间变化分析也可解释变化输场的来源。针对赢输场转化现象整理出输赢感应定律：

$$\nabla \times \boldsymbol{W} = -\mu_l \frac{\partial \boldsymbol{L}}{\partial t} \qquad (3)$$

$$\nabla \times \boldsymbol{L} = \mu_l \varepsilon_w \frac{\partial \boldsymbol{W}}{\partial t} + \mu_l \boldsymbol{J}_w \qquad (4)$$

其中$\boldsymbol{\mu_l}$为赢导率，$\boldsymbol{\varepsilon_w}$为输导率，$\boldsymbol{J_w}$表示赢流密度。

现在我们用赢输感应定律解释具体的例子。某巢都世界近 10 年来机仆的日均工作时间如图 2.a 所示，显然会产生输场。而经过处理过的数据如图 2.b 所示，为了从数据中获得尽量大的赢场调整了原本数据的坐标轴，[5]显示工作时长保持稳定，而年日均工作时长增长速度呈现显著下降趋势，为赢场。

赢场和输场的高斯定理有：

$$\nabla \cdot \boldsymbol{W} = \frac{\rho_w}{\varepsilon_w} \qquad (5)$$

$$\nabla \cdot \boldsymbol{L} = 0 \qquad (6)$$

观察可知，赢场是个有源场，输场为无源场。如图 2.c 所示，A 国亚特兰大水管爆裂持续释放出赢场，经过对其



图 2. （a）某巢都世界机仆工作时长数据，为典型输场，（b）根据麦克斯赢输场感应方程处理后获得的结果，（c）赢场有源例子，（d）输场无源假说

赢通量的计算，发现其中蕴含着超过 114514 C 的赢荷。由于输场的感应线始终闭合，通过任意闭合曲面的输通量始终为零，所以可以理解为输场无源，并且尚未发现输单极子，如图 2.d 所示。

2.3 麦克斯赢输方程组的推论以及细节补充

不同介质中赢输场的边界条件也可以通过安培环路定理及高斯定理简单导出，便不一一推导。使用麦克斯赢输方程组可以导出一种传输的物质，暂且命名为赢输波（winninglosing wawe），导出了其波动方程：

$$\frac{\partial^2 \boldsymbol{W}}{\partial t^2} = \frac{1}{\mu\varepsilon}\nabla^2 \boldsymbol{L} \tag{7}$$

对比一般波动方程得到波速$v = \frac{1}{\sqrt{\mu\varepsilon}}$，真空中的波速为维维常数（VV constant）。前边还提到了两种场的方向却没有详细解释，他们的物理意义在直觉上是显而易见的，但是想要深入理解则需要结合狭义相对赢理论。[6]注意到式(3)和式(4)并不完全对称，其中负号正是赢数波产生的原因，满足了物理世界中的赢输守恒定律，并且尚未发现真实存在的输单极子，这是对称性的自发破缺。我们还发现，麦克斯赢输方程组所预测的输赢转换现象发生时的赢数均为 1，[7]实际上赢数

的确存在 2 乃至 4 以上的现象，这可能意味着此理论未必适用于社会科学领域，或者仍需要被纳入更泛用的理论体系之中。

3 结论

我们回顾了经典的麻力学概念，提出麦克斯赢输方程组，以一个输向赢的转化为例演示此理论的使用方法，并且证明了实验中赢有源、输无源的现象的原因。此外还展望了麦克斯输赢转化理论的未来发展方向，为赢学理论铺垫了发展道路。

4 实验部分

本节内容完全由 AI 生成。

4.1 样品准备

厚米子（Hominon）样品于 2025 年 1 月至 2026 年 3 月期间从主要社交媒体平台（微博、Bilibili、知乎）的评论区采集。共识别出 11451 个独立厚米子，其平均“麻度系数”为 0.74 ± 0.03。串子（Trollon）样品通过基于关键词密度和回复点赞比阈值的专有串子识别算法从相同来源获取。所有样品均储存在受控赛博空间环境中，温度为 25°C，持续暴露于 Wi-Fi 信号以维持基线活性。

4. 赢场/输场生成

赢场使用定制搭建的 Win-O-Matic 3000 设备（赢学仪器公司，肯尼迪国际机场 B29 登机口）生成，该设备能够产生 0 至 114514 WM/m 的稳定赢场。输场通过连接至函数发生器的输场感应线圈（L-520 型）诱导产生，函数发生器输出频率介于 0.1 Hz 至 10 kHz 之间的方波。真空介电常数 $\varepsilon_0 = 8.85 \times 10^{-12}$ F/m 被替换为介赢常数 $\varepsilon_w = 1.45 \times 10^{-11}$ F_w/m，该常数已根据 VV 标准参考物质（SRM 2026）进行校准。

4. Lossentz 力测量

作用于厚米子和串子的 Lossentz 力使用原子力显微镜装置测量，该装置配备了“麻度探针”（NP-10 悬臂，弹簧常数 0.2 N/m）。探针尖端功能化修饰有抗赢抗体，以增强对赢场梯度的敏感性。所有测量在避光条件下重复三次，以避免 γ 赢光子产生的光电干扰。Lossentz 方程中的耦合常数 α 通过使用最小二乘回归算法（OriginPro 2026，

OriginLab 公司）拟合与速度相关的力分量（v × L）来确定。

5 作者信息

通讯作者

谢邀 – 刚下飞机，懂得都懂

6 致谢

本文无科学依据，纯属搞笑，切勿当真

7 参考文献

[1] 沈逸搬运工. 牢 A 12.7【正题完整版】斩杀线完整版. Bilibili, 2025.12.9;https://www.bilibili.com/video/BV1BoZyBNEdJ/.

[2] 陈平. 陈平：我为什么说，中国月入 2000 元比美国月入 3000 刀幸福. 澎湃新闻, 2020-08-13; https://www.thepaper.cn/newsDetail_forward_8705213.

[3] 赢理论研究杂志 Journal of Winnology Research. 知乎专栏, 2022.06.24;https://zhuanlan.zhihu.com/p/533198387

[4] Zhao, K. H. Electromagnetics; Higher Education Press: Beijing, 2011.

[5] spikenail. 如何看待美国白宫发布的“赢学”柱形图. 知乎, 2026.2.3, https://www.zhihu.com/question/2001717627266041618/answer/2002113298775183544

[6] 徒手开玩笑. 狭义相对赢（Special Win of Relativity）. 知乎专栏, 2022.02.27; https://zhuanlan.zhihu.com/p/473063945.

[7] 徒手开玩笑. 一元实变赢函数定义及其应用. 知乎专栏, 2022.01.30; https://zhuanlan.zhihu.com/p/461464919