

Frontend Technical Document

Project overview

- Project summary

Source control

- GIT repository @ <http://url> (<http://url>)

Technical used

- HTML5
- CSS3
- JavaScript
- Build tools
 - NodeJS
 - Grunt
 - Gulp
 - CoffeeScript
 - Jade
 - Less
- Frameworks
 - Bootstrap
 - jQuery
 - AngularJS
 - BackboneJS
 - EmberJS
- Plugins
 - Form validation @ <http://jqueryvalidation.org> (<http://jqueryvalidation.org>)
 - Slider @ <http://bxslider.com> (<http://bxslider.com>)
 - Lightbox @ <http://fancybox.net> (<http://fancybox.net>)
 - Custom scroll @ <http://jscrollpane.kelvinluck.com> (<http://jscrollpane.kelvinluck.com>)
 - Uploader @ <http://blueimp.github.io/jQuery-File-Upload> (<http://blueimp.github.io/jQuery-File-Upload>)

Web service

- RESTFUL
- URL @ <http://url> (<http://url>)

Social network integration

- Facebook
- Twitter
- Youtube
- Vimeo

Third parties integration

- AddThis
- ShareThis
- Video.js

Web Analytics

- Google Analytics
- Adobe Analytics

Browsers & Platforms supported

- Windows 7, 8.1
 - Microsoft Internet Explorer 9, 10, 11
 - Microsoft Internet Explorer 8 fallback support (no responsive, no CSS3 features, see more @ <http://caniuse.com> (<http://caniuse.com/#search=css3>))
 - Firefox latest
 - Chrome latest
- Mac OSX
 - Firefox latest
 - Chrome latest
 - Safari latest

Devices supported

- Tablet
 - iOS 7+ (iPad 4, iPad Air)
 - Android 4.3+ (Samsung Galaxy Tab 4 10.1)
- Mobile:
 - iOS 7+ (iPhone 5S/6/6+)
 - Android 4.3+ (Samsung Galaxy S4/S5)

Responsive approach

- Breakpoints
 - Large screen: 1200 and above
 - Medium screen: 1024 to 1199
 - Small screen: 768 to 1023
 - Extra small screen: below 768

Code standards

- Follow Frontend code conventions
 - HTML/CSS/JS Checklist
 - On-page SEO Checklist
- Follow W3C standards
 - HTML Validator <http://validator.w3.org> (<http://validator.w3.org>)
 - CSS Validator <http://jigsaw.w3.org/css-validator> (<http://jigsaw.w3.org/css-validator>)
 - Link Checker <http://validator.w3.org/checklink> (<http://validator.w3.org/checklink>)
 - Web Accessibility <http://a11yproject.com> (<http://a11yproject.com>)
- Code quality tool
 - JSHint <http://jshint.com> (<http://jshint.com>)
 - CSSLint <http://csslint.net> (<http://csslint.net>)

Security

- Cross-Site Scripting (XSS)
- Cross-Site Request Forgery (CSRF)

Web performance

- YSlow <http://developer.yahoo.com/yslow> (<http://developer.yahoo.com/yslow>)
- PageSpeed <https://developers.google.com/speed/pagespeed> (<https://developers.google.com/speed/pagespeed>)

Folder structure

```
frontend-template
.gitignore
.jadelintrc          <!-- Validate jade files with jadelint -->
.htmlhintrc          <!-- Validate html files with htmlhint -->
.csslintrc           <!-- Validate css files with csslint -->
.jshintrc            <!-- Validate js files with JSHint -->
.travis.yml
package.json
Gruntfile.js
README.md
/app                 <!-- Source code folder -->
  server.js          <!-- Node server configuration -->
  /assets
    /fonts            <!-- Contains font files -->
      fontawesome-webfont.eot
      fontawesome-webfont.svg
      fontawesome-webfont.ttf
      fontawesome-webfont.woff
      fontawesome-webfont.woff2
      FontAwesome.otf
    /icons            <!-- Contains favicon files -->
      favicon.ico
      apple-touch-icon-precomposed.png
    /images            <!-- Contains static image files -->
      transparent.png
    /upload            <!-- Contains dynamic image files -->
    /media             <!-- Contains audio/video files -->
  /scripts            <!-- Contains js files -->
    l10n.js           <!-- Localization -->
    site.js           <!-- Main JavaScript file -->
  /plugins
    plugin.js         <!-- Contains all JavaScript plugins -->
```

```
    /libs
      modernizr.2.8.3.js
      detectizr.js
      jquery-2.1.4.js
    /plugins      <!-- Contains all JavaScript authorized plugins -->
  /styles      <!-- Contains all less files -->
    common.less
    editor.less
    fontface.less
    form.less
    ie.less
    mixin.less
    page.less
    plugin.less
    print.less
    responsive.less
    sprite.less
    structure.less
    style.less
    variable.less
  /libs      <!-- Contains library files -->
    grid.less
    libs.less
    reset.less
    util.less
  /blocks      <!-- Contains blocks/modules -->
    footer.less
    header.less
  /views      <!-- Contains jade files -->
    index.jade
    404.jade
    sitemap.jade
    template-layer.jade
    template-sprite.jade
    template-style-guide.jade
  /blocks      <!-- Contains blocks/modules -->
    header.jade
    footer.jade
    script.jade
  /layouts      <!-- Contains layout -->
    layout.jade
    template.jade
  /mixins      <!-- Contains mixins -->
    all.jade
    img.jade
    link.jade
    nav.jade
  /data      <!-- Data will be used by Ajax -->
    data.jade
    data.json
    data.xml
  /static      <!-- Static folder is generated by Grunt -->
    apple-touch-icon-precomposed.png
    favicon-16x16.png
    index.html
    sitemap.html
    template-layer.html
    template-sprite.html
    template-style-guide.html
  /css
    ie.css
    libs.css
    print.css
    style.css
  /data
    data.html
    data.json
    data.xml
  /fonts
    fontawesome-webfont.eot
    fontawesome-webfont.svg
    fontawesome-webfont.ttf
    fontawesome-webfont.woff
    fontawesome-webfont.woff2
    FontAwesome.otf
  /images
    transparent.png
  /upload
  /js
    l10n.js
    libs.js
```

```
    modernizr.js
    script.js
  /media
/doc      <!-- Contains all documents -->
  CODE-REVIEW.md
  CODE-STANDARDS.md
  TECHNICAL-DOCUMENT.md
/test     <!-- Write unit tests -->
  test.js
  test.html
  /qunit
    qunit-1.13.0.css
    qunit-1.13.0.js
/tmp      <!-- Contains temporary files -->
  110n.js
  plugin.js
  site.js
/node_modules <!-- All modules listed as dependencies -->
```