

# OBJECT-ORIENTED PROGRAMMING

## LAB 3: INHERITANCE

### I. Objective

After completing this tutorial, you can:

- Understand *inheritance* in OOP.

### II. Definition

Inheritance can be defined as the process where one class acquires the properties (methods and fields) of another. With the use of inheritance, the information is made manageable in a hierarchical order.

The class which inherits the properties of other class is known as subclass (derived class, child class) and class whose properties are inherited is known as superclass (base class, parent class).

#### 1. extends keyword

The extends keyword is used to inherit the variables and method of a class (except private variables and private methods).

```
public class Super
{
    //...
}
public class Sub extends Super
{
    //...
}
```

#### 2. super keyword

The super keyword in java is a reference variable which is used to refer immediate parent class object. The usage of super keyword:


- To refer parent class instance variable.
- To invoke parent class method.
- The **super()** can be used to invoke parent class constructor.

If a class is inheriting the properties of another class. And if the members of the subclass have the names which same as the superclass, to differentiate these variables we use **super** keyword as follows:

- For variable: **super.variableName**
- For method: **super.methodName()**

### III. Sample program

To demonstrate how-to implement inheritance in Java OOP program, we take an example as shown in below diagram:



Person.java

```

public class Person
{
    private String name;
    private String address;

    public Person()
    {
        this.name = "";
        this.address = "";
    }
    public Person(String name, String address)
    {
        this.name = name;
        this.address = address;
    }
    public Person(Person person)
    {
        this.name = person.name;
        this.address = person.address;
    }

    @Override
    public String toString()
    {
        return "Person{" + "name='" + name + "'" + ", address='" + address + "'" + "}";
    }
    public String getName()
    {
        return this.name;
    }
    public void
setName(String name)
    {
        this.name = name;
    }
    public String getAddress()
    {
        return this.address;
    }
    public void setAddress(String address)
    {
        this.address = address;
    }
}

```

### Teacher.java

```


public class Teacher extends Person
{
    private String subject;

```

```
public Teacher()
{
    super();
    this.subject = "";
}
public Teacher(String name, String
address, String subject)
{
    super(name,          address);
    this.subject = subject;
}
public String getSubject()
{
    return this.subject;
}
public void setSubject(String subject)
{
    this.subject = subject;
}
}
```


#### IV. Exercise

1. Giving the Circle class and the Cylinder class.




Implement the Java program based on the above diagram.

2. Giving superclass Person and its subclasses.




Implement the Java program based on the above diagram.

3. Giving the Point2D class and the Pointed3D class.



Implement the Java program based on the above diagram.

4. Giving superclass Shape and its subclasses.



Implement the Java program based on the above diagram.

- Implement the Employee class to store the information of employees in the manufacturing company ABC.

**Attributes:**



- **ID**: String
- **fullName**: String
- **yearJoined**: int
- **coefficientsSalary**: double
- **numDaysOff**: int (number of days off in the month) **Constructors:**
- Constructor with no parameter **Employee()** (ID = 0, fullName = "", yearJoined = 2020, coefficientsSalar = 1.0, numDaysOff = 0)
- Constructor with parameter **Employee(ID: String, fullName: String, coefficientsSalary: double)** (yearJoined = 2020, numDaysOff = 0)
- Constructor with full parameters.

#### Methods:

- **public double getSenioritySalary()**: calculating seniority salary of employees: Know that if an employee works for 5 years or more, the seniority salary is calculated according to the following formula: **seniority salary = years of work \* basic salary / 100**
- **public String considerEmulation()**: write a method to evaluate employee emulation. If the number of holidays <= 1 is graded A, then the number of holidays <= 3 is on class C.
- **public double getSalary()**: write a method for calculating salaries for employees. Know that salary is calculated using the following formula with *basic salary = 1150*:

salary = basic salary \* salary coefficient \* emulation coefficient + seniority salary

- If rated A: emulation coefficient = 1.0
- If rated B: emulation coefficient = 0.75
- If rated C: emulation coefficient = 0.5

6. In addition to the type of employees described in Exercise 5. ABC Company also has a management team to manage all the company's activities called Managers. Let's build a Manager class to let ABC know that managers are also employees of the company. However, due to the role and function, each manager will have a corresponding position, department and salary

coefficient by position. The manager is also an employee, we will let **Manager class** inherit from the **Employee class** and add some necessary attributes.

#### **Attributes:**

- The additional attributes include **position**, **department** and **salary coefficient by position**.

#### **Constructors:**

- Constructor with no parameter **Manager()**: write a default a constructor creates a manager like an employee but has the position of head of the office at the **administrative office** and has a coefficient salary of **5.0**.
- Constructor with parameter **Manager(ID: String, fullName: String, coefficientsSalary: double, position: String, salaryCoefficientPosition: double)** (yearJoined = 2020, numDaysOff = 0)
- Constructor with full parameters.

#### **Methods:**

- **public String considerEmulation()**: override the method to evaluate employee emulation know that employees are always rated A.
- **public double bonusByPosition()**: calculating bonus using the following formula:

$$\text{position bonus} = \text{basic salary} * \text{salary coefficient by position}$$

- **public double getSalary()**: override the method for calculating salaries for employees. Know that the manager's salary is calculated using the following formula:

$$\text{salary} = \text{basic salary} * \text{salary coefficient} * \text{emulation coefficient} + \text{seniority salary} + \text{position bonus}$$