HCL CAREER SHAPER · CoE PRACTICE SUBMISSION · ABES_JAS26_FSD JAVA_Batch 04

001_Creative_Prompt_Crafting

PortfolioPro — Full-Stack NSE Stock Trading, Quantitative Technical Analysis & Portfolio Risk Platform

Submission Attribute	Details
Program & Learning Path	HCL Career Shaper > My Learning > CoE > 1. Gen AI & Prompt Engineering > My Practice
Batch / Cohort Identifier	ABES_JAS26_FSD JAVA_Batch 04 (Full-Stack Development — Java Track)
Assignment Identifier	001_Creative_Prompt_Crafting
Project Engineered	PortfolioPro — Stock Trading, Technical/Fundamental Analysis & Portfolio Risk Management
Fixed Technology Stack	Java 17+ · Spring Boot 3.2 · Spring Security (JWT) · Spring Data JPA · STOMP WebSocket · MySQL 8 · Angular 17+
Live Interactive Demo URL	https://ais-pre-7o2uonqdo2nmiybl4phmtu-322621247858.asia-east1.run.app
Demo Account & Capital	demo@portfoliopro.in / Demo@1234 (Default Virtual Wallet per User: ₹10,00,000.00)
Submission Date	November 1, 2026

106 Files
Complete Java + Angular Source

30 NSE Stocks
Live 1.5s WebSocket Price Feed

11 JPA Tables
MySQL 8 + Auto H2 Fallback

6 / 6 Suites
JUnit 5 & Integration Verified

Executive Summary

This submission demonstrates disciplined Creative Prompt Crafting applied to enterprise Full-Stack Java software engineering. Rather than issuing vague, underspecified requests that yield disconnected code snippets, we designed a multi-layered, constraint-driven prompt architecture that specifies persona, Indian capital-market domain rules, relational schema invariants, quantitative formulas, security contracts, and responsive UI tokens.

Using this structured prompt engineering workflow—followed by targeted diagnostic refinement prompts derived from real runtime telemetry—we engineered PortfolioPro: a complete, zero-mock Stock Trading and Portfolio Risk Management platform powered by Java 17+, Spring Boot 3, MySQL 8, STOMP WebSockets, and Angular 17+ Signals. Every user receives a ₹10,00,000 virtual wallet to trade 30 sector-diversified NSE equities with live streaming prices, statutory Indian brokerage/tax computation, automated Limit/Stop-Loss/Target execution, server-computed technical indicators (SMA, EMA, RSI, MACD, Bollinger Bands), fundamental valuation scoring, and parametric 95% Value-at-Risk analytics.

Why Structured Creative Prompt Crafting Matters in Full-Stack Java Engineering

1. Eliminates Ambiguity: Explicitly locks Java 17, Spring Boot 3, JWT access/refresh rotation, BigDecimal currency precision, and Angular 17 standalone signals so architectural layers integrate cleanly on the first build.

2. Embeds Domain Mathematics: Encodes exact NSE brokerage caps (min ₹20 or 0.05%), STT, SEBI fees, 18% GST, Wilder RSI(14), Newton-Raphson XIRR, and 95% VaR directly into the prompt contract.

3. Enables Diagnostic Iteration: Uses structured root-cause prompts to eliminate port 3306 collisions and Docker MySQL cold-start EOFException races via TCP healthchecks and automatic H2 fallback.

SECTION 01

Creative Prompt Crafting Methodology & Design Taxonomy

Systematic prompt engineering principles applied for CoE > 1. Gen AI & Prompt Engineering > 001_Creative_Prompt_Crafting.

Creative Prompt Crafting is the engineering practice of structuring context, domain constraints, architectural boundaries, and verification criteria so generative systems produce deterministic, production-grade software artifacts. To synthesize a cohesive 106-file Java + Angular financial platform, our prompt design combined six deliberate techniques:

- **1. Dual-Persona Role Conditioning:** Assigned the combined role of Senior Full-Stack Java Engineer and Quantitative Product Designer. This prevented backend-only thinking (great APIs with broken UX) and frontend-only thinking (pretty charts with inaccurate financial math).
- **2. Domain & Regulatory Grounding (NSE India):** Grounded currency, tickers, and accounting rules in Indian equity markets: ₹ INR formatting (lakhs/crores), ₹10,00,000 onboarding capital, 30 realistic NSE stocks across 8 sectors, and statutory transaction charges (Brokerage, STT, Exchange Txn, SEBI, Stamp Duty, GST).
- **3. Orthogonal Functional Decomposition:** Partitioned system behavior into 8 cohesive bounded contexts—Authentication, Live Market Feed, Order Execution, Portfolio & Ledger, Risk Engine, Technical Indicators, Fundamental Analysis, and Watchlists/Alerts—preventing cross-module coupling.
- **4. Explicit Architectural & Version Pinning:** Locked exact frameworks (Java 17+, Spring Boot 3.x, Spring Security 6 JWT, STOMP WebSockets, MySQL 8, Angular 17+ Signals, Lightweight Charts, Chart.js) and banned external paid APIs so the system runs 100% self-contained.
- **5. Negative Constraints & Anti-Boilerplate Guardrails:** Explicitly prohibited placeholder stubs, unimplemented TODO methods, and non-executable prose, requiring working end-to-end persistence, server-side indicator calculation, and automated unit/integration tests.
- **6. Telemetry-Driven Iterative Refinement:** Captured real Windows 11 + Docker Desktop + Java 25 stack traces (MySQL port 3306 conflict and cold-start CommunicationsException / EOFException) and crafted targeted diagnostic prompts to engineer resilient startup probes and embedded fallback.

Prompt Crafting Technique	Specific Prompt Clause Crafted	Concrete Engineering Impact in PortfolioPro
Role Conditioning	"You are a senior full-stack engineer and product designer..."	Unified Spring Boot 3 transactional domain services with a clean, low-latency Zerodha/ TradingView-inspired terminal UI.
Fixed Stack Contract	Java 17, Spring Boot 3.x, JWT (access + refresh), STOMP WS, MySQL 8, Angular 17+ Signals	Zero version mismatch; stateless JwtAuthenticationFilter + Angular jwtInterceptor token rotation worked seamlessly.
Domain State Invariants	"Every new user gets a virtual wallet (default ₹10,00,000)... Limit orders execute automatically"	Atomic @Transactional wallet margin locking on LIMIT BUY and automatic scheduler fill when LTP <= limitPrice.
Server-Side Quantitative Math	"candlestick chart with toggleable SMA, EMA, RSI, MACD, Bollinger Bands; computed server-side"	Implemented deterministic TechnicalIndicatorService.java with unit-tested sliding windows and Wilder smoothing.
Risk & Alert Translation	"stop-loss and target on every position (auto-trigger)... plain-language risk alerts"	RiskCalculatorService computes 0–100 score, HHI, Beta, 95% VaR, Drawdown, and plain-English concentration warnings.
Diagnostic Refinement	Isolate Docker MySQL on 127.0.0.1:3307 + JDBC handshake retry + automatic H2 MySQL fallback	Eliminated Windows port 3306 clashes and Docker volume-init EOFException; app boots with or without Docker running.

SECTION 02

Crafted Prompts — Master Specification & Iterative Refinements

Exact structured prompts crafted and refined to engineer, verify, and harden PortfolioPro.

PROMPT 01 · MASTER ARCHITECTURE SPECIFICATION — Role-Conditioned Full-Stack Java Prompt

```
ROLE
You are a senior full-stack engineer and product designer. Build a complete, working
application called "PortfolioPro" — a Stock Trading & Portfolio Management platform.
Output working production code and a concise README.

TECH STACK (fixed)
- Backend: Java 17, Spring Boot 3.x, Spring Web, Spring Data JPA, Spring Security with
  JWT (access + refresh), Bean Validation, WebSocket (STOMP) for live prices, Lombok, Maven
- Database: MySQL 8 (schema via JPA + seed data via CommandLineRunner), docker-compose.yml
- Frontend: Angular 17+ (standalone components, signals, lazy-loaded routes), Angular
  Material + SCSS design tokens, TradingView lightweight-charts, Chart.js

CORE FEATURES
1. Auth: register, login, logout, JWT refresh, route guards, HTTP interceptor.
   Every new user gets a virtual wallet (default ₹10,00,000).
2. Market data: ~30 NSE-style stocks across sectors with simulated live prices
   (scheduled tick every 1-2 s, realistic random walk) pushed over WebSocket + OHLCV (1D-5Y).
3. Trade execution: Buy/Sell Market & Limit orders, quantity/balance/holding validation,
   Pending/Executed/Cancelled/Rejected statuses, brokerage + tax calculation, auto limit fills.
4. Portfolio management: holdings with avg buy price, current value, day & total P&L (₹/%),
   XIRR returns summary, sector allocation, transaction ledger, simulated wallet add/withdraw.
5. Risk management: stop-loss & target auto-trigger per position, portfolio risk score
   (concentration, sector exposure, volatility/beta), drawdown, 95% VaR, plain-language alerts.
6. Technical analysis: candlestick chart + server-computed SMA, EMA, RSI, MACD, Bollinger.
7. Fundamental analysis: P/E, P/B, EPS, ROE, D/E, dividend yield, 52W high/low, sector rating.
8. Watchlists: multiple lists, add/remove, drag-to-reorder, live price alerts.

UI / UX REQUIREMENTS
- Inspiration: Zerodha Kite, Groww, TradingView — clean, fast, data-dense, uncluttered.
- Light & dark theme persisted per user; tabular numerals; green = gain, red = loss;
  Ctrl+K command palette; undo window for pending limit orders; responsive desktop & mobile.
```

PROMPT 02 · QUANTITATIVE & BROKERAGE PRECISION — Domain Formula & Concurrency Refinement

```
QUANTITATIVE & TRANSACTIONAL CONSTRAINTS
1. Precision: Use BigDecimal with RoundingMode.HALF_UP (scale 2 for ₹ currency, scale 4 for
   ratios/weights) across all Java entities and services; protect Wallet & Holding rows with
   JPA @Version optimistic locking to prevent race conditions between manual trades and
   scheduled tick auto-executions.
2. Statutory Indian Charges (calculateCharges):
   - Brokerage = min(₹20.00, 0.0005 * Turnover)
   - STT = 0.001 * Turnover | Exchange Txn = 0.0000325 * Turnover
   - SEBI Fee = 0.000001 * Turnover | Stamp Duty = 0.00015 * Turnover (BUY only)
   - GST = 0.18 * (Brokerage + Exchange Txn + SEBI Fee)
3. Portfolio Analytics:
   - Compute annualized XIRR via Newton-Raphson solver over dated cashflows + terminal value.
   - Compute HHI concentration sum(w_i^2), weighted portfolio beta, 1D/10D 95% parametric
     Value-at-Risk (1.645 * dailySigma * portfolioValue), and peak-to-trough max drawdown.
```

PROMPT 03 · DIAGNOSTIC RUNTIME HARDENING Telemetry-Guided Cross-Platform Prompt

```
DIAGNOSTIC CONTEXT (Observed on Windows 11 + JDK 25 + Docker MySQL 8):
- Host port 3306 is occupied by a pre-existing local MySQL service.
- During first-time Docker volume creation, MySQL 8 temporarily restarts with
  --skip-networking, causing HikariCP to throw CommunicationsException / EOFException
  ("Can not read response from server. Expected to read 4 bytes, read 0 bytes").

REQUIRED ENGINEERING RESOLUTION:
1. Bind Docker MySQL 8 to 127.0.0.1:${DB_PORT:-3307}:3306 with a TCP healthcheck
   (mysqladmin ping -h 127.0.0.1 --protocol=tcp) and start via "docker compose up -d --wait".
2. Register a Spring ApplicationContextInitializer (DatabaseStartupInitializer) that:
   - Normalizes localhost -> 127.0.0.1 (avoiding Windows IPv6 ::1 resets),
   - Retries JDBC SELECT 1 up to 20 x 2s while Docker MySQL finishes cold initialization,
   - Automatically falls back to persistent MySQL-compatible H2 (./data/portfoliopro-local)
     whenever Docker Desktop is not running.
3. Configure Maven compiler/surefire flags for seamless execution across Java 17, 21, and 25.
```

Comparative Evaluation: Naive Prompting vs. Creative Prompt Crafting


Evaluation Dimension	Naive Single-Sentence Prompt ("Build a stock trading app in Java")	Structured Creative Prompt Crafting (001_Creative_Prompt_Crafting)
Domain Realism	Generic USD tickers (AAPL/TSLA), flat buy/sell button, zero brokerage or tax accounting.	30 NSE stocks in ₹ INR, realistic volatility-scaled ticks, full STT/SEBI/GST/Stamp Duty breakdown.
Order Lifecycle	Instant CRUD insert without margin locking or asynchronous price triggers.	Market & Limit state machine (PENDING/EXECUTED/CANCELLED/REJECTED) + blockedMargin + Undo toast.
Technical & Risk Math	Hardcoded static dummy percentages or client-only chart placeholders.	Server-computed SMA/EMA/RSI/MACD/Bollinger + Newton-Raphson XIRR, HHI, Beta, and 95% VaR.
Security Architecture	Plain session or hardcoded user IDs without token lifecycle.	BCrypt hashing, stateless JWT access tokens (30m), persisted rotating refresh tokens (7d), CORS + Guards.
Startup Reliability	Crashes immediately if MySQL port 3306 is busy or container is warming up.	Isolated port 3307 + TCP readiness probe + 40s JDBC handshake retry + zero-config H2 file fallback.

SECTION 03

Full-Stack Java System Architecture — PortfolioPro

Layered enterprise architecture integrating Spring Boot 3.2, MySQL 8, STOMP WebSockets, and Angular 17+.

End-to-End Full-Stack Execution & Live Telemetry Flow



Backend Package & Service Architecture (com.portfoliopro)

- **config:** DatabaseStartupInitializer (TCP/JDBC readiness & H2 fallback), SecurityConfig (stateless JWT filter chain, CORS), WebSocketConfig (STOMP /ws broker & /topic/ticks), OpenApiConfig (Swagger UI), DataSeeder (seeds 30 NSE equities, 5Y OHLCV history, and demo@portfoliopro.in portfolio).
- **security:** JwtTokenProvider (HMAC-SHA256 signing & claims validation), JwtAuthenticationFilter (OncePerRequestFilter extracting Bearer tokens), CustomUserDetailsService.
- **service:** AuthService, MarketDataService, MarketSimulationScheduler (@Scheduled 1500ms tick generator + auto Limit/SL/TP/Alert matcher), TradeService (@Transactional order placement, cancellation & margin accounting), PortfolioService (P&L, sector weights & XIRR), RiskCalculatorService (Risk Score, HHI, Beta, 95% VaR, Max Drawdown), TechnicalIndicatorService, FundamentalAnalysisService, WalletService, WatchlistService.
- **controller & exception:** 6 REST controllers returning standardized ApiResponse<T> envelopes + GlobalExceptionHandler formatting Bean Validation and business-rule violations cleanly.

Frontend Angular 17+ Reactive Architecture

The Angular 17+ client uses standalone components, lazy-loaded feature routes (/dashboard, /markets, /stocks/:symbol, /portfolio, /orders, /watchlist, /analysis, /risk, /wallet), and Angular Signals for flicker-free reactive updates when STOMP WebSocket ticks arrive every 1.5 seconds. TradingView lightweight-charts renders interactive OHLCV candlesticks with server-computed indicator overlays, while Chart.js renders portfolio sector allocation and equity curves.

SECTION 04

Relational Database Schema & Entity Model (MySQL 8)

11 normalized JPA entities managed by Hibernate 6 with BigDecimal financial precision and @Version locking.

Table / Entity	Primary & Foreign Keys	Key Columns & Constraints	Domain Responsibility
users (User)	PK: id (BIGINT)	email (UNIQUE), password_hash, full_name, theme_pref, created_at	Registered trader identity, BCrypt credentials & persisted UI theme.
refresh_tokens (RefreshToken)	PK: id · FK: user_id	token (UNIQUE, indexed), expires_at, revoked	7-day rotating JWT refresh session tokens with revocation on logout.
stocks (Stock)	PK: id · UK: symbol	symbol, company_name, sector, ltp, prev_close, day_high/low, pe, pb, roe, beta, volatility	Master catalog & live market state for 30 NSE-listed equities.
ohlcv_candles (OhlcvCandle)	PK: id · IDX: (symbol, tf, ts)	symbol, timeframe (1D..5Y), bucket_time, open, high, low, close, volume	Historical & live intraday candlestick bars for charting & indicators.
wallets (Wallet)	PK: id · FK: user_id (1:1)	balance (DECIMAL 18,2), blocked_margin, total_deposited, @Version	₹10,00,000 starting virtual cash + margin reserved for pending limit buys.
wallet_transactions	PK: id · FK: user_id	txn_type (DEPOSIT/WITHDRAWAL/ TRADE_BUY/SELL), amount, balance_after, ref_id	Immutable audit ledger of every cash deposit, payout, and trade settlement.
holdings (Holding)	PK: id · UK: (user_id, symbol)	quantity, avg_buy_price, invested_amount, stop_loss_price, target_price, @Version	Active equity positions with weighted-average cost & auto SL/ TP triggers.
orders (Order)	PK: id · FK: user_id	symbol, side (BUY/SELL), type (MARKET/LIMIT), status, qty, limit_price, exec_price, charges	Full order book lifecycle (PENDING, EXECUTED, CANCELLED, REJECTED).
watchlists (Watchlist)	PK: id · FK: user_id	name, ordered_symbols (@ElementCollection order_column)	User-curated multi-list stock watchlists with drag-and-drop ordering.

Table / Entity	Primary & Foreign Keys	Key Columns & Constraints	Domain Responsibility
price_alerts (PriceAlert)	PK: id · FK: user_id	symbol, condition_type (ABOVE/BELOW), target_price, triggered, triggered_at	Real-time threshold monitors evaluated on every 1.5s market tick.
notifications (Notification)	PK: id · FK: user_id	category (ORDER/RISK/ALERT), title, message, is_read, created_at	In-app activity feed for limit fills, SL/TP triggers, and price alerts.

SECTION 05

Quantitative Finance, Brokerage & Risk Engine Specification

Deterministic server-side mathematical models implemented in Java 17.

5.1 Statutory Indian Equity Transaction Cost Model (TradeService)

- **Turnover (T):** T = ExecutionPrice × Quantity (computed in BigDecimal scale 2, HALF_UP).
- **Brokerage (B):** B = min(₹20.00, 0.0005 × T) — standard Indian discount-brokerage flat cap.
- **Statutory Levies:** STT = 0.0010 × T | NSE Exchange Txn = 0.0000325 × T | SEBI Fee = 0.000001 × T | Stamp Duty = 0.00015 × T (BUY orders only).
- **GST & Net Settlement:** GST = 0.18 × (B + ExchangeTxn + SEBIFee). Net BUY Debit = T + TotalCharges; Net SELL Credit = T − TotalCharges.

5.2 Server-Side Technical Indicators (TechnicalIndicatorService)

- **SMA (20, 50) & EMA (12, 26):** Rolling arithmetic mean over N closes; exponential smoothing EMA_t = Close_t × k + EMA_{t-1} × (1 − k) where k = 2 / (N + 1).
- **Wilder RSI (14):** RSI = 100 − [100 / (1 + RS)], where RS = SmoothedAvgGain(14) / SmoothedAvgLoss(14); flags Oversold (< 30) and Overbought (> 70).
- **MACD (12, 26, 9):** MACD Line = EMA(12) − EMA(26); Signal Line = EMA_9(MACD Line); Histogram = MACD − Signal.
- **Bollinger Bands (20, 2σ):** Middle = SMA(20); Upper = SMA(20) + 2 × σ_20; Lower = SMA(20) − 2 × σ_20.

5.3 Portfolio XIRR & Quantitative Risk Metrics (RiskCalculatorService)

- **Annualized XIRR:** Solves ∑ [CF_i / (1 + r)^((t_i − t_0)/365)] = 0 via Newton-Raphson iterations across all historical trade cashflows plus current liquidation value.
- **Concentration (HHI):** Herfindahl-Hirschman Index HHI = ∑ (w_i^2) across position weights w_i, plus single-stock (> 25%) and single-sector (> 40%) exposure alerts.
- **Portfolio Beta & 95% Parametric VaR:** β_p = ∑ (w_i × β_i). Daily portfolio volatility σ_daily = (σ_annual / √252). 1-Day 95% VaR = 1.645 × σ_daily × PortfolioValue; 10-Day VaR = VaR_1D × √10.
- **Composite Risk Score (0–100):** Weighted combination of Concentration Risk (35%), Sector Tilt (25%), Weighted Beta/Volatility (25%), and Unprotected Positions without Stop-Loss (15%).

SECTION 06

REST API & Real-Time WebSocket Endpoint Specification

All protected endpoints enforce Bearer JWT authentication via JwtAuthenticationFilter.

Domain	Method & Endpoint Pattern	Auth	Request / Query Contract & Response Summary
Auth	`POST /api/auth/register`	Public	Body: {fullName, email, password} -> Creates user + ₹10,00,000 wallet + access/refresh JWTs.
Auth	`POST /api/auth/login · /refresh · /logout`	Public	Issues/rotates 30m access JWT & 7d refresh token; /logout revokes persisted refresh token.
Auth	`GET /api/auth/me · PUT /api/auth/theme`	JWT	Returns authenticated profile or updates persisted light/dark theme preference.

Domain	Method & Endpoint Pattern	Auth	Request / Query Contract & Response Summary
Markets	`GET /api/market/stocks?sector=&q=`	Public	Returns NIFTY 50 / SENSEX / BANK / IT indices + 30 live NSE stocks with sparklines.
Markets	`GET /api/market/stocks/{symbol}/candles`	Public	Query: timeframe=1D|1W|1M|1Y|5Y -> Chronological OHLCV candlestick array.
Orders	`POST /api/orders/estimate · POST /api/orders`	JWT	Computes itemized charges or executes/queues MARKET & LIMIT BUY/SELL with SL/TP.
Orders	`GET /api/orders · POST /api/orders/{id}/cancel`	JWT	Paginated order book by status; cancels PENDING limit order & releases blockedMargin.
Portfolio	`GET /api/portfolio/summary`	JWT	Holdings, invested vs current value, Day & Total P&L (₹/%), XIRR %, sector allocation.
Portfolio	`PUT /api/portfolio/holdings/{symbol}/risk`	JWT	Updates live position Stop-Loss and Target prices monitored by scheduler.
Risk	`GET /api/risk/summary`	JWT	0–100 Risk Score, HHI, Portfolio Beta, 1D/10D 95% VaR, Max Drawdown & plain-English alerts.
Analysis	`GET /api/analysis/{symbol}/technicals`	Public	Server-computed SMA20/50, EMA12/26, RSI14, MACD(12,26,9), Bollinger(20,2) & signal summary.
Analysis	`GET /api/analysis/{symbol}/fundamentals`	Public	P/E, P/B, EPS, ROE, D/E, Dividend Yield, 52W range, sector benchmark & Strong/Neutral/Weak rating.
Watchlist	`GET/POST/PUT/DELETE /api/watchlists & /alerts`	JWT	Multi-watchlist CRUD, drag-reorder symbol persistence, and ABOVE/BELOW price alerts.
Wallet	`GET /api/wallet · POST /deposit · /withdraw`	JWT	Wallet cash/margin summary, instant simulated deposits/withdrawals & paginated ledger.
Live WS	`WS /ws (STOMP /topic/ticks & /user/queue)`	JWT/ Pub	Pushes 1.5s live NSE price ticks, index updates, limit fills, SL/TP triggers & alert hits.

SECTION 07

Key Production Java 17 / Spring Boot 3 Code Excerpts

Selected production classes illustrating resilient database initialization and transactional order execution.

backend/src/main/java/com/portfoliopro/config/DatabaseStartupInitializer.java

```
public class DatabaseStartupInitializer implements
ApplicationContextInitializer<ConfigurableApplicationContext> {
    private static final int MAX_MYSQL_HANDSHAKE_ATTEMPTS = 20;
    private static final String EMBEDDED_H2_URL =
        "jdbc:h2:file:./data/portfoliopro-local;MODE=MySQL;DATABASE_TO_LOWER=TRUE;AUTO_SERVER=TRUE";

    @Override
    public void initialize(ConfigurableApplicationContext ctx) {
        ConfigurableEnvironment env = ctx.getEnvironment();
        String host = "localhost".equalsIgnoreCase(env.getProperty("DB_HOST", "127.0.0.1"))
                ? "127.0.0.1" : env.getProperty("DB_HOST", "127.0.0.1");
        int port = Integer.parseInt(env.getProperty("DB_PORT", "3307"));
        if (!isTcpPortOpen(host, port, 1200)) {
            activateEmbeddedFallback(env, "Docker MySQL port " + host + ":" + port + " not open");
            return;
        }
        // Retries JDBC SELECT 1 up to 20 x 2s while MySQL 8 completes cold volume initialization
        for (int attempt = 1; attempt <= MAX_MYSQL_HANDSHAKE_ATTEMPTS; attempt++) {
            try (Connection c = DriverManager.getConnection(probeUrl, user, pass);
                 Statement s = c.createStatement()) {
                s.execute("SELECT 1");
                return; // Verified live MySQL 8 connection
            } catch (SQLException ex) { Thread.sleep(2000L); }
        }
        activateEmbeddedFallback(env, "MySQL handshake timed out");
    }
}
```

backend/src/main/java/com/portfoliopro/service/TradeService.java (Transactional Order & Margin Engine)

```
@Transactional
public OrderResponse placeOrder(Long userId, PlaceOrderRequest req) {
    Stock stock = stockRepository.findBySymbol(req.getSymbol().toUpperCase())
            .orElseThrow(() -> new ResourceNotFoundException("Stock not found"));
    Wallet wallet = walletRepository.findByUserId(userId)
            .orElseThrow(() -> new ResourceNotFoundException("Wallet not found"));
    BigDecimal refPrice = req.getOrderType() == OrderType.LIMIT ? req.getLimitPrice() : stock.getLtp();
    ChargeBreakdown charges = calculateCharges(req.getSide(), refPrice, req.getQuantity());

    if (req.getSide() == OrderSide.BUY) {
        if (wallet.getBalance().compareTo(charges.getNetAmount()) < 0) {
            return saveRejectedOrder(userId, stock, req, "Insufficient available wallet balance.");
        }
        if (req.getOrderType() == OrderType.LIMIT) {
            // Reserve margin atomically until MarketSimulationScheduler matches limitPrice
            wallet.setBalance(wallet.getBalance().subtract(charges.getNetAmount()));
            wallet.setBlockedMargin(wallet.getBlockedMargin().add(charges.getNetAmount()));
            return savePendingLimitOrder(userId, stock, req, charges);
        }
        return executeImmediateBuy(userId, wallet, stock, req, charges);
    }
    return executeOrQueueSell(userId, wallet, stock, req, charges);
}
```

SECTION 08

Automated Verification Matrix & Local Execution Guide

Verified with Maven 3.9, JUnit 5, and Spring Boot Test across Java 17, 21, and 25.

Test Suite Class	Scope	Verified Engineering Assertions	Result
`TradeServiceTest`	Unit (JUnit 5 + Mockito)	Market BUY/SELL settlement, brokerage ₹20 cap & 18% GST accuracy, insufficient cash rejection, pending LIMIT margin locking & cancellation refund.	**PASS**
`TechnicalIndicatorServiceTest`	Unit (JUnit 5)	SMA(20/50), EMA(12/26), Wilder RSI(14) bounds [0,100], MACD signal crossover, and Bollinger Band width expansion under volatility.	**PASS**
`RiskCalculatorServiceTest`	Unit (JUnit 5)	HHI concentration penalty on single-stock heavy portfolios, weighted Beta aggregation, 1D/10D 95% VaR scaling, and plain-English risk alert generation.	**PASS**
`PortfolioProApplicationIntegrationTest`	@SpringBootTest (Full HTTP)	Full context startup, DataSeeder 30-stock & OHLCV verification, /api/auth/register ₹10,00,000 wallet provisioning, JWT login, and live Market BUY execution.	**PASS**

How to Run & Evaluate PortfolioPro

- **1. Instant Live Cloud Evaluation (Zero Setup):** Open https://ais-pre-7o2uonqdo2nmiybl4phmtu-322621247858.asia-east1.run.app and click "Instant Demo Login" (demo@portfoliopro.in / Demo@1234) or register a new account to receive ₹10,00,000.00 in virtual trading capital. Full source archive (PortfolioPro.zip) is also downloadable directly from the top navigation bar.
- **2. Windows One-Click Execution with Docker MySQL 8:** Extract PortfolioPro.zip and double-click start-windows.bat. Docker MySQL 8 starts on 127.0.0.1:3307 (never conflicting with local port 3306), passes its TCP healthcheck, and launches Spring Boot on http://localhost:8080 + Angular on http://localhost:4200.
- **3. Zero-Docker Local Mode (Embedded MySQL-Compatible Database):** Double-click start-windows-nodocker.bat (or run "cd backend && mvn spring-boot:run -Dspring-boot.run.profiles=h2") to run the full Spring Boot 3 backend with zero external database installation.
- **4. Automated Backend Test Suite Execution:** Run "cd backend && mvn test package" to execute all unit and @SpringBootTest integration suites and produce the executable Spring Boot fat JAR.

Submission Checklist Verification — 001_Creative_Prompt_Crafting (ABES_JAS26_FSD JAVA_Batch 04)

✓ Creative Prompt Crafting Methodology, Persona Conditioning, Constraints & Iterative Diagnostic Prompts documented.

✓ Complete Full-Stack Java 17 + Spring Boot 3 + MySQL 8 + STOMP WebSocket + Angular 17+ architecture engineered and verified.

✓ Live interactive cloud deployment & downloadable 106-file source archive (PortfolioPro.zip) available for faculty inspection.

✓ PDF formatted cleanly well under the 100 MB HCL Career Shaper portal limit (.pdf accepted format).