



Laboratorium
Multimedia dan Internet of Things
Departemen Teknik Komputer
Institut Teknologi Sepuluh Nopember

Laporan Akhir

Praktikum Jaringan Komputer

Crimping dan Routing IPv4

Riggy Fahmi Abyan - 5024241045

8 Mei 2026


1 Langkah-Langkah Percobaan

Langkah-langkah percobaan adalah sebagai berikut : Pertama, untuk melakukan crimping, maka kabl perlu dibuka terlebih dahulu bagian kulit luarnya. Setelah itu kabel yang berada di dalam yang tersusun dari kabel-kabel yang lebih kecil dipisah sesuai warnanya. Selanjutnya, warna tersebut diurutkan sesuai dengan urutan yang telah ditetapkan karena tiap kabel dengan warnanya merepresentasikan fungsi yang berbeda. Selanjutnya dipasang bagian kepala untuk kabel lan dengan menggunakan suatu alat. Setelah kabel sudah jadi, maka langkah selanjutnya adalah menggunakannya untuk menyambungkan dua laptop dan dua router menggunakan mikrotik.

2 Analisis Hasil Percobaan

Dari hasil percobaan keduanya, ditemukan bahwa koneksi berhasil dilakukan dan semua device tersambung.

3 Hasil Tugas Modul




ping sukses namun masih tertulis destination hub unreachable

4 Kesimpulan

Kesimpulan berisi ringkasan dari hasil praktikum dan hal-hal penting yang didapatkan. Bagian ini menjawab tujuan praktikum, mencantumkan hasil yang sesuai atau tidak sesuai dengan teori, serta pembelajaran yang diperoleh oleh praktikan.

5 Lampiran

5.1 Dokumentasi saat praktikum



Gambar 1: Foto kabel LAN

```
Command Prompt
Approximate round trip times in milli-seconds:
  Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\Users\LENOVO>ping 192.168.20.1

Pinging 192.168.20.1 with 32 bytes of data:
Reply from 192.168.20.1: bytes=32 time<1ms TTL=63
Reply from 192.168.20.1: bytes=32 time<1ms TTL=63
Reply from 192.168.20.1: bytes=32 time<1ms TTL=63
Reply from 192.168.20.1: bytes=32 time<1ms TTL=63

Ping statistics for 192.168.20.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\Users\LENOVO>ping 192.168.20.2

Pinging 192.168.20.2 with 32 bytes of data:
Reply from 192.168.20.2: bytes=32 time<1ms TTL=126
Reply from 192.168.20.2: bytes=32 time=2ms TTL=126
Reply from 192.168.20.2: bytes=32 time=1ms TTL=126
Reply from 192.168.20.2: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.20.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 1ms
C:\Users\LENOVO>
```

Gambar 2: Ping sukses