



[Home](#) → [Medical Encyclopedia](#) → Disseminated intravascular coagulation (DIC)

URL of this page: //medlineplus.gov/ency/article/000573.htm

## Disseminated intravascular coagulation (DIC)

Disseminated intravascular coagulation (DIC) is a serious disorder in which the proteins that control blood clotting become overactive.

### Causes

When you are injured, proteins in the blood that form blood clots travel to the injury site to help stop bleeding. If these proteins become abnormally active throughout the body, you could develop DIC. The underlying cause is usually due to inflammation, infection, or cancer.

In some cases of DIC, small blood clots form in the blood vessels. Some of these clots can clog the vessels and cut off the normal blood supply to organs such as the liver, brain, or kidneys. Lack of blood flow can damage and cause major injury to the organs.

In other cases of DIC, the clotting proteins in your blood are consumed. When this happens, you may have a high risk of serious bleeding, even from a minor injury or without injury. You may also have bleeding that starts spontaneously (on its own). The disease can also cause your healthy red blood cells to fragment and break up when they travel through the small vessels that are filled with clots.

Risk factors for DIC include:

- Blood transfusion reaction
- Cancer, especially certain types of leukemia
- Inflammation of the pancreas (pancreatitis)
- Infection in the blood, especially by bacteria or fungus
- Liver disease
- Pregnancy complications (such as placenta tissue that is left behind after delivery)
- Recent surgery or anesthesia
- Severe tissue injury (as in burns and head injury)
- Large hemangioma (a blood vessel that is not formed properly)

### Symptoms

Symptoms of DIC may include any of the following:

- Bleeding, from many sites in the body
- Blood clots
- Bruising
- Drop in blood pressure
- Shortness of breath
- Confusion, memory loss or change of behavior
- Fever

## Exams and Tests

You may have any of the following tests:

- Complete blood count with blood smear exam
- Partial thromboplastin time (PTT)
- Prothrombin time (PT)
- Fibrinogen blood test
- D-dimer

## Treatment

There is no specific treatment for DIC. The goal is to determine and treat the underlying cause of DIC.

Supportive treatments may include:

- Plasma transfusions to replace blood clotting factors if a large amount of bleeding is occurring.
- Blood thinner medicine (heparin) to prevent blood clotting if a large amount of clotting is occurring.

## Outlook (Prognosis)

The outcome depends on what is causing the disorder. DIC can be life threatening.

## Possible Complications

Complications from DIC may include:

- Bleeding
- Lack of blood flow to the arms, legs, or vital organs
- Stroke

## When to Contact a Medical Professional

Go to the emergency room or call 911 or the local emergency number if you have bleeding that does not stop.

## Prevention

Get prompt treatment for conditions known to bring on this disorder.

# Alternative Names

Consumption coagulopathy; DIC

## References

Levi M. Disseminated intravascular coagulation. In: Hoffman R, Benz EJ, Silberstein LE, et al, eds. *Hematology: Basic Principles and Practice*. 8th ed. Philadelphia, PA: Elsevier; 2023:chap 137.

Sarode R, Kessler CM. Coagulation and fibrinolysis. In: McPherson RA, Pincus MR, eds. *Henry's Clinical Diagnosis and Management by Laboratory Methods*. 24th ed. Philadelphia, PA: Elsevier; 2022:chap 40.

Schafer AI. Disseminated intravascular coagulation and bleeding in liver failure. In: Goldman L, Cooney KA, eds. *Goldman-Cecil Medicine*. 27th ed. Philadelphia, PA: Elsevier; 2024:chap 161.

## Review Date 12/31/2023

Updated by: Todd Gersten, MD, Hematology/Oncology, Florida Cancer Specialists & Research Institute, Wellington, FL. Review provided by VeriMed Healthcare Network. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

### Learn how to cite this page



CERTIFIED  
Health Content  
Provider  
06/01/2028

A.D.A.M., Inc. is accredited by URAC, for Health Content Provider ([www.urac.org](http://www.urac.org)). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.



National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services

National Institutes of Health