



[Home](#) → [Medical Encyclopedia](#) → Breast cancer in men

URL of this page: [//medlineplus.gov/ency/article/007653.htm](https://medlineplus.gov/ency/article/007653.htm)

Breast cancer in men

Breast cancer is cancer that starts in breast tissue. Both males and females have breast tissue. This means that anyone, including men and boys, can develop breast cancer.

Breast cancer in men is rare. Male breast cancer accounts for less than 1% of all breast cancers.

Causes

The cause of breast cancer in men is not clear. But there are risk factors that make breast cancer more likely in men:

- Exposure to radiation
- Higher estrogen levels due to factors such as heavy alcohol use, cirrhosis, and obesity
- Heredity, such as a family history of breast cancer, having a variant BRCA1 or BRCA2 gene, and certain genetic disorders, such as Klinefelter syndrome
- Excess breast tissue (gynecomastia)
- Older age -- men are often diagnosed with breast cancer between ages 60 and 70

Symptoms

Symptoms of breast cancer in men include:

- Lump or swelling in the breast tissue. One breast may be larger than the other.
- A small lump beneath the nipple.
- Unusual changes in the nipple or skin around the nipple such as redness, scaling, or puckering.
- Nipple discharge.

Exams and Tests

Your health care provider will take your medical history and family medical history. You will have a physical exam and a breast exam.

Your provider may order other tests, including:

- A mammogram.

- Breast ultrasound.
- An MRI of the breast.
- If any of the tests suggest cancer, your provider will arrange a biopsy to check for cancer.

If cancer is found, your provider will order other tests to find out:

- How it has spread
- What treatments might be best
- What are the chances that the cancer might come back

The tests may include:

- Bone scan
- CT scan
- PET scan
- Sentinel lymph node biopsy to check if the cancer has spread to the lymph nodes

The biopsy and other tests will be used to grade and stage the tumor. The results of those tests will help determine your treatment.

Treatment

Treatment options for breast cancer in men include:

- Surgery to remove the breast, lymph nodes under the arm, the lining over chest muscles, and chest muscles, if needed
- Radiation therapy after surgery to kill any remaining cancer cells and to target specific tumors
- Chemotherapy to kill cancer cells that have spread to other parts of the body or to lower the risk of the cancer returning after surgery
- Hormone therapy to block hormones that may help certain types of breast cancer grow

During and after treatment, your provider may ask you to have more tests. This may include a repeat of tests you had to make the diagnosis.

Support Groups

Cancer affects how you feel about yourself and your life. You can ease the stress of illness by joining a cancer support group. Sharing with others who have had the same experiences and problems can help you feel less alone. The group can also point you to helpful resources for managing your condition.

Ask your provider to help you find a support group of men who have been diagnosed with breast cancer.

Outlook (Prognosis)

The long-term outlook for men with breast cancer is excellent when the cancer is found and treated early.

- About 91% of men treated before the cancer has spread to other areas of the body are cancer-free after 5 years.

- Almost 3 out of 4 men treated for cancer that has spread to lymph nodes but not to other areas of the body are cancer-free at 5 years.
- Men who have cancer that has spread to distant parts of the body have a smaller chance of long-term survival.

Possible Complications

Complications include side effects from surgery, radiation, and chemotherapy.

When to Contact a Medical Professional

Contact your provider right away if you notice something unusual about your breast, including any lumps, skin changes, or discharge.

Prevention

There is no clear way to prevent breast cancer in men. The best way to protect yourself is to:

- Know that men can develop breast cancer
- Know your risk factors and talk with your provider about screening and early detection with tests if needed
- Know the possible signs of breast cancer
- Tell your provider if you notice any changes in your breast

Alternative Names

Infiltrating ductal carcinoma - male; Ductal carcinoma in situ - male; Intraductal carcinoma - male; Inflammatory breast cancer - male; Paget disease of the nipple - male; Breast cancer - male

References

Farr DE, Gradishar WJ. Male breast cancer. In: Klimberg VS, Gradishar WJ, Bland KI, Korourian S, White J, Copeland EM, eds. *Bland and Copeland's The Breast*. 6th ed. Philadelphia, PA: Elsevier; 2024:chap 67.

Kimberg VS, Hunt KL. Diseases of the breast. In: Townsend CM Jr, Beauchamp RD, Evers BM, Mattox KL, eds. *Sabiston Textbook of Surgery*. 21st ed. St Louis, MO: Elsevier; 2022:chap 35.

National Cancer Institute website. Male breast cancer treatment (PDQ) - health professional version.

www.cancer.gov/types/breast/hp/male-breast-treatment-pdq [https://www.cancer.gov/types/breast/hp/male-breast-treatment-pdq]

. Updated January 31, 2024. Accessed August 28, 2024.

Review Date 8/21/2024

Updated by: Warren Brenner, MD, Oncologist, Lynn Cancer Institute, Boca Raton, FL. Review provided by VeriMed Healthcare Network. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.



Health Content
Provider
06/01/2028

A.D.A.M., Inc. is accredited by [URAC](http://www.urac.org), for Health Content Provider (www.urac.org). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.



National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services
National Institutes of Health