



[Home](#) → [Medical Encyclopedia](#) → Coccidioides complement fixation

URL of this page: [//medlineplus.gov/ency/article/003547.htm](https://medlineplus.gov/ency/article/003547.htm)

Coccidioides complement fixation

Coccidioides complement fixation is a blood test that looks for substances (proteins) called antibodies, which are produced by the body in reaction to the fungus *Coccidioides immitis*. This fungus causes the disease coccidioidomycosis.

How the Test is Performed

A blood sample is needed.

How to Prepare for the Test

There is no special preparation for the test.

How the Test will Feel

When the needle is inserted to draw blood, some people feel moderate pain, while others feel only a prick or stinging. Afterward, there may be some throbbing.

Why the Test is Performed

This test is used to detect infection with the fungus that causes coccidioidomycosis, or Valley fever. This condition can cause lung (localized) or widespread (disseminated) infection.

Normal Results

A normal result means no *Coccidioides immitis* antibodies are detected in the blood sample.

Normal value ranges may vary slightly among different laboratories. Some labs use different measurements or test different samples. Talk to your health care provider about the meaning of your specific test results.

What Abnormal Results Mean

Abnormal results mean that *Coccidioides immitis* antibodies are present. This can mean that you have a current or past infection.

The test may be repeated after several weeks to detect a rise in titer (antibody concentration), which confirms an active infection.

In general, the worse the infection, the higher is the titer, except in people with a weakened immune system.

There can be false positive tests in people with other fungal diseases such as histoplasmosis and blastomycosis, and false negative tests in people with single lung masses from coccidioidomycosis.

Risks

There is little risk involved with having your blood taken. Veins and arteries vary in size from one person to another and from one side of the body to the other. Taking blood from some people may be more difficult than from others.

Other risks associated with having blood drawn are slight, but may include:

- Excessive bleeding
- Fainting or feeling lightheaded
- Multiple punctures to locate veins
- Hematoma (blood accumulating under the skin)
- Infection (a slight risk any time the skin is broken)

Alternative Names

Coccidioides antibody test; Coccidioidomycosis blood test

References

Galgiani JN. Coccidioidomycosis (*Coccidioides* species). In: Bennett JE, Dolin R, Blaser MJ, eds. *Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases*. 9th ed. Philadelphia, PA: Elsevier; 2020:chap 265.

Iwen PC, Thompson GR, Wiederhold NP. Mycotic diseases. In: McPherson RA, Pincus MR, eds. *Henry's Clinical Diagnosis and Management by Laboratory Methods*. 24th ed. Philadelphia, PA: Elsevier; 2022:chap 60.

Review Date 8/26/2023

Updated by: Jatin M. Vyas, MD, PhD, Associate Professor in Medicine, Harvard Medical School; Associate in Medicine, Division of Infectious Disease, Department of Medicine, Massachusetts General Hospital, Boston, MA. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

Learn how to cite this page



06/01/2028

A.D.A.M., Inc. is accredited by [URAC](http://www.urac.org), for Health Content Provider (www.urac.org). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or

correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.



National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services
National Institutes of Health