



[Home](#) → [Medical Encyclopedia](#) → Calcium and bones

URL of this page: [//medlineplus.gov/ency/article/002062.htm](https://medlineplus.gov/ency/article/002062.htm)

Calcium and bones

The mineral calcium helps your muscles, nerves, and cells work normally.

Your body also needs calcium (as well as phosphorus) to make healthy bones. Bones are the main storage site of calcium in the body.

Your body cannot make calcium. The body only gets the calcium it needs through the food you eat, or from supplements. If you do not get enough calcium in your diet, or if your body does not absorb enough calcium, your bones can get weak or will not grow properly.

Your bones are a living organ. Bones are constantly being remodeled with old bone being resorbed and new bone being formed. It takes about 10 years for all the bone in your body to be renewed. That is why paying attention to bone health is important in adults and not just in growing children.

Bone density refers to how much calcium and other minerals are present in a section of your bone. Bone density is highest between ages 25 and 35. It goes down as you get older. This can result in brittle, fragile bones that can break easily, even without a fall or other injury.

The digestive system normally absorbs only 15% to 20% of the calcium taken in your diet. Vitamin D is the hormone that helps the gut absorb more calcium.

Many older adults have common risks that make bone health worse. Calcium intake in the diet (mainly in milk, cheese, and yogurt) may be low. Vitamin D levels may also be low which can make gut calcium absorption low. In many adults, hormonal signals have to take some calcium out of the bones every day to keep blood calcium levels normal. This contributes to bone loss.

Because of this, as you age, your body still needs calcium to keep your bones dense and strong. Most experts recommend at least 1,200 milligrams of calcium and 800 to 1,000 international units of vitamin D a day. Your health care provider may recommend a supplement to give you the calcium and vitamin D you need.

Some recommendations call for much higher doses of vitamin D, but many experts feel that high doses of vitamin D are not safe for everyone. In addition, very high amounts of calcium in your diet can lead to health problems such as constipation, kidney stones, and kidney damage. If you are concerned about bone health, be sure to discuss with your provider whether supplements of calcium and Vitamin D are a good choice for you.

People who have gut-related conditions (inflammatory bowel disease, gastric bypass surgery), parathyroid gland disease, or are taking certain medicines may need different recommendations for calcium and vitamin D supplementation. Talk to your provider if you are unsure about how much calcium and vitamin D to take.

Follow a diet that provides the proper amount of calcium, vitamin D, and protein. These nutrients will not completely stop bone loss, but they will help ensure that your body has the materials it needs to build bones. Remaining fit and active can also protect bones and keep them stronger. Avoiding smoking also protects bones and keeps them stronger.

High-calcium foods include:

- Milk
- Cheese
- Ice cream
- Leafy green vegetables, such as spinach and collard greens
- Salmon
- Sardines (with the bones)
- Tofu
- Yogurt

Alternative Names

Bone strength and calcium; Osteoporosis - calcium and bones; Osteopenia - calcium and bones; Bone thinning - calcium and bones; Low bone density - calcium and bones

References

Brown C. Vitamins, calcium, bone. In: Brown MJ, Sharma P, Mir FA, Bennett PN, eds. *Clinical Pharmacology*. 12th ed. Philadelphia, PA: Elsevier; 2019:chap 39.

LeBoff MS, Greenspan SL, Insogna KL, et al. The clinician's guide to prevention and treatment of osteoporosis. *Osteoporos Int*. 2022;33(10):2049-2102. PMID: 35478046
pubmed.ncbi.nlm.nih.gov/35478046/ [<https://pubmed.ncbi.nlm.nih.gov/35478046/>].

US Preventive Services Task Force, Grossman DC, Curry SJ, Owens DK, et al. Vitamin D, calcium, or combined supplementation for the primary prevention of fractures in community-dwelling adults: US Preventive Services Task Force Recommendation Statement. *JAMA*. 2018;319(15):1592-1599. PMID: 29677309
pubmed.ncbi.nlm.nih.gov/29677309/ [<https://pubmed.ncbi.nlm.nih.gov/29677309/>].

Weber TJ. Osteoporosis. In: Goldman L, Cooney KA, eds. *Goldman-Cecil Medicine*. 27th ed. Philadelphia, PA: Elsevier; 2024:chap 225.

Review Date 7/21/2024

Updated by: Sandeep K. Dhaliwal, MD, board-certified in Diabetes, Endocrinology, and Metabolism, Springfield, VA. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.



Health Content
Provider
06/01/2028

A.D.A.M., Inc. is accredited by [URAC](http://www.urac.org), for Health Content Provider (www.urac.org). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.



National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services
National Institutes of Health