



[Home](#) → [Medical Encyclopedia](#) → Complement

URL of this page: [//medlineplus.gov/ency/article/003456.htm](https://medlineplus.gov/ency/article/003456.htm)

## Complement

Complement is a blood test that measures the activity of certain proteins in the liquid portion of your blood.

The complement system is a group of nearly 60 proteins that are in blood plasma or on the surface of some cells. The proteins work with your immune system and play a role to protect the body from infections, and to remove dead cells and foreign material. Rarely, people may inherit deficiency of one or more complement proteins. These people are prone to certain infections or autoimmune disorders.

There are nine major complement proteins. They are labeled C1 through C9. This article describes the test that measures total complement activity.

### How the Test is Performed

A blood sample is needed. This is most often taken through a vein. The procedure is called a venipuncture.

### How to Prepare for the Test

There is no special preparation.

### How the Test will Feel

When the needle is inserted to draw blood, some people feel slight pain. Others may feel only a prick or sting. Afterward, there may be some throbbing.

### Why the Test is Performed

Total complement activity (CH50, CH100) looks at the overall activity of the complement system. In most cases, other tests that are more specific for the suspected disease are done first. C3 and C4 are the complement components measured most often.

A complement test may be used to monitor people with an autoimmune disorder. It is also used to see if treatment for their condition is working. For example, people with active lupus erythematosus may have lower-than-normal levels of the complement proteins C3 and C4.

Complement activity varies throughout the body. For example, in people with rheumatoid arthritis, complement activity in the blood may be normal or higher-than-normal, but much lower-than-normal in the joint fluid.

People with some bacterial blood infections and shock often have very low C3 and components of what's known as the alternative pathway. C3 is often also low in fungal infections and some parasitic infections, such as malaria.

## Normal Results

The normal results for this test are:

- Total blood complement level: 41 to 90 hemolytic units
- C1 level: 14.9 to 22.1 mg/dL
- C3 levels: 88 to 201 mg/dL
- C4 levels: 15 to 45 mg/dL

Note: mg/dL = milligrams per deciliter.

Note: Normal value ranges may vary slightly among different laboratories. Talk to your health care provider about the meaning of your specific test results.

The examples above show the common measurements for results for these tests. Some laboratories use different measurements or may test different specimens.

## What Abnormal Results Mean

Increased complement activity may be seen in:

- Cancer
- Certain infections
- Ulcerative colitis

Decreased complement activity may be seen in:

- Cirrhosis
- Glomerulonephritis
- Hereditary angioedema
- Hepatitis
- Kidney transplant rejection
- Lupus nephritis
- Malnutrition
- Systemic lupus erythematosus
- Rare inherited complement deficiencies

## Risks

Risks associated with having blood drawn are slight, but may include:

- Excessive bleeding
- Fainting or feeling lightheaded
- Hematoma (blood accumulating under the skin)

- Infection (a slight risk any time the skin is broken)

## Considerations

The "complement cascade" is a series of reactions that take place in the blood. The cascade activates the complement proteins. The result is an attack unit that creates holes in the membrane of bacteria, killing them.

## Alternative Names

Complement assay; Complement proteins; CH50 test

## References

Atkinson JP, Holers VM. Complement system in disease. In: Goldman L, Cooney KA, eds. *Goldman-Cecil Medicine*. 27th ed. Philadelphia, PA: Elsevier; 2024:chap 37.

Bean KV, Massey HD, Gupta G. Mediators of inflammation: complement. In: McPherson RA, Pincus MR, eds. *Henry's Clinical Diagnosis and Management by Laboratory Methods*. 24th ed. Philadelphia, PA: Elsevier; 2022:chap 48.

Ram S. Complement and deficiencies. In: Bennett JE, Dolin R, Blaser MJ, eds. *Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases*. 9th ed. Philadelphia, PA: Elsevier; 2020:chap 9.

Sullivan KE, Grumach AS. The complement system. In: Burks AW, Holgate ST, O'Hehir RE, et al, eds. *Middleton's Allergy: Principles and Practice*. 9th ed. Philadelphia, PA: Elsevier; 2020:chap 8.

## Review Date 1/28/2025

Updated by: Diane M. Horowitz, MD, Rheumatology and Internal Medicine, Northwell Health, Great Neck, NY.  
Review provided by VeriMed Healthcare Network. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

**Learn how to cite this page**



A.D.A.M., Inc. is accredited by [URAC](http://www.urac.org), for Health Content Provider ([www.urac.org](http://www.urac.org)). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.

