



[Home](#) → [Medical Encyclopedia](#) → Focal neurologic deficits

URL of this page: [//medlineplus.gov/ency/article/003191.htm](https://medlineplus.gov/ency/article/003191.htm)

Focal neurologic deficits

A focal neurologic deficit is a problem with nerve, spinal cord, or brain function. It affects a specific location, such as the left side of the face, right arm, or even a small area such as the tongue. Speech, vision, and hearing problems are also considered focal neurological deficits.

The type, location, and severity of the problem can indicate which area of the brain or nervous system is affected.

In contrast, a non-focal problem is not specific to a certain area of the brain. It may include a general loss of consciousness or emotional problem.

Sometimes, your health care provider may find a focal neurological deficit even if you don't have any symptoms.

Considerations

A focal neurologic problem can affect any of these functions:

- Movement changes, including paralysis, weakness, loss of muscle control, increased muscle tone, loss of muscle tone, or movements a person cannot control (involuntary movements, such as a tremor)
- Sensation changes, including paresthesia (abnormal sensations), numbness, or decreases in sensation

Other examples of focal loss of function include:

- Horner syndrome: small pupil on one side, one-sided eyelid drooping, lack of sweating on one side of the face, and sinking of one eye into its socket
- Not paying attention to your surroundings or a part of the body (neglect)
- Loss of coordination or loss of fine motor control (ability to perform complex movements)
- Poor gag reflex, swallowing difficulty, and frequent choking
- Speech or language difficulties, such as aphasia (a problem understanding or producing words) or dysarthria (a problem making the sounds of words), poor enunciation, poor understanding of speech, difficulty writing, lack of ability to read or understand writing, inability to name objects (anomia)
- Loss of a tendon reflex
- Vision changes, such as reduced vision, decreased visual field, sudden vision loss, double vision (diplopia)
- Hearing loss

Causes

Anything that damages or disrupts any part of the nervous system can cause a focal neurologic deficit. Examples include:

- Abnormal blood vessels (vascular malformation)
- Brain tumor
- Cerebral palsy
- Degenerative nerve illness (such as multiple sclerosis)
- Disorders of a single nerve or nerve group (for example, carpal tunnel syndrome)
- Infection of the brain (such as meningitis or encephalitis)
- Injury
- Stroke
- Transient ischemic attack (TIA)

Home Care

Home care depends on the type and cause of the problem.

When to Contact a Medical Professional

If you have any loss of movement, sensation, or function, contact your provider.

What to Expect at Your Office Visit

Your provider will take your medical history and perform a physical exam.

The physical exam will include a detailed examination of your nervous system function.

Which tests are done depends on your other symptoms and the possible cause of the nerve function loss. Tests are used to try to locate the part of the nervous system that is involved. Common examples are:

- CT scan of the back, neck, or head
- Electromyogram (EMG), nerve conduction velocities (NCV)
- MRI of the back, neck, or head
- Spinal tap

Alternative Names

Neurological deficits - focal

References

De Luca GC, Griggs RC, Johnston SC. Approach to the patient with neurologic disease. In: Goldman L, Cooney KA, eds. *Goldman-Cecil Medicine*. 27th ed. Philadelphia, PA: Elsevier; 2024:chap 366.

Jankovic J, Mazziotta JC, Newman NJ, Pomeroy SL. Diagnosis of neurological disease. In: Jankovic J, Mazziotta JC, Pomeroy SL, Newman NJ, eds. *Bradley and Daroff's Neurology in Clinical Practice*. 8th ed. Philadelphia, PA: Elsevier; 2022:chap 1.

Review Date 10/23/2024

Updated by: Joseph V. Campellone, MD, Department of Neurology, Cooper Medical School at Rowan University, Camden, NJ. Review provided by VeriMed Healthcare Network. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

[Learn how to cite this page](#)



Health Content
Provider
06/01/2028

A.D.A.M., Inc. is accredited by [URAC](http://www.urac.org), for Health Content Provider (www.urac.org). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.



National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services
National Institutes of Health