



[Home](#) → [Medical Encyclopedia](#) → Distal renal tubular acidosis

URL of this page: [//medlineplus.gov/ency/article/000493.htm](https://medlineplus.gov/ency/article/000493.htm)

## Distal renal tubular acidosis

Distal renal tubular acidosis is a disease that occurs when the kidneys do not properly remove acids from the blood into the urine. As a result, too much acid remains in the blood (called acidosis).

### Causes

When the body performs its normal functions, it produces acid. If this acid is not removed or neutralized, the blood becomes too acidic. This can lead to electrolyte imbalances in the blood. It can also cause problems with normal function of some cells.

The kidneys help control the body's acid level by removing acid from the blood and excreting it into the urine.

Distal renal tubular acidosis (type I RTA) is caused by a defect in the kidney tubes that causes acid to build up in the blood.

Type I RTA is caused by a variety of conditions, including:

- Amyloidosis, a buildup of abnormal protein, called amyloid, in the tissues and organs
- Fabry disease, an abnormal buildup in the body of a certain type of fatty substance
- High level of calcium in the blood
- Sickle cell disease, red blood cells that are normally shaped like a disk take on a sickle or crescent shape
- Sjögren syndrome, an autoimmune disorder in which the glands that produce tears and saliva are destroyed
- Systemic lupus erythematosus, an autoimmune disease in which the body's immune system mistakenly attacks healthy tissue
- Wilson disease, an inherited disorder in which there is too much copper in the body's tissues
- Use of certain medicines, such as amphotericin B, lithium, and analgesics

### Symptoms

Symptoms of distal renal tubular acidosis include any of the following:

- Confusion or decreased alertness
- Fatigue
- Impaired growth in children

- Increased breathing rate
- Kidney stones
- Nephrocalcinosis (too much calcium deposited in the kidneys)
- Osteomalacia (softening of the bones)
- Muscle weakness

Other symptoms may include:

- Bone pain
- Decreased urine output
- Increased heart rate or irregular heartbeat
- Muscle cramps
- Pain in the back, flank, or abdomen
- Skeletal abnormalities

## Exams and Tests

The health care provider will perform a physical exam and ask about your symptoms.

Tests that may be ordered include:

- Arterial blood gas
- Blood chemistry
- Urine pH and acid loading test
- Bicarbonate infusion test
- Urinalysis

Calcium deposits in the kidneys and kidney stones may be seen on:

- X-rays
- Ultrasound
- CT scan

## Treatment

The goal is to restore normal acid level and electrolyte balance in the body. This will help correct bone disorders and reduce calcium buildup in the kidneys (nephrocalcinosis) and kidney stones.

The underlying cause of distal renal tubular acidosis should be corrected if it can be identified.

Medicines that may be prescribed include potassium citrate, sodium bicarbonate, and thiazide diuretics. These are alkaline medicines that help correct the acidic condition of the body. Sodium bicarbonate may correct the loss of potassium and calcium.

## Outlook (Prognosis)

The disorder must be treated to reduce its effects and complications, which can be permanent or life threatening. Most people get better with treatment.

## When to Contact a Medical Professional

Contact your provider if you have symptoms of distal renal tubular acidosis.

Get medical help right away if you develop emergency symptoms such as:

- Decreased consciousness
- Seizures
- Severe decrease in alertness or orientation

## Prevention

There is no prevention for this disorder.

## Alternative Names

Renal tubular acidosis - distal; Renal tubular acidosis type I; Type I RTA; RTA - distal; Classical RTA

## References

Bushinsky DA. Kidney stones. In: Melmed S, Auchus RJ, Goldfine AB, Koenig RJ, Rosen CJ, eds. *Williams Textbook of Endocrinology*. 14th ed. Philadelphia, PA: Elsevier; 2020:chap 32.

Dixon BP. Renal tubular acidosis. In: Kliegman RM, St. Geme JW, Blum NJ, et al, eds. *Nelson Textbook of Pediatrics*. 22nd ed. Philadelphia, PA: Elsevier; 2025:chap 569.

Seifter JL. Acid-base disorders. In: Goldman L, Cooney KA, eds. *Goldman-Cecil Medicine*. 27th ed. Philadelphia, PA: Elsevier; 2024:chap 104.

## Review Date 12/31/2023

Updated by: Walead Latif, MD, Nephrologist and Clinical Associate Professor, Rutgers Medical School, Newark, NJ. Review provided by VeriMed Healthcare Network. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

[Learn how to cite this page](#)



Health Content  
Provider  
06/01/2028

A.D.A.M., Inc. is accredited by [URAC](http://www.urac.org), for Health Content Provider ([www.urac.org](http://www.urac.org)). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.



---

National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services  
National Institutes of Health