



[Home](#) → [Medical Encyclopedia](#) → Epicanthal folds

URL of this page: //medlineplus.gov/ency/article/003030.htm

## Epicanthal folds

An epicanthal fold is skin of the upper eyelid that covers the inner corner of the eye. The fold runs from the nose to the inner side of the eyebrow.

### Causes

Epicanthal folds may be normal for people of Asian descent and some non-Asian infants. Epicanthal folds also may be seen in young children of any race before the bridge of the nose begins to rise.

However, they may also be due to certain medical conditions, including:

- Down syndrome
- Fetal alcohol syndrome
- Turner syndrome
- Phenylketonuria (PKU)
- Williams syndrome
- Noonan syndrome
- Rubinstein-Taybi syndrome
- Blepharophimosis syndrome

### Home Care

In most cases, no home care is needed.

### When to Contact a Medical Professional

This trait is most often found before or during the first well-baby exam. Contact your health care provider if you notice epicanthal folds on your child's eyes and the reason for their presence is unknown.

### What to Expect at Your Office Visit

Your provider will examine the child and ask questions about the medical history and symptoms. Questions may include:

- Do any family members have Down syndrome or other genetic disorder?

- Is there a family history of intellectual disability or birth defects?

A child who is not Asian and is born with epicanthal folds may be examined for additional signs of Down syndrome or other genetic disorders.

## Alternative Names

Plica palpebronasalis

## References

Madan-Khetarpal S, Arnold G, Ortiz D. Genetic disorders and dysmorphic conditions. In: Zitelli BJ, McIntire SC, Nowalk AJ, Garrison J, eds. *Zitelli and Davis' Atlas of Pediatric Physical Diagnosis*. 8th ed. Philadelphia, PA: Elsevier; 2023:chap 1.

Olitsky SE, Marsh JD. Abnormalities of the lids. In: Kliegman RM, St. Geme JW, Blum NJ, et al, eds. *Nelson Textbook of Pediatrics*. 22nd ed. Philadelphia, PA: Elsevier; 2025:chap 664.

Orge FH, Salem ZM. Examination and common problems in the neonatal eye. In: Martin RJ, Fanaroff AA, eds. *Fanaroff and Martin's Neonatal-Perinatal Medicine*. 12th ed. Philadelphia, PA: Elsevier; 2025:chap 99.

## Review Date 1/17/2025

Updated by: Charles I. Schwartz, MD, FAAP, Clinical Assistant Professor of Pediatrics, Perelman School of Medicine at the University of Pennsylvania, General Pediatrician at PennCare for Kids, Phoenixville, PA. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

### Learn how to cite this page



Health Content  
Provider  
06/01/2028

[A.D.A.M., Inc. is accredited by URAC](#), for Health Content Provider ([www.urac.org](http://www.urac.org)). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.

