



[Home](#) → [Medical Encyclopedia](#) → Drain opener poisoning

URL of this page: //medlineplus.gov/ency/article/002780.htm

Drain opener poisoning

Drain opening agents are chemicals used to open clogged drains, often in homes. Drain opening agent poisoning can occur if a person accidentally drinks these chemicals, or if someone splashes the poison into the eyes when pouring it or breathes in the fumes of "foaming" drain openers.

This article is for information only. DO NOT use it to treat or manage an actual poison exposure. If you or someone you are with has an exposure, call your local emergency number (such as 911), or your local poison control center can be reached directly by calling the national toll-free Poison Help hotline (1-800-222-1222) from anywhere in the United States.

Poisonous Ingredient

Poisonous ingredients include:

- Hydrochloric acid
- Lye (sodium hydroxide or caustic soda)
- Potassium hydroxide
- Sulfuric acid

Where Found

These chemicals are found in drain cleaners or opener products. These agents may also be present in other sources.

Symptoms

Drain opener poisoning can cause symptoms in many parts of the body.

BLOOD

- Severe change in acid level of blood (pH balance), which leads to damage in all of the body organs

EYES, EARS, NOSE, AND THROAT

- Burns to the eyes, which may result in permanent vision loss
- Severe pain in the throat
- Severe pain or burning in the nose, eyes, ears, lips, or tongue

GASTROINTESTINAL SYSTEM

- Blood in the stool
- Burns and possible holes in the throat (esophagus)
- Severe abdominal pain
- Vomiting
- Vomiting blood

HEART AND CIRCULATORY SYSTEM

- Collapse
- Low blood pressure that develops rapidly (shock)

LUNGS AND AIRWAYS

- Breathing difficulty (from breathing in drain opening agent)
- Throat swelling (may also cause breathing difficulty)

SKIN

- Burns
- Holes (necrosis) in the skin or tissues underneath
- Irritation

Home Care

Seek medical help right away. Do not make a person throw up unless told to do so by poison control or a health care provider.

If the chemical is on the skin or in the eyes, flush with lots of water for at least 15 minutes.

If the chemical was swallowed, immediately give the person water or milk, unless instructed otherwise by a provider. Do not give water or milk if the person is having symptoms (such as vomiting, convulsions, or a decreased level of alertness) that make it hard to swallow.

If the person breathed in the poison, immediately move them to fresh air.

Before Calling Emergency

Get the following information:

- Person's age, weight, and condition
- Name of the product (and ingredients and strength, if known)
- Time it was swallowed
- Amount swallowed

Poison Control

Your local poison control center can be reached directly by calling the national toll-free Poison Help hotline (1-800-222-1222) from anywhere in the United States. This national hotline will let you talk to experts in poisoning. They will give you further instructions.

This is a free and confidential service. All local poison control centers in the United States use this national number. You should call if you have any questions about poisoning or poison prevention. It does NOT need to be an emergency. You can call for any reason, 24 hours a day, 7 days a week.

What to Expect at the Emergency Room

The provider will measure and monitor the person's vital signs, including temperature, pulse, breathing rate, and blood pressure. Symptoms will be treated as appropriate. The person may receive:

- Blood and urine tests.
- Breathing support, including oxygen through a tube into the lungs, and a breathing machine (ventilator).
- Bronchoscopy -- camera down the throat to look for burns in the airways and lungs (if the poison was inhaled).
- Chest x-ray.
- Electrocardiogram (ECG).
- Endoscopy -- camera down the throat to look for burns in the esophagus and the stomach.
- Fluids through a vein (by IV).
- Medicine to reverse the effect of the poison and treat symptoms.
- Surgical removal of burned skin (skin debridement).
- Tube through the mouth into the stomach to aspirate (suck out) the stomach. This is done only when the person gets medical care within 30 to 45 minutes of the poisoning, and a very large amount of the substance has been swallowed.
- Washing of the skin (irrigation) -- perhaps every few hours for several days.

Outlook (Prognosis)

How well a person does depends on the amount of poison swallowed and how quickly treatment is received. The faster the person gets medical help, the better the chance for recovery.

If this type of poison gets in the eye, it can be very dangerous and difficult to manage. Loss of vision is common.

Swallowing such poisons can have severe effects on many parts of the body. Burns in the airway or gastrointestinal tract can lead to tissue death. This may result in infection, shock, and death, even several months after the substance was swallowed. Scar tissue in the affected areas can lead to long-term problems with breathing, swallowing, and digestion.

Alternative Names

Drain opening agents

References

Hoyte C. Caustics. In: Walls RM, ed. *Rosen's Emergency Medicine: Concepts and Clinical Practice*. 10th ed. Philadelphia, PA: Elsevier; 2023:chap 143.

Kuschner WG, Blanc PD. Acute responses to toxic exposures. In: Broaddus VC, Ernst JD, King TE, et al, eds. *Murray and Nadel's Textbook of Respiratory Medicine*. 7th ed. Philadelphia, PA: Elsevier; 2022:chap 103.

Review Date 11/2/2023

Updated by: Jesse Borke, MD, CPE, FAAEM, FACEP, Attending Physician at Kaiser Permanente, Orange County, CA. Also reviewed by David C. Dugdale, MD, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

Learn how to cite this page



Health Content
Provider
06/01/2028

A.D.A.M., Inc. is accredited by URAC, for Health Content Provider (www.urac.org). URAC's [accreditation program](#) is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s [editorial policy](#), [editorial process](#), and [privacy policy](#).

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed medical professional should be consulted for diagnosis and treatment of any and all medical conditions. Links to other sites are provided for information only – they do not constitute endorsements of those other sites. No warranty of any kind, either expressed or implied, is made as to the accuracy, reliability, timeliness, or correctness of any translations made by a third-party service of the information provided herein into any other language. © 1997-2025 A.D.A.M., a business unit of Ebix, Inc. Any duplication or distribution of the information contained herein is strictly prohibited.



National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services

National Institutes of Health