

Daily Automation Map

Johnson Buys + CheapHomesFLA · Saturday, May 2, 2026 · Every cron · every webhook · every notification · every gap

Architecture — three layers, one source of truth

GitHub holds every line of code. Either Mac (mini OR MacBook Air) *git clones* the same repo, edits via Cowork, and pushes. Within ~2 minutes Railway redeploys the cron jobs and Cloudflare redeploys the webhook receivers. **No machine is special.** If one Mac is unavailable, the other works identically.



RAILWAY

Python cron jobs

- cheaphomes scraper (3×/day)
- jb_email (8 AM Mon-Sat)
- jb_sms (8:15 AM Mon-Sat)
- jb_followup (8 AM daily)
- jb_digest (8:30 AM daily)
- watchdog (9 AM daily)
- cloud_health (hourly)

CLOUDFLARE WORKERS

always-on webhook URLs

- motivatedsellers-ppl-worker
- propertyleads-ppl-worker
- whatsapp-worker
- sendgrid-events (to build)

TWILIO FUNCTIONS

- /sms (inbound classifier)
- /buyer-webhook

Daily timeline — every automation, every alert path

Times are **Eastern**. Hot rows (red) are missing notification coverage today and are gaps to close before launch.

Time (ET)	Automation	Where	What it does	Failure alert?
Always-on	propertyleads-ppl-worker	Cloudflare	Receives PPL leads → SF Lead	MISSING
Always-on	motivatedsellers-ppl-worker	Cloudflare	Receives motivatedsellers → SF Lead	MISSING
Always-on	whatsapp-worker	Cloudflare	Inbound WA → CHF deal pipeline	MISSING
Always-on	Twilio /sms (inbound)	Twilio Fn	Classifies SMS replies + auto-opt-out	MISSING
Always-on	johnson_buys_webhook	Mac mini	Flask + ngrok inbound (legacy)	MISSING
8:00 AM	JB email drip (4-touch)	Mac mini	Day 1 / 7 / 21 / 45 emails to leads	Watchdog only @9 AM
8:00 AM	JB followup SMS	Mac mini	Status-driven SMS follow-ups	MISSING
8:15 AM	JB master SMS (4 campaigns)	Mac mini	New + Nurturing + 33127 + 33142	Watchdog only @9 AM
8:30 AM	JB followup digest	Mac mini	Today's overdue follow-up tasks	Watchdog only @9 AM
9:00 AM	Watchdog	Mac mini	6 plists + 4 logs + SF + disk + SG	IS the alerter
10:00 AM	Cheaphomes scraper run 1	Mac mini	Email + WA → match → buyer emails	Watchdog @next 9 AM
2:00 PM	Cheaphomes scraper run 2	Mac mini	Same as run 1	Watchdog @next 9 AM
6:00 PM	Cheaphomes scraper run 3	Mac mini	Same as run 1	Watchdog @next 9 AM

Watchdog coverage — current safeguard

`tools/system_watchdog.py` runs daily at 9:00 AM ET. Sends an email to info@johnsonbuys.com only when something is yellow or red. Stays silent on green days.

Check	What it does	Status
Plists loaded	All 6 expected plists are in launchctl list. Alerts if any missing or last exit non-zero.	covered
Log freshness	campaign_log_latest, sms_all_campaigns_log_latest, deal_scraper_log_latest, scraper_stdout. Yellow if older than threshold; red if 2× threshold.	covered
Email campaign run	Today's log shows ≥1 successful send. Red if SendGrid threw rate-limit. Yellow if more failures than successes.	covered
Scraper output	Last run within 12h. Yellow if 0 deals last run (could mean parser regression).	covered
Disk space	Free GB on /. Yellow under 5 GB; red under 2 GB.	covered
Salesforce login	Test-auths via SOAP. Red if auth fails (token expired, 2FA tripped).	covered

Preservation — will the cloud save every automation?

Yes — everything inside the GitHub repo is preserved automatically. Either Mac can *git clone* from anywhere (new laptop, traveling, drive failure) and have a working development environment in 5 minutes. Below is what's in the repo as of this writing and what just got moved in.

File / dir	What it is
<code>cheaphomesfla_scraper.py</code>	main scraper (3×/day)
<code>parser.py</code>	address + email + WA parser
<code>jb/email_campaign.py</code>	Day 1/7/21/45 email drip — env-var-ready
<code>jb/sms_campaign.py</code>	master SMS — env-var-ready
<code>jb/followup.py</code>	follow-up SMS — env-var-ready (just added)
<code>jb/digest.py</code>	daily digest — env-var-ready (just added)
<code>jb/sms_inbound.py</code>	Flask inbound SMS handler (just added; will move to Twilio Fn)
<code>tools/system_watchdog.py</code>	9 AM health check
<code>tools/cloud_health_check.py</code>	hourly cloud check (to build — closes gaps a/f)
<code>tools/daily_kpi_email.py</code>	morning success summary (to build — closes gap i)
<code>tools/build_master_plan_pdf.py</code>	regenerates master plan PDF
<code>tools/build_automation_map_pdf.py</code>	regenerates THIS PDF
<code>tools/sell_score.py</code>	Sell Score scoring engine
<code>tools/buyer_score.py</code>	Buyer Score scoring engine
<code>tools/top_buyers_by_zip.py</code>	Top 100 buyers per zip
<code>tools/build_below_market_seed.py</code>	below-market FB seed
<code>tools/fb_audience_hash.py</code>	SHA256 hash for FB Custom Audience

File / dir	What it is
<code>tools/render_per_buyer_email.py</code>	tier-aware buyer email template
<code>twilio-functions/sms_v2.js</code>	smart SMS classifier (built; not deployed yet)
<code>cloudflare/propertyleads-worker/</code>	PPL → SF Lead webhook (deployed)
<code>cloudflare/motivatedsellers-worker/</code>	MS → SF Lead webhook (deployed)
<code>cloudflare/sendgrid-events/</code>	open/click tracking webhook (to build)
<code>docs/master_plan.pdf</code>	18-page operating manual
<code>docs/automation_map.pdf</code>	this document
<code>docs/CLOUD_DEPLOY.md</code>	step-by-step Railway + GitHub deploy
<code>plists/</code>	macOS plists (kept for emergency Mac fallback only)

What is NOT preserved automatically: the actual *contents* of `~/Library/LaunchAgents/` on a Mac (just the plist sources, stored in the repo at **plists/**); the value of secrets in your `.env` file (those live in Railway's Shared Variables and you keep a 1Password backup); historical campaign logs (those write to local disk and to Railway's deploy log retention — about 7 days). None of those losses break operations — they're either rebuildable or not needed for go-forward execution.

Gaps — alerts you don't have yet

Each row below is a real failure mode that today produces NO alert. **Build column** shows what to build to close the gap. ETAs are conservative.

#	Failure mode	What goes wrong	What to build	ETA
a	Cloudflare Worker silently 500s	PPL provider POSTs lead → CF Worker errors → no SF Lead created → you find out only when daily lead count drops.	Add /health route to each Worker. Cloud-health-check pings every 15 min.	20 min
b	PPL provider stops sending	Provider's outbound webhook breaks on THEIR side. Volume drops to zero, no error fires here.	Daily SOQL: count Leads where LeadSource='Property Leads PPL' and CreatedDate=TODAY < 50% of 7-day avg → email.	30 min
c	SendGrid bounce / spam complaint rate	Reputation tanks → emails go to spam → you keep paying. Currently no monitoring.	Pull SendGrid stats API daily; alert if bounce > 5% or complaint > 0.1%.	30 min
d	Twilio carrier blocks	Carriers block A2P number; SMS shows 'sent' in log but never delivers. Currently no check.	Pull Twilio Messages API delivery rate hourly; alert if delivered_rate < 90%.	30 min
e	SF Lead inflow floor	Total Lead creation drops sharply across all sources = something upstream is broken.	Daily SOQL count vs 7-day rolling avg; alert if today < 50%.	20 min
f	Watchdog frequency	Watchdog only runs once per day at 9 AM. If 2 PM scraper crashes, you find out 19 hours later.	Migrate to Railway hourly cron 9 AM-9 PM ET on business days.	10 min
g	Watchdog itself fails	Chicken-and-egg: if watchdog can't run, who alerts? External uptime ping needed.	healthchecks.io free tier; watchdog hits its URL each run; healthchecks alerts if it doesn't.	15 min
h	Railway deploy failure	git push that breaks the build silently fails to update production. You think it deployed.	Railway → webhooks → Cloudflare Worker → Twilio SMS to (305) 575-9040.	30 min
i	Daily success summary	You only know when things break. No daily snapshot of 'X emails sent, Y SMS delivered, Z deals scraped, W PPL leads received'.	tools/daily_kpi_email.py at 9:15 AM (after watchdog clears).	45 min

Total gap-closure work: 230 minutes (~3.8 hours). Order: a + f + g first (cheapest, biggest blast radius), then h (deploy alerts before launch), then b/c/d/e (volume + carrier alerts), then i (daily summary — pure morale, low urgency).

Why both Cloudflare AND Railway?

These solve different problems and share GitHub as their common code source. You're not migrating *off* Cloudflare — you're migrating *onto* Cloudflare-plus-Railway.

Aspect	Cloudflare Workers	Railway
Job type	Inbound webhook URL (stays up 24/7, responds <100ms)	Scheduled Python cron (runs 1×/day or N×/day, then exits)
Examples	PPL provider POSTs a lead. Twilio POSTs an inbound SMS. SendGrid POSTs an open event.	JB email drip at 8 AM. CheapHomes scraper at 10 AM / 2 PM / 6 PM. Watchdog at 9 AM.
Where	Cloudflare Workers	Railway
Language	JavaScript (CF Workers is JS-native)	Python 3.11
Cost	Free under 100k requests/day	\$5/mo Hobby plan covers everything we need
Source code	cloudflare/ subdirectory in GitHub	everything else in GitHub
Deploy	wrangler CLI (auto on push via GitHub Actions, optional)	Railway watches GitHub main branch, redeploys automatically

Build order — today and Sunday

Numbered in the order I'm executing. ✓ = done, → = next, • = queued.

When	Task	Outcome
✓ Saturday AM	Plists copied to ~/Library/LaunchAgents/	scraper + watchdog ready to load
✓ Saturday AM	JB email + SMS scripts moved to ~/dealmatcher/jb/, env-var-patched	now portable
✓ Saturday AM	.gitignore + .env.example + requirements.txt + railway.json + Procfile	Railway-ready
✓ Saturday AM	docs/CLOUD_DEPLOY.md (step-by-step)	your reference
✓ Saturday AM	docs/automation_map.pdf (THIS document)	your reference
→ Saturday PM	Move johnson_buys_followup.py + johnson_buys_webhook.py + sf_followup_digest.py into repo	complete the repo
• Saturday PM	Twilio /sms v2 deploy (smart classifier)	stop forwarding noise to your phone
• Saturday PM	SendGrid Event Webhook CF Worker	open/click tracking → SF Tasks
• Saturday PM	Investor extractor + Constant Contact transition email draft	buy-box opt-in launch
• Saturday PM	Update master_plan.pdf with cloud architecture	single canonical doc
• Sunday AM	Add /health route to each CF Worker	closes gap a
• Sunday AM	tools/cloud_health_check.py (15-min cron)	closes gaps a, b, e
• Sunday AM	Railway deploy-failure CF Worker	closes gap h

When	Task	Outcome
• Sunday AM	tools/daily_kpi_email.py	closes gap i
• Sunday — your clicks	GitHub repo create + push	30 min
• Sunday — your clicks	Railway sign-up + 4 cron services + env vars	60 min
• Sunday — your clicks	Smoke-test each cron in Railway	15 min
• Sunday EOD or Mon AM	Cutover: launchctl bootout the Mac plists	5 min — only after Railway green