

2026 MIDDLE SCHOOL STEM CAMPS

From Trees to Tech

INSTRUCTOR GUIDE PACKET

Facilitation guides for every primary and backup activity.

IN THIS PACKET

TTT-01 Mud Battery Bioelectric League

TTT-02 Forest Sensor Sprint

TTT-03 Seed Dispersal Derby

TTT-04 Xylem Pipeline Relay

TTT-05 Greenhouse Climate Controller

TTT-06 Pinecone Weather Machine

TTT-07 Pollinator Network Draft and Build

TTT-08 Arboretum Eco-Quest

TTT-09 Minecraft Tree World Resilience Cup

TTT-10 Tree Ring Climate Detective

TTT-11 Lotus Leaf Surface Sprint

TTT-12 Leaf Stomata Microscope Detective

TTB-01 Root Grip Erosion Rescue

TTB-02 Tree Height Triangulation Shootout

TTB-03 Urban Heat Shade Dash

TTB-04 Photosynthesis Float-Off Playoffs

Mud Battery Bioelectric League

Turn a cup of mud into a living battery

At a glance: Can your team make mud generate electricity and defend your design with data? About 80 min; 4 teams.

MATERIALS

- 4 DIY soil microbial fuel cells: clear deli container, pond mud, two 4×4 in carbon-felt electrodes each (plus 1 spare set)
- measured sugar cubes as fuel (one per cell per run, plus spares)
- 4 multimeters, one per team, plus 2 spare (confirm battery type and that a battery is included)
- 100 kΩ resistors and alligator-clip lead wires, one set per cell
- nitrile gloves and a trash-bag drip liner per station
- labels and masking tape
- handwashing supplies

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: approved materials, one variable at a time, record before redesign.
- Build or solve, then run the standard test for a baseline.
- Redesign one variable, re-test, compare to baseline.
- Score, debrief with evidence, reset the station.

DEBRIEF

- Which design change moved your readings the most, and how do you know?
- Why must the anode stay buried and the cathode stay in air?
- How is your weekly log like the work of an energy engineer?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Peak voltage reading	35
Daily data log quality	20
Controlled-variable design	15
Redesign or maintenance plan	15
Final explanation	15
Total	100

SOURCES soil microbial fuel cell electrode and voltage references (carbon-felt anodes; terrestrial MFC literature on 300 to 600 mV output as the biofilm matures).

Daily voltage log

Each day, set the multimeter to DC millivolts and read the voltage across the 100 kΩ resistor at the same time; the cell is weak on day 1 and climbs as the biofilm grows. Defend the design with the trend, not one number.

Team _____ The ONE variable we are testing _____

DAY	TIME	VOLTAGE (mV)	NOTES
Mon Jun 22			
Tue Jun 23			
Wed Jun 24			
Thu Jun 25			
Fri Jun 26			
Peak reading		Day of peak	

Forest Sensor Sprint

Site the smartest place for a campus tree sensor

At a glance: Find the smartest place to install a future campus tree sensor. About 80 min; 4 teams.

MATERIALS

- 4 clipboards plus spares
- 4 paper clinometers plus spares
- 4 combined temperature + humidity meters (one device, plus spares)
- 4 three-in-one soil meters (moisture, light, pH), one per team, plus spares
- 1 long tape measure (pre-mark a fixed standoff distance in prep)
- 4 route cards (one per team) plus 2 spares
- pencils

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: calibrate against the reference first, record every reading with its units, and plan a route with no backtracking.
- Calibrate together, then measure temperature, humidity, light, and soil moisture with units at each checkpoint and estimate the marked tree's height.
- Order the checkpoints to minimize backtracking, then recommend one sensor site and defend it with your own numbers.
- Score, debrief with evidence, reset the station.

DEBRIEF


- Which measurement most influenced your choice?
- Where did two nearby spots disagree, and why?
- What would change your recommendation in winter?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Data accuracy	30
Route efficiency	20
Site recommendation evidence	30
Teamwork and field conduct	20
Total	100

SOURCES GLOBE Observer Trees; NASA MyNASAData Urban Heat Island

Paper clinometer



Cut along the flat top edge and the curved outline.

ASSEMBLE

- 01 Cut out the half circle along the curved outline.
- 02 Tape a straight straw along the top straight edge.
- 03 Punch the center dot, thread a string through it, and tie a washer or paper clip on the end as a weight.
- 04 Sight the treetop through the straw, let the string hang free, then pinch it against the scale and read the number.
- 05 Self-check: sight something level (reads 0) and straight up (reads 90).

FIND THE TREE HEIGHT

Tree height = eye height + (distance to the tree × tan of the angle). Use the standoff distance the instructor marked.

ANGLE	TAN
10	0.18
20	0.36
30	0.58
40	0.84
45	1.00
50	1.19
60	1.73
70	2.75

Example: eye height 1.5 m, distance 10 m, angle 40° gives $1.5 + 10 \times 0.84 = \text{about } 9.9 \text{ m}$.

Team route card

From Trees to Tech • TTT-02 Forest Sensor Sprint • Team Route Card

Team _____ Date _____

Plan an order that avoids backtracking, take a reading at each checkpoint, then recommend the best sensor site using your numbers.

CHECKPOINT	VISIT ORDER	TEMP (°F)	HUMIDITY (%)	LIGHT (RELATIVE)	SOIL MOISTURE (1 TO 10)	NOTES
Reference (calibrate)						
A						
B						
C						
D						
E						

Our recommended sensor site: _____

Why (use your data): _____

The checkpoints are the spots the instructor marked outside.

cut here

From Trees to Tech • TTT-02 Forest Sensor Sprint • Team Route Card

Team _____ Date _____

Plan an order that avoids backtracking, take a reading at each checkpoint, then recommend the best sensor site using your numbers.

CHECKPOINT	VISIT ORDER	TEMP (°F)	HUMIDITY (%)	LIGHT (RELATIVE)	SOIL MOISTURE (1 TO 10)	NOTES
Reference (calibrate)						
A						
B						
C						
D						
E						

Our recommended sensor site: _____

Why (use your data): _____

The checkpoints are the spots the instructor marked outside.

Standoff floor marker

Place it at the distance you pre-mark from the tree base with the long tape.

FROM TREES TO TECH 2026 • TTT-02

Tree-height station

Stand here

*Sight the treetop through your clinometer
straw from this mark.*

This mark is a measured distance from the tree base.
Write that distance here: _____ m, then use it in
your tree-height formula.

Seed Dispersal Derby

Engineer a seed that escapes its parent tree

At a glance: Build a seed that escapes the parent tree without engines or throwing. About 80 min; 4 teams.

MATERIALS

- paper
- cardstock
- paper clips
- masking tape
- string
- fan or marked test lane
- a shared tape measure for distance
- timers

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: approved materials, one variable at a time, record before redesign.
- Build or solve, then run the standard test for a baseline.
- Redesign one variable, re-test, compare to baseline.
- Score, debrief with evidence, reset the station.

DEBRIEF

- Which change improved hang time without losing distance?
- Why does spinning slow the fall?
- Which tree's strategy did your final seed copy?


SCORING (100 POINTS)

SCORING CRITERION	POINTS
Distance traveled	35
Hang time	25
Target landing	15
Biomimicry explanation	15
Redesign improvement	10
Total	100

SOURCES Science Buddies Seed Dispersal; Project Learning Tree


Drop-lane distance strip

Tape the strip flat down the lane with the 0 end at the launch line.



Landing-zone target

Lay the target flat where staff pick down the lane and line the crosshairs up with the lane center. A higher ring number is a better landing.

**Ring 1**

Outer ring. Your seed touched the target.

Ring 2

Good aim. Getting closer.

Ring 3

Close to the center.

Ring 4

Bullseye, right on the dot.

Xylem Pipeline Relay

Move water uphill the way a tree does

At a glance: Move water uphill like a tree, faster and cleaner than rival teams. About 80 min; 4 teams.

MATERIALS

- paper towels
- cotton balls
- cotton cloth strips
- cups
- food coloring
- trash bag table cover
- rulers
- elevation blocks

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: approved materials, one variable at a time, record before redesign.
- Build or solve, then run the standard test for a baseline.
- Redesign one variable, re-test, compare to baseline.
- Score, debrief with evidence, reset the station.

DEBRIEF

- Which material moved water best, and why?
- How did slope change your delivery?
- Where does a real tree use this same effect?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Water delivered	40
Speed	20
Least spill	15
Design explanation	15
Redesign gain	10
Total	100

SOURCES Science Buddies; plant water transport references

Greenhouse Climate Controller

Match plants to the right climate zone

At a glance: Run the greenhouse controls for a plant that cannot complain, only wilt. About 80 min; 4 teams.

MATERIALS

- plant profile cards
- control dial boards
- clipboards
- dry erase markers
- tour clue sheets

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: match on what each plant needs, use the tour evidence, and change one placement at a time.
- Sort the plant cards by need, match each plant to a zone, and set temperature, humidity, and light on the dial board using the tour evidence.
- Where plants conflict in one zone, pick the setting your evidence best supports and note the tradeoff.
- Score, debrief with evidence, reset the station.

DEBRIEF

- Which plant was hardest to place, and why?
- What tradeoff did you have to accept?
- How do real growers handle conflicting needs?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Correct setting choices	30
Use of tour evidence	25
Explanation	20
Layout efficiency	15
Teamwork	10
Total	100

SOURCES Temple Ambler Greenhouse

Plant profile cards

Each card says what one plant needs. Match it to the greenhouse zone whose tour readings fit, then defend the placement with a clue from the tour.

Fern

TEMP  cool to warm, 16 to 24 °C (60 to 75 °F)

HUMIDITY  high, 50% or more; likes damp air

LIGHT  shade or bright indirect; never direct sun

WANTS Damp air and shade, like a forest floor.

AVOID Direct sun and dry air crisp the fronds.

Moth orchid

TEMP  warm, 24 to 29 °C (75 to 85 °F) by day, above 16 °C (60 °F) at night

HUMIDITY  humid, 50 to 80%, with some air movement

LIGHT  medium; bright but filtered, no direct beam

WANTS Warm, humid air and bright, filtered light.

AVOID Full direct sun scorches the leaves (the orchid-loves-sun myth).

Cactus

TEMP  warm days, big day-to-night swing, 24 to 34 °C (75 to 90 °F)

HUMIDITY  low; dry air and fast-draining soil

LIGHT  very high; full, direct sun

WANTS Hot, bright, dry air like a desert shelf.

AVOID Damp, shady air rots the roots.

How to read a card

The thick black bar on each scale is the plant's happy range.

TEMP
10 to 40 °C.


HUMIDITY
0 to 100%.

LIGHT
shade on the left to full sun on the right. A plant in the wrong zone tells you how it suffers: too dry wilts, too bright scorches, too damp molds.

Control dial board


Set each dial for the plant you are placing, then record where each plant goes and the tour clue that backs it.

TEMPERATURE (°C)




mark your setting with a dry-erase pen

HUMIDITY (% RH)



mark your setting with a dry-erase pen

LIGHT



mark your setting with a dry-erase pen

Placements: defend each one with a tour clue

PLANT	ZONE YOU CHOSE	TEMP	HUMIDITY	LIGHT	TOUR CLUE THAT SUPPORTS IT
Fern					
Moth orchid					
Cactus					

Tour clue sheet

As you tour, record what you see, feel, and hear for each zone: warm or cool, damp or dry, bright or shaded, plus any reading the docent points out. Back at the table this is your evidence for matching plants to zones.

GREENHOUSE ZONE	TEMPERATURE	HUMIDITY (DAMP/DRY)	LIGHT (SHADE/BRIGHT)	WHAT THE DOCENT SAID / EVIDENCE
Main greenhouse				
Hoop house				
Shaded bench				
Bright bench				

Tip: you do not need exact numbers. "Warmer and more humid than the hoop house" is good evidence. Use the control-system or weather-station readout if the docent shows one.

Pinecone Weather Machine

A humidity sensor with no battery and no code

At a glance: Build a humidity sensor with no battery and no code. About 80 min; 4 teams.

MATERIALS

- dry pine cones
- index cards
- wood skewers
- spray bottles
- rulers, and a timer per team to time the response
- clear tape (packing or cellophane)
- paper fasteners

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: approved materials, one variable at a time, record before redesign.
- Build or solve, then run the standard test for a baseline.
- Redesign one variable, re-test, compare to baseline.
- Score, debrief with evidence, reset the station.

DEBRIEF

- Why does a two-layer strip bend when only one layer swells?
- What made your indicator faster?
- Where would a no-power humidity sensor be useful?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Response accuracy	35
Response speed	20
Readable output scale	20
Biomimicry explanation	15
Redesign quality	10
Total	100

SOURCES AskNature Pine Cones Strategy

Pollinator Network Draft and Build

Design a habitat that works all season

At a glance: Draft a pollinator habitat that works all season, not just on the prettiest day. About 80 min; 4 teams.

MATERIALS

- plant cards
- pollinator cards
- grid boards
- stickers
- markers
- season tokens

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: native plants and clumping; cover spring, summer, and fall; change one placement at a time.
- Draft and place the plant and pollinator cards on the grid, then check the season coverage.
- Find a gap or an unfed pollinator, fix one placement, and recheck the coverage.
- Score, debrief with evidence, reset the station.

DEBRIEF

- Where was the biggest gap in your bloom calendar?
- Why does clumping help pollinators?
- What happens to the network if one season is missing?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Seasonal coverage	30
Pollinator fit	25
Native and clumping logic	20
Layout clarity	15
Defense	10
Total	100

SOURCES USDA Pollinators; US Forest Service pollinator guidance

Plant cards

Most cards are native (green badge); a few are non-native foils (rust badge, dashed edge) that look nice but feed pollinators poorly – spot them and limit them. The dark chips show bloom season and the visitors each feeds. Cover spring, summer, and fall, favor natives, and clump the same plant.

Serviceberry

Native

Amelanchier canadensis

BLOOMS

SPRING SUMMER FALL

VISITED BY native bees, bumble bees, flies

One of the first trees to bloom each April.

Golden Alexanders

Native

Zizia aurea

BLOOMS

SPRING SUMMER FALL

VISITED BY native bees, flies, beetles, butterflies

Tiny yellow flowers feed early short-tongued insects.

Eastern Redbud

Native

Cercis canadensis

BLOOMS

SPRING SUMMER FALL

VISITED BY native bees, bumble bees, butterflies

Pink flowers on bare branches; early spring nectar and pollen for mason and bumble bees.

Butterfly Weed

Native

Asclepias tuberosa

BLOOMS

SPRING SUMMER FALL

VISITED BY butterflies, native bees, hummingbirds

Orange milkweed and a monarch caterpillar host.

Wild Bergamot

Native

Monarda fistulosa

BLOOMS

SPRING SUMMER FALL

VISITED BY bumble bees, butterflies, hummingbirds

Lavender tubes that long-tongued visitors love.

Black-eyed Susan

Native

Rudbeckia hirta

BLOOMS

SPRING SUMMER FALL

VISITED BY native bees, butterflies, flies

Golden petals with a dark center; a summer classic.

Mountain Mint

Native

Pycnanthemum tenuifolium

BLOOMS

SPRING SUMMER FALL

VISITED BY native bees, flies, butterflies, beetles

Flat white flowers draw a huge mix of insects.

Summersweet

Native

Clethra alnifolia

BLOOMS

SPRING SUMMER FALL

VISITED BY bumble bees, butterflies, hummingbirds

Sweet-smelling white spikes for shady, wet spots.

Cardinal Flower

Native

Lobelia cardinalis

BLOOMS

SPRING SUMMER FALL

VISITED BY hummingbirds, butterflies

Red tubes built for hummingbird beaks.

Joe-Pye Weed

Native

Eutrochium purpureum

BLOOMS

SPRING SUMMER FALL

VISITED BY butterflies, native bees, bumble bees

Tall pink clouds buzzing in late summer.

New England Aster

Native

Symphyotrichum novae-angliae

BLOOMS

SPRING SUMMER FALL

VISITED BY native bees, bumble bees, butterflies, flies

Purple fall blooms fuel migrating monarchs.

Goldenrod

Native

Solidago rugosa

BLOOMS

SPRING SUMMER FALL

VISITED BY native bees, butterflies, flies, beetles

Yellow plumes blooming right up to frost.

Callery Pear

Pyrus calleryana

Invasive

BLOOMS

SPRING

SUMMER

FALL

VISITED BY a few early flies and bees; little real value

Showy white spring tree, but invasive here and it crowds out native trees.

Butterfly Bush

Buddleja davidii

Invasive

BLOOMS

SPRING

SUMMER

FALL

VISITED BY adult butterflies (nectar only)

Named for butterflies, but it feeds adults only and no native caterpillar can eat it.

Garden Mum

Chrysanthemum x morifolium

Non-native

BLOOMS

SPRING

SUMMER

FALL

VISITED BY few; double petals hide the nectar and pollen

Most fall pompom mums are double cultivars whose petals block bees from food.

Pollinator cards

Each pollinator needs flowers in bloom across every season it is active. Match it to plants whose flower type fits (hummingbirds to red tubes, flies and beetles to flat open clusters, bees and butterflies to most flowers).

Native Bees

ACTIVE

SPRING SUMMER FALL

VISITS Open daisy, mint, and clustered flowers with easy pollen.

Most are solitary and do not sting.

Bumble Bees

ACTIVE

SPRING SUMMER FALL

VISITS Tube and hooded flowers like bergamot, reached with long tongues.

Queens wake first and need early spring blooms.

Butterflies and Monarchs

ACTIVE

SPRING SUMMER FALL

VISITS Flat-topped clusters and big landing-pad flowers.

Monarchs fuel on fall asters before migrating.

Hummingbirds

ACTIVE

SPRING SUMMER FALL

VISITS Red and pink tubular flowers full of nectar.

Long beaks reach where bees cannot.

Hoverflies and Flies

ACTIVE

SPRING SUMMER FALL

VISITS Shallow open flowers like mountain mint.

Hoverflies copy bees but cannot sting.

Beetles

ACTIVE

SPRING SUMMER FALL

VISITS Flat, sturdy flower clusters they can crawl across.

Some of Earth's oldest pollinators.

Grid board

Place your plant cards in the season they bloom (a plant that blooms twice can sit in two columns). Keep something in every column, and clump the same plant together.

SPRING	SUMMER	FALL

Pollinator food check

Tick a box only if a plant in that season feeds this pollinator. Every pollinator should have a tick in each season it is active.

POLLINATOR	SPRING	SUMMER	FALL
Native Bees			
Bumble Bees			
Butterflies and Monarchs			
Hummingbirds			
Hoverflies and Flies			
Beetles			

Arboretum Eco-Quest

Solve outdoor ecology checkpoints

At a glance: Read the living collection and solve the checkpoints before time runs out. About 80 min; 4 teams.

MATERIALS

- clue cards
- route map, and a laminated dichotomous key per team
- clipboards
- pencils
- evidence token bags
- optional QR codes

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: approved materials, one variable at a time, record before redesign.
- Walk the route and use the clue cards and dichotomous key to answer each checkpoint, then collect the evidence token.
- Check that every answer cites a real observed clue before returning; there is no build or redesign step.
- Score, debrief with evidence, reset the station.

DEBRIEF

- Which clue was most reliable for telling trees apart?
- Where did a key send you wrong, and why?
- What makes a good piece of field evidence?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Checkpoint accuracy	50
Evidence quality	20
Pace	20
Teamwork and conduct	10
Total	100

SOURCES Temple Ambler Arboretum; Arboretum Explorer

Checkpoint clue cards

Print ONE set per team (4) plus 1 spare set, then cut apart. Each card names the arboretum area; teams walk there, identify the tagged tree with the key, and record the one clue that decided it. Staff: confirm the tagged tree at each post before the run. Laminating is optional; teams write on these, so plain cardstock is fine.

Checkpoint 1

token ○

Pinetum

south of the Learning Center, along Loop Drive

Identify the tagged tree here. Your ID:

Deciding clue (circle one): leaf · bark · branching
· seed

The specific feature you saw: _____

Checkpoint 2

token ○

Oak Canopy

southeast of the Research and Collaboration Building

Identify the tagged tree here. Your ID:

Deciding clue (circle one): leaf · bark · branching
· seed

The specific feature you saw: _____

Checkpoint 3

token ○

Beech Grove

west of Dixon Hall, across the bluestone Accessible Path

Identify the tagged tree here. Your ID:

Deciding clue (circle one): leaf · bark · branching
· seed

The specific feature you saw: _____

Checkpoint 4

token ○

Native Formal Garden

southeast of Dixon Hall; the black gum allee

Identify the tagged tree here. Your ID:

Deciding clue (circle one): leaf · bark · branching
· seed

The specific feature you saw: _____

Checkpoint 5

token ○

Trident maple

a Delaware Valley tree-of-record; staff mark its post

Identify the tagged tree here. Your ID:

Deciding clue (circle one): leaf · bark · branching
· seed

The specific feature you saw: _____

Checkpoint 6

token ○

Katsura

a Delaware Valley tree-of-record; staff mark its post

Identify the tagged tree here. Your ID:

Deciding clue (circle one): leaf · bark · branching
· seed

The specific feature you saw: _____


Tree dichotomous key

Keyed to the six trees on this route. Print 1 per team (4) plus 1 spare and laminate for reuse. Start at step 1 and follow the choice that matches what you see. Staff: if you swap a checkpoint tree, update the matching couplet.

STEP	WHAT TO LOOK FOR	THEN
1a	Leaves are needles in soft bundles (evergreen)	Eastern white pine
1b	Leaves are broad and flat	go to 2
2a	Leaves grow in opposite pairs	go to 3
2b	Leaves grow alternately (staggered)	go to 4
3a	Leaf is one blade with three palm-like lobes	Trident maple
3b	Leaf is a single blade, heart-shaped, edge smooth	Katsura
4a	Leaf edge is lobed; acorns on or under the tree	Oak
4b	Leaf edge is smooth or finely toothed	go to 5
5a	Bark smooth gray, buds long and pointed	American beech
5b	Leaf glossy, bark dark and blocky, red fall color	Black gum

Route map


Six checkpoints through the Ambler Arboretum collection areas. Walk them in an order that avoids backtracking. Staff: the layout below is a schematic; place a numbered post at each area and confirm the walking path and boundaries with the arboretum host before the run. Print 4 (plus 2 spares). Base map: Ambler Arboretum self-guided tour and Arboretum Explorer.



- 01 **1. Pinetum** — south of the Learning Center, along Loop Drive
- 02 **2. Oak Canopy** — southeast of the Research and Collaboration Building
- 03 **3. Beech Grove** — west of Dixon Hall, across the bluestone Accessible Path
- 04 **4. Native Formal Garden** — southeast of Dixon Hall; the black gum alley
- 05 **5. Trident maple** — a Delaware Valley tree-of-record; staff mark its post
- 06 **6. Katsura** — a Delaware Valley tree-of-record; staff mark its post

Evidence tokens (cut apart)

Cut apart. Each team collects one token per solved checkpoint. This sheet makes 30 tokens (4 teams + 1 spare set of 6). Print on cardstock; no lamination needed.



Instructor answer key (do not hand out)

Keep this with the instructor. The expected tree at each checkpoint and the clue that decides it. If a tagged specimen has changed, update the checkpoint and the matching couplet in the key.

CP	AREA	EXPECTED TREE	DECIDING CLUE
1	Pinetum	Eastern white pine	needles in soft bundles of five
2	Oak Canopy	Oak (Bender oak)	alternate leaf with rounded or pointed lobes; acorns
3	Beech Grove	American beech	smooth gray bark and long, pointed buds
4	Native Formal Garden	Black gum	alternate glossy leaves, dark blocky bark, brilliant red fall color
5	Trident maple	Trident maple	opposite leaves with three palm-like lobes
6	Katsura	Katsura	opposite heart-shaped leaves with a smooth edge

Minecraft Tree World Resilience Cup

Design a climate-resilient landscape

At a glance: Design a landscape that survives stress because of how it is built, not luck. About 80 min; 4 teams.

MATERIALS

- Minecraft Education devices and template or paper grid kit
- rubric cards
- display timer

FACILITATION ARC

- Hook and prediction: pose the mission, teams write one prediction and reason.
- Constraints: approved materials, one variable at a time, record before redesign.
- Build or solve, then run the standard test for a baseline.
- Redesign one variable, re-test, compare to baseline.
- Score, debrief with evidence, reset the station.

DEBRIEF

- Which feature would help most in a real storm?
- Why does diversity add resilience?
- What in your build would fail first, and how would you fix it?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Resilience features	30
Biodiversity support	25
Realism	20
Explanation	15
Build polish	10
Total	100

SOURCES Minecraft Education Biodiversity


Paper-grid fallback kit

Use this if a device or login fails so no team loses build time. Draw your resilient landscape on the grid, label every feature with the strategy it represents, then defend it to the judges just like the on-screen build. Print 1 per team (4) plus 1 spare.

Team _____ Stress we design against (circle one): **flood** **drought** **heat**

FEATURE LEGEND — LABEL EACH ON THE GRID

-  **Diverse tree cluster** — mix species, not a monoculture
-  **Connected green space** — link habitats into a corridor
-  **Shade canopy** — shade buildings and paths
-  **Water control** — rain garden, swale, or wetland
-  **Built or paved** — keep this to a minimum



Scored on biodiversity support, resilience features, realism, and how well you explain each choice — not on looks.

Tree Ring Climate Detective

Read rings to reconstruct past climate

At a glance: Read the rings to reconstruct the climate events a tree lived through. About 80 min; 4 teams.

MATERIALS

printed ring cards
wood cookies or images
answer boards
timers
claim-evidence cards

FACILITATION ARC

Hook and prediction: pose the mission, teams write one prediction and reason.
Constraints: read each card from center to bark and cite the exact rings for every inference.
Read the ring sequences and infer the climate events.
Back each claim with the exact rings on a claim-evidence card, then synthesize the story.
Score, debrief with evidence, reset the station.

DEBRIEF

Which pattern was easiest to misread?
How is a tree ring like and unlike a thermometer?
What other natural records store past climate?

SCORING (100 POINTS)


SCORING CRITERION	POINTS
Correct inferences	40
Evidence justification	20
Speed	20
Final synthesis	20
Total	100

SOURCES NOAA NCEI Tree Ring product and paleoclimatology (<https://www.ncei.noaa.gov/products/paleoclimatology/tree-ring>); NOAA Climate.gov, How tree rings tell time and climate history (<https://www.climate.gov/news-features/blogs/beyond-data/how-tree-rings-tell-time-and-climate-history>); UCAR Center for Science Education, Tree Rings and Climate (<https://scied.ucar.edu/learning-zone/how-climate-works/tree-rings-and-climate>).

Ring cards


Each card is one tree's life. Read from the center (pith) out to the bark, one ring per year. Wide ring = a favorable year, narrow = a stress year (drought, cold, or crowding), a scar = a fire the tree lived through. A ring is a proxy, not a thermometer.

CARD A




center (pith) on the flat edge, bark on the curve

CARD B




center (pith) on the flat edge, bark on the curve

CARD C




center (pith) on the flat edge, bark on the curve

CARD D




center (pith) on the flat edge, bark on the curve

CARD E



center (pith) on the flat edge, bark on the curve

CARD F



center (pith) on the flat edge, bark on the curve

Answer board

For each card, write what you see, the climate event you infer, and the exact rings that prove it. Read from the center out.

CARD	WHAT YOU SEE (WIDE / NARROW / SCAR)	EVENT YOU INFER	THE RINGS THAT PROVE IT
Card A			
Card B			
Card C			
Card D			
Card E			
Card F			

Claim-evidence cards

Use one card for each climate event you claim. Name the event, point to the exact rings, and explain why those rings prove it.

CLAIM, EVIDENCE, REASONING

Card: ____ Our claim (the event):

Evidence (which rings):

Reasoning (why those rings show it):

CLAIM, EVIDENCE, REASONING

Card: ____ Our claim (the event):

Evidence (which rings):

Reasoning (why those rings show it):

CLAIM, EVIDENCE, REASONING

Card: ____ Our claim (the event):

Evidence (which rings):

Reasoning (why those rings show it):

CLAIM, EVIDENCE, REASONING

Card: ____ Our claim (the event):

Evidence (which rings):

Reasoning (why those rings show it):

Lotus Leaf Surface Sprint

Engineer a self-cleaning, water-shedding surface

At a glance: Build a surface that sheds water and dirt the way a lotus leaf does. About 80 min; 4 teams.

MATERIALS

wax paper
cardstock
sandpaper strips, and a candle or paraffin wax to coat a surface
masking tape
pipettes
water
pepper or cocoa residue
ramps

FACILITATION ARC

Hook and prediction: pose the mission, teams write one prediction and reason.
Constraints: approved materials, one variable at a time, record before redesign.
Build or solve, then run the standard test for a baseline.
Redesign one variable, re-test, compare to baseline.
Score, debrief with evidence, reset the station.

DEBRIEF

Why does a rough, waxy surface shed water better than a smooth one?
What carried the dirt away?
Where would a self-cleaning surface be useful?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Fast clean runoff	35
Least residue	25
Surface design explanation	20
Redesign gain	10
Craftsmanship	10
Total	100

SOURCES AskNature Lotus Leaf Self-Cleaning Surface

Leaf Stomata Microscope Detective

Count stomata and rank leaves by water strategy

At a glance: Count the breathing pores and rank leaves by how they manage water. About 80 min; 4 teams.

MATERIALS

leaf samples

clear tape

clear nail polish or prepared slides

USB microscopes or magnifiers

grid sheets

gloves

FACILITATION ARC

Hook and prediction: pose the mission, teams write one prediction and reason.

Constraints: approved materials, one variable at a time, record before redesign.

Build or solve, then run the standard test for a baseline.

Redesign one variable, re-test, compare to baseline.

Score, debrief with evidence, reset the station.

DEBRIEF

Why count several fields instead of one?

What does a high stomata count suggest about a leaf's habitat?

Where might error sneak into your count?

SCORING (100 POINTS)


SCORING CRITERION	POINTS
Slide or peel quality	25
Counting accuracy	30
Ranking evidence	25
Team data table	10
Cleanup and care	10
Total	100

SOURCES California Academy of Sciences Stomata Printing; Rothamsted Bioimaging; SAPS Measuring Stomatal Density.

Stomata counting sheet

Print 1 per team or per student (about 20 with buffer). Everyone counts the same way, then ranks the leaves by how they manage water.

COUNTING CONVENTION



- Count every stoma **fully inside** the field of view.
- Do at least **three fields** per leaf.
- Average the three counts for that leaf.

LEAF	FIELD 1	FIELD 2	FIELD 3	AVERAGE
Leaf 1 name/type: _____				
Leaf 2 name/type: _____				
Leaf 3 name/type: _____				
Leaf 4 name/type: _____				

Our ranking, water-saving to water-spending (use the averages; more stomata generally means more water lost):

BACKUP ACTIVITIES

Ready alternates

Root Grip Erosion Rescue

Can roots hold a slope together in a storm?

At a glance: Can roots hold a slope together during a storm? About 60 min; 4 teams.

MATERIALS

Trays
Soil
String or yarn roots
Craft sticks
Watering cups

FACILITATION ARC

Hook and prediction: pose the mission, teams write one prediction and reason.
Constraints: approved materials, one variable at a time, record before redesign.
Build or solve, then run the standard test for a baseline.
Redesign one variable, re-test, compare to baseline.
Score, debrief with evidence, reset the station.

DEBRIEF

Why did the rooted slope hold more soil?
How would deeper roots change the result?
Where is this used to protect real hillsides?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Soil retained	40
Runoff control	25
Design explanation	20
Cleanup	15
Total	100

SOURCES EPA green infrastructure and erosion lessons

Tree Height Triangulation Shootout

Measure a tree without climbing it

At a glance: Measure a tree without climbing it. About 60 min; 4 teams.

MATERIALS

Paper clinometers
String and washers
Rulers and tape measures
Clipboards

FACILITATION ARC

Hook and prediction: pose the mission, teams write one prediction and reason.
Constraints: approved materials, one variable at a time, record before redesign.
Build or solve, then run the standard test for a baseline.
Redesign one variable, re-test, compare to baseline.
Score, debrief with evidence, reset the station.

DEBRIEF

What was your biggest source of error?
Why does eye height matter in the calculation?
Where is remote height measurement used in the field?


SCORING (100 POINTS)

SCORING CRITERION	POINTS
Accuracy	50
Method clarity	20
Speed	20
Teamwork	10
Total	100

SOURCES GLOBE Trees Activities

Paper clinometer and tan table

Print on cardstock: 4 per station plus 2 spares. This is the one consumable the activity needs. Read the angle to the treetop, then use the tan table (no calculator needed) to find the height.



Cut along the flat top edge and the curved outline.

ASSEMBLE

- 01 Cut out the half circle along the curved outline.
- 02 Tape a straight straw along the top straight edge.
- 03 Punch the center dot, thread a string through it, and tie a washer on the end as a weight.
- 04 Sight the treetop through the straw, let the string hang, then pinch it against the scale and read the angle.
- 05 Self-check: sight something level (reads 0) and straight up (reads 90).

FIND THE TREE HEIGHT

Tree height = eye height + (distance to the tree × tan of the angle). Use the standoff distance the instructor pre-marked with the long tape.

ANGLE	TAN
15°	0.27
20°	0.36
25°	0.47
30°	0.58
35°	0.70
40°	0.84
45°	1.00

ANGLE	TAN
50°	1.19
55°	1.43
60°	1.73
65°	2.14
70°	2.75
75°	3.73

Example: eye height 1.5 m, distance 15 m, angle 40° gives $1.5 + 15 \times 0.84 =$ about 14.1 m.

Urban Heat Shade Dash

Find the coolest route through a hot campus

At a glance: Find the coolest route through a hot campus. About 60 min; 4 teams.

MATERIALS

Infrared (non-contact) thermometers

Campus maps

Clipboards

FACILITATION ARC

Hook and prediction: pose the mission, teams write one prediction and reason.

Constraints: approved materials, one variable at a time, record before redesign.

Build or solve, then run the standard test for a baseline.

Redesign one variable, re-test, compare to baseline.

Score, debrief with evidence, reset the station.

DEBRIEF

How big was the sun-to-shade temperature gap?

What surface was hottest, and why?

How do cities use shade to cool streets?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Cool route design	35
Data quality	25
Reasoning	20
Communication	20
Total	100

SOURCES NASA MyNASAData Urban Heat Island

Photosynthesis Float-Off Playoffs

Make leaf disks float by making oxygen

At a glance: Make leaf disks float by producing oxygen. About 60 min; 4 teams.

MATERIALS

Spinach leaves

Baking soda solution

Cups

Oral syringes, no needle

Timers

FACILITATION ARC

Hook and prediction: pose the mission, teams write one prediction and reason.

Constraints: approved materials, one variable at a time, record before redesign.

Build or solve, then run the standard test for a baseline.

Redesign one variable, re-test, compare to baseline.

Score, debrief with evidence, reset the station.

DEBRIEF

Why does oxygen make the disks float?

Which variable changed the rate most?

How is this evidence of photosynthesis?

SCORING (100 POINTS)

SCORING CRITERION	POINTS
Performance	35
Controlled-variable design	25
Data table	20
Explanation	10
Cleanup	10
Total	100

SOURCES Exploratorium Photosynthetic Floatation

Floating-disk data table

Print 1 per team. Load 10 disks, start the timer, and record how many are floating at the end of each minute for the baseline run, then again after your redesign. The graded data table is worth 20 points.

Team _____ The ONE variable we changed for the redesign: _____

MINUTE	BASELINE: DISKS FLOATING	REDESIGN: DISKS FLOATING
0		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

Half-float time, baseline (minutes until 5 of 10 disks float): _____

Half-float time, after redesign: _____