

The devices that protect companies are being hacked themselves

Attackers are already exploiting flaws in Check Point and F5 security devices.

SEVERITY

9.8

out of 10 · critical



1. Attacker

Sends a special request over the internet



2. The guard

Firewall — the network's front door



3. The flaw

Lets anyone in without a password



4. Inside

Files and email are now at risk



A simple example

- Imagine someone stole the key from a building's security guard.
- Now the thief walks right in, and nobody stops them.



Why does it matter to us?

- Banks, government offices and universities use these devices.
- If they are hacked, our personal data can be stolen too.



What should we do?

- IT teams should install the update (patch) right away.
- All of us: use strong passwords and two-factor login.

Hackers claim they broke into the FBI's job-application website

The FBI is investigating, but the breach has not been officially confirmed.

CLAIMED AMOUNT

2–3 TB

not yet confirmed



1. ShinyHunters

A hacker group that demands money



2. Software flaw

In Oracle PeopleSoft (claimed)



3. FBIjobs.gov

The FBI's job-application site



4. Personal data

Names, addresses, phone numbers



A simple example

- You applied for a job, and your form is kept in the office archive.
- Someone now claims they broke in and took every form.



Why does it matter to us?

- Our data is only as safe as the website we give it to.
- Stolen personal data is used to send scam messages.



What should we do?

- Don't trust unexpected emails or calls right away.
- Give websites only the information they really need.

On Ubuntu, one program can take over a whole server

The attack code is public online, but no fix has been released yet.

SEVERITY

7.8

out of 10 · high



1. Container

A separate “room” on the server



2. Kernel bug

Breaks the wall between rooms



3. Root access

The program becomes the server’s boss



4. Whole server

Other apps are now at risk



A simple example

- In a hotel, every room has its own lock.
- One guest breaks through the wall and grabs the master key.



Why does it matter to us?

- Many websites and cloud services run inside containers.
- One hacked app puts other apps’ data on that server at risk.



What should we do?

- Watch for the Ubuntu update and install it right away.
- Don’t run untrusted programs on your servers.