



Title:- Installation and configure Google app engine


Step 1:- Search Google Cloud Platform in a any search engine& Click on Console.




Step 2:- Click on select new project.




Step3:- Give Project name and click on create.




Step4:- Click on select project




Step5:- In a search bar type search App Engine




Step 6:-Click on App Engine and Following screen will appear& Click on Create Application.




Step 7:- Click on next




Step 8:- Scroll down and click on I'll do this later.




Step 9:- In search bar type App Engine Admin API.




Step 10:- Click Enables




Step 11:- Click Activate Cloud Shell:-




Step 12 :- Following screen will appear:-




Step 13:- Login into your GitHub account and click on new repository.




Step 14 :- Give name to your repository and click create.




Step 15:- Click on creating new file




Step 16 :- Give name to the python file & type your code.



Step 17:- Click on code and copy URL.



Step 18:- Go to cloud and type – git clone and paste url.



Step 19 :- Type ls

The screenshot shows the Google Cloud Console interface. The top navigation bar includes the Google Cloud logo, a dropdown menu for 'TECOA6', and a search bar. The main content area displays the 'App Engine Admin API' details, including its service name 'appengine.googleapis.com', type 'Public API', and status 'Enabled'. A 'CREATE CREDENTIALS' button is visible. Below the API details, there are tabs for 'METRICS', 'QUOTAS', and 'CREDENTIALS'. At the bottom, a terminal window is open, showing the command 'ls' being executed in the 'tecoa6-386308' project. The terminal output shows the current directory structure, including 'LP2-Program' and 'README-cloudshell.txt'.

Step 20 :- Enter cd-repository name.

The screenshot shows the Google Cloud Console interface, similar to the previous one. The terminal window at the bottom shows the command 'cd LP2' being executed in the 'tecoa6-386308' project. The terminal output shows the current directory structure, including 'LP2-Program' and 'README-cloudshell.txt'.

Step 21:- Type ls and to run python code type python-program name.

The screenshot displays the Google Cloud console interface. The top navigation bar shows the Google Cloud logo, the project name 'TECOA6', and the 'App Engine admin API' selected. The left sidebar lists 'APIs & Services' with 'Enabled APIs & services' highlighted. The main content area shows the 'App Engine Admin API' details, including its service name 'appengine.googleapis.com', type 'Public API', and status 'Enabled'. A 'CREATE CREDENTIALS' button is visible. Below this, there are tabs for 'METRICS', 'QUOTAS', and 'CREDENTIALS'. At the bottom, a 'CLOUD SHELL' terminal window is open, showing the execution of 'ls' and 'python prgm.py' commands. The terminal output for 'ls' shows 'prgm.py' and 'README-cloudshell.txt'. The output for 'python prgm.py' is 'Hello World'. The Windows taskbar is visible at the very bottom of the image.

API/Service Details - APIs & Services

final-cc-pract-no-2.pdf

Tejas1605/LP2

console.cloud.google.com/apis/api/appengine.googleapis.com/metrics?project=tecoa6-386308&cloudshell=true

Start your Free Trial with \$300 in credit. Don't worry—you won't be charged if you run out of credits. [Learn more](#)

DISMISS ACTIVATE

Google Cloud

TECOA6

App Engine admin API

APIs & Services

Enabled APIs & services

Library

Credentials

OAuth consent screen

Page usage agreements

API/Service Details

DISABLE API

To use this API, you may need credentials. [CREATE CREDENTIALS](#)

App Engine Admin API

Provisions and manages developers' App Engine applications.

By Google Enterprise API

Service name: appengine.googleapis.com

Type: Public API

Status: Enabled

[LEARN MORE](#) [TRY IN API EXPLORER](#)

METRICS QUOTAS CREDENTIALS

CLOUD SHELL

Terminal

tecoa6-386308

Open Editor

```
Cloning into 'LP2'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
tejasamodkar@cloudshell:~ (tecoa6-386308)$ ls
LP2 prgm.py README-cloudshell.txt
tejasamodkar@cloudshell:~ (tecoa6-386308)$ cd LP2
tejasamodkar@cloudshell:~/LP2 (tecoa6-386308)$ ls
prgm.py
tejasamodkar@cloudshell:~/LP2 (tecoa6-386308)$ python prgm.py
Hello World
tejasamodkar@cloudshell:~/LP2 (tecoa6-386308)$
```

15:05 10-05-2023