National Qualifications 2019

X757/77/11

Physics
Relationships sheet

WEDNESDAY, 15 MAY
9:00 AM – 11:30 AM

©

Relationships required for Physics Advanced Higher

$$v = \frac{ds}{dt}$$

$$a = \frac{dv}{dt} = \frac{d^2s}{dt^2}$$

$$v = u + at$$

$$s = ut + \frac{1}{2}at^2$$

$$v^2 = u^2 + 2as$$

$$\omega = \frac{d\theta}{dt}$$

$$\alpha = \frac{d\omega}{dt} = \frac{d^2\theta}{dt^2}$$

$$\omega = \omega_o + \alpha t$$

$$\theta = \omega_o t + \frac{1}{2}\alpha t^2$$

$$\omega^2 = \omega_o{}^2 + 2\alpha\theta$$

$$s = r\theta$$

$$v = r\omega$$

$$a_t = r\alpha$$

$$a_r = \frac{v^2}{r} = r\omega^2$$

$$F = \frac{mv^2}{r} = mr\omega^2$$

$$T = Fr$$

$$T = I\alpha$$

$$L = mvr = mr^2\omega$$

$$L = I\omega$$

$$E_K = \frac{1}{2}I\omega^2$$

$$F = G\frac{Mm}{r^2}$$

$$V = -\frac{GM}{r}$$

$$E_P = Vm = -\frac{GMm}{r}$$

$$v = \sqrt{\frac{2GM}{r}}$$

apparent brightness, $b = \frac{L}{4\pi r^2}$

Power per unit area $= \sigma T^4$

$$L = 4\pi r^2 \sigma T^4$$

$$r_{Schwarzschild} = \frac{2GM}{c^2}$$

$$E = hf$$

$$\lambda = \frac{h}{p}$$

$$mvr = \frac{nh}{2\pi}$$

$$\Delta x\, \Delta p_x \geq \frac{h}{4\pi}$$

$$\Delta E\, \Delta t \geq \frac{h}{4\pi}$$

$$F = qvB$$

$$\omega = 2\pi f$$

$$\omega = \frac{2\pi}{T}$$

$$a = \frac{d^2y}{dt^2} = -\omega^2 y$$

$$y = A\cos\omega t \quad \text{or} \quad y = A\sin\omega t$$

$$v = \pm\omega\sqrt{(A^2 - y^2)}$$

$$E_K = \frac{1}{2}m\omega^2(A^2 - y^2)$$

$$E_P = \frac{1}{2}m\omega^2 y^2$$

$$y = A\sin 2\pi(ft - \frac{x}{\lambda})$$

$$E = kA^2$$

$$\phi = \frac{2\pi x}{\lambda}$$

optical path difference $= m\lambda$ or $\left(m+\frac{1}{2}\right)\lambda$

where $m = 0, 1, 2....$

optical path difference $= n \times$ *geometrical path difference*

$$\Delta x = \frac{\lambda l}{2d}$$

$$d = \frac{\lambda}{4n}$$

$$\Delta x = \frac{\lambda D}{d}$$

$$n = \tan i_P$$

$$F = \frac{Q_1 Q_2}{4\pi\varepsilon_o r^2}$$

$$E = \frac{Q}{4\pi\varepsilon_o r^2}$$

$$V = \frac{Q}{4\pi\varepsilon_o r}$$

$$F = QE$$

$$V = Ed$$

$$F = IlB\sin\theta$$

$$B = \frac{\mu_o I}{2\pi r}$$

$$c = \frac{1}{\sqrt{\varepsilon_o \mu_o}}$$

$$t = RC$$

$$X_C = \frac{V}{I}$$

$$X_C = \frac{1}{2\pi fC}$$

$$\mathcal{E} = -L\frac{dI}{dt}$$

$$E = \frac{1}{2}LI^2$$

$$X_L = \frac{V}{I}$$

$$X_L = 2\pi fL$$

$$\frac{\Delta W}{W} = \sqrt{\left(\frac{\Delta X}{X}\right)^2 + \left(\frac{\Delta Y}{Y}\right)^2 + \left(\frac{\Delta Z}{Z}\right)^2}$$

$$\Delta W = \sqrt{\Delta X^2 + \Delta Y^2 + \Delta Z^2}$$

$$d = \bar{v}t$$

$$s = \bar{v}t$$

$$v = u + at$$

$$s = ut + \frac{1}{2}at^2$$

$$v^2 = u^2 + 2as$$

$$s = \frac{1}{2}(u+v)t$$

$$W = mg$$

$$F = ma$$

$$E_W = Fd$$

$$E_P = mgh$$

$$E_K = \frac{1}{2}mv^2$$

$$P = \frac{E}{t}$$

$$p = mv$$

$$Ft = mv - mu$$

$$F = G\frac{Mm}{r^2}$$

$$t' = \frac{t}{\sqrt{1-\left(v/c\right)^2}}$$

$$l' = l\sqrt{1-\left(v/c\right)^2}$$

$$f_o = f_s\left(\frac{v}{v \pm v_s}\right)$$

$$z = \frac{\lambda_{observed} - \lambda_{rest}}{\lambda_{rest}}$$

$$z = \frac{v}{c}$$

$$v = H_0 d$$

$$W = QV$$

$$E = mc^2$$

$$E = hf$$

$$E_K = hf - hf_0$$

$$E_2 - E_1 = hf$$

$$T = \frac{1}{f}$$

$$v = f\lambda$$

$$d\sin\theta = m\lambda$$

$$n = \frac{\sin\theta_1}{\sin\theta_2}$$

$$\frac{\sin\theta_1}{\sin\theta_2} = \frac{\lambda_1}{\lambda_2} = \frac{v_1}{v_2}$$

$$\sin\theta_c = \frac{1}{n}$$

$$I = \frac{k}{d^2}$$

$$I = \frac{P}{A}$$

$$V_{peak} = \sqrt{2}V_{rms}$$

$$I_{peak} = \sqrt{2}I_{rms}$$

$$Q = It$$

$$V = IR$$

$$P = IV = I^2R = \frac{V^2}{R}$$

$$R_T = R_1 + R_2 + \ldots$$

$$\frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2} + \ldots$$

$$E = V + Ir$$

$$V_1 = \left(\frac{R_1}{R_1 + R_2}\right)V_S$$

$$\frac{V_1}{V_2} = \frac{R_1}{R_2}$$

$$C = \frac{Q}{V}$$

$$E = \frac{1}{2}QV = \frac{1}{2}CV^2 = \frac{1}{2}\frac{Q^2}{C}$$

path difference $= m\lambda$ or $\left(m + \frac{1}{2}\right)\lambda$ where $m = 0, 1, 2\ldots$

$$\text{random uncertainty} = \frac{\text{max. value} - \text{min. value}}{\text{number of values}}$$

Additional Relationships

Circle

circumference $= 2\pi r$

area $= \pi r^2$

Sphere

area $= 4\pi r^2$

volume $= \frac{4}{3}\pi r^3$

Trigonometry

$$\sin\theta = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos\theta = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan\theta = \frac{\text{opposite}}{\text{adjacent}}$$

$$\sin^2\theta + \cos^2\theta = 1$$

Moment of inertia

point mass
$I = mr^2$

rod about centre
$I = \frac{1}{12}ml^2$

rod about end
$I = \frac{1}{3}ml^2$

disc about centre
$I = \frac{1}{2}mr^2$

sphere about centre
$I = \frac{2}{5}mr^2$

Table of standard derivatives

$f(x)$	$f'(x)$
$\sin ax$	$a\cos ax$
$\cos ax$	$-a\sin ax$

Table of standard integrals

$f(x)$	$\int f(x)dx$
$\sin ax$	$-\frac{1}{a}\cos ax + C$
$\cos ax$	$\frac{1}{a}\sin ax + C$

Electron Arrangements of Elements

Key

Atomic number
Symbol
Electron arrangement
Name

Group 1 (1)	Group 2 (2)	Group 3 (13)	Group 4 (14)	Group 5 (15)	Group 6 (16)	Group 7 (17)	Group 0 (18)
1 **H** 1 Hydrogen							2 **He** 2 Helium
3 **Li** 2,1 Lithium	4 **Be** 2,2 Beryllium	5 **B** 2,3 Boron	6 **C** 2,4 Carbon	7 **N** 2,5 Nitrogen	8 **O** 2,6 Oxygen	9 **F** 2,7 Fluorine	10 **Ne** 2,8 Neon
11 **Na** 2,8,1 Sodium	12 **Mg** 2,8,2 Magnesium	13 **Al** 2,8,3 Aluminium	14 **Si** 2,8,4 Silicon	15 **P** 2,8,5 Phosphorus	16 **S** 2,8,6 Sulfur	17 **Cl** 2,8,7 Chlorine	18 **Ar** 2,8,8 Argon
19 **K** 2,8,8,1 Potassium	20 **Ca** 2,8,8,2 Calcium	31 **Ga** 2,8,18,3 Gallium	32 **Ge** 2,8,18,4 Germanium	33 **As** 2,8,18,5 Arsenic	34 **Se** 2,8,18,6 Selenium	35 **Br** 2,8,18,7 Bromine	36 **Kr** 2,8,18,8 Krypton
37 **Rb** 2,8,18,8,1 Rubidium	38 **Sr** 2,8,18,8,2 Strontium	49 **In** 2,8,18, 18,3 Indium	50 **Sn** 2,8,18, 18,4 Tin	51 **Sb** 2,8,18, 18,5 Antimony	52 **Te** 2,8,18, 18,6 Tellurium	53 **I** 2,8,18, 18,7 Iodine	54 **Xe** 2,8,18, 18,8 Xenon
55 **Cs** 2,8,18,18, 8,1 Caesium	56 **Ba** 2,8,18,18, 8,2 Barium	81 **Tl** 2,8,18, 32,18,3 Thallium	82 **Pb** 2,8,18, 32,18,4 Lead	83 **Bi** 2,8,18, 32,18,5 Bismuth	84 **Po** 2,8,18, 32,18,6 Polonium	85 **At** 2,8,18, 32,18,7 Astatine	86 **Rn** 2,8,18, 32,18,8 Radon
87 **Fr** 2,8,18,32, 18,8,1 Francium	88 **Ra** 2,8,18,32, 18,8,2 Radium						

Transition Elements

(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
21 **Sc** 2,8,9,2 Scandium	22 **Ti** 2,8,10,2 Titanium	23 **V** 2,8,11,2 Vanadium	24 **Cr** 2,8,13,1 Chromium	25 **Mn** 2,8,13,2 Manganese	26 **Fe** 2,8,14,2 Iron	27 **Co** 2,8,15,2 Cobalt	28 **Ni** 2,8,16,2 Nickel	29 **Cu** 2,8,18,1 Copper	30 **Zn** 2,8,18,2 Zinc
39 **Y** 2,8,18,9,2 Yttrium	40 **Zr** 2,8,18, 10,2 Zirconium	41 **Nb** 2,8,18, 12,1 Niobium	42 **Mo** 2,8,18,13, 1 Molybdenum	43 **Tc** 2,8,18,13, 2 Technetium	44 **Ru** 2,8,18,15, 1 Ruthenium	45 **Rh** 2,8,18,16, 1 Rhodium	46 **Pd** 2,8,18, 18,0 Palladium	47 **Ag** 2,8,18, 18,1 Silver	48 **Cd** 2,8,18, 18,2 Cadmium
57 **La** 2,8,18,18, 9,2 Lanthanum	72 **Hf** 2,8,18,32, 10,2 Hafnium	73 **Ta** 2,8,18, 32,11,2 Tantalum	74 **W** 2,8,18,32, 12,2 Tungsten	75 **Re** 2,8,18,32, 13,2 Rhenium	76 **Os** 2,8,18,32, 14,2 Osmium	77 **Ir** 2,8,18,32, 15,2 Iridium	78 **Pt** 2,8,18,32, 17,1 Platinum	79 **Au** 2,8,18, 32,18,1 Gold	80 **Hg** 2,8,18, 32,18,2 Mercury
89 **Ac** 2,8,18,32, 18,9,2 Actinium	104 **Rf** 2,8,18,32, 32,10,2 Rutherfordium	105 **Db** 2,8,18,32, 32,11,2 Dubnium	106 **Sg** 2,8,18,32, 32,12,2 Seaborgium	107 **Bh** 2,8,18,32, 32,13,2 Bohrium	108 **Hs** 2,8,18,32, 32,14,2 Hassium	109 **Mt** 2,8,18,32, 32,15,2 Meitnerium	110 **Ds** 2,8,18,32, 32,17,1 Darmstadtium	111 **Rg** 2,8,18,32, 32,18,1 Roentgenium	112 **Cn** 2,8,18,32, 32,18,2 Copernicium

Lanthanides	57 **La** 2,8,18, 18,9,2 Lanthanum	58 **Ce** 2,8,18, 20,8,2 Cerium	59 **Pr** 2,8,18,21, 8,2 Praseodymium	60 **Nd** 2,8,18,22, 8,2 Neodymium	61 **Pm** 2,8,18,23, 8,2 Promethium	62 **Sm** 2,8,18,24, 8,2 Samarium	63 **Eu** 2,8,18,25, 8,2 Europium	64 **Gd** 2,8,18,25, 9,2 Gadolinium	65 **Tb** 2,8,18,27, 8,2 Terbium	66 **Dy** 2,8,18,28, 8,2 Dysprosium	67 **Ho** 2,8,18,29, 8,2 Holmium	68 **Er** 2,8,18,30, 8,2 Erbium	69 **Tm** 2,8,18,31, 8,2 Thulium	70 **Yb** 2,8,18,32, 8,2 Ytterbium	71 **Lu** 2,8,18,32, 9,2 Lutetium
Actinides	89 **Ac** 2,8,18,32, 18,9,2 Actinium	90 **Th** 2,8,18,32, 18,10,2 Thorium	91 **Pa** 2,8,18,32, 20,9,2 Protactinium	92 **U** 2,8,18,32, 21,9,2 Uranium	93 **Np** 2,8,18,32, 22,9,2 Neptunium	94 **Pu** 2,8,18,32, 24,8,2 Plutonium	95 **Am** 2,8,18,32, 25,8,2 Americium	96 **Cm** 2,8,18,32, 25,9,2 Curium	97 **Bk** 2,8,18,32, 27,8,2 Berkelium	98 **Cf** 2,8,18,32, 28,8,2 Californium	99 **Es** 2,8,18,32, 29,8,2 Einsteinium	100 **Fm** 2,8,18,32, 30,8,2 Fermium	101 **Md** 2,8,18,32, 31,8,2 Mendelevium	102 **No** 2,8,18,32, 32,8,2 Nobelium	103 **Lr** 2,8,18,32, 32,9,2 Lawrencium

Looking for more resources? Visit scotpapers.com - Scotland's #1 Past Paper Archive

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE