

# 2017 Biology

### National 5

## Finalised Marking Instructions

#### © Scottish Qualifications Authority 2017

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is reproduced, SQA should be clearly acknowledged as the source. If it is to be used for any other purpose, written permission must be obtained from permissions@sqa.org.uk.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's NQ Assessment team may be able to direct you to the secondary sources.

These marking instructions have been prepared by examination teams for use by SQA appointed markers when marking external course assessments. This publication must not be reproduced for commercial or trade purposes.



#### General marking principles for National 5 Biology

This information is provided to help you understand the general principles you must apply when marking candidate responses to questions in this Paper. These principles must be read in conjunction with the detailed marking instructions, which identify the key features required in candidate responses.

- (a) Marks for each candidate response must <u>always</u> be assigned in line with these General marking principles and the detailed marking instructions for this assessment.
- (b) Marking should always be positive. Marks should be awarded for what is correct and not deducted for errors or omissions.
- (c) If a specific candidate response does not seem to be covered by either the principles or detailed marking instructions, and you are uncertain how to assess it, you should seek guidance from your Team Leader.
- (d) There are no half marks awarded.
- (e) Where a candidate makes an error at an early stage in the first part of a question, credit should normally be given for subsequent answers that are correct with regard to this original error. Candidates should not be penalised more than once for the same error.
- (f) Unless a numerical question specifically requires evidence of working to be shown, full marks should be awarded for a correct final answer (including units, if appropriate) on its own.
- (g) In the detailed marking instructions, if a word is <u>underlined</u> then it is essential; if a word is (bracketed) then it is not essential.
- (h) In the detailed marking instructions, words separated by / are alternatives.
- (i) A correct answer can be negated if:
  - An extra, incorrect, response is given
  - Additional information that contradicts the correct response is included.
- (j) Unless otherwise required by the question, use of abbreviations (e.g. DNA, ATP) or chemical formulae (e.g. CO<sub>2</sub>, H<sub>2</sub>O) are acceptable alternatives to naming.
- (k) Incorrect spelling is given. Sound out the word(s),
  - if the correct word is recognisable then give the mark
  - if the word can easily be confused with another biological term then do not give the mark eg mitosis and meiosis
  - if the word is a mixture of other biological words then do not give the mark, eg osmotis, respirduction, protosynthesis.

- (I) Presentation of data:
  - if a candidate provides two graphs or charts, mark both and give the higher score;
  - if a question asks for a particular type of graph and the wrong type is given, then full marks cannot be awarded. Candidates cannot achieve the plot mark but may be able to achieve the mark for scale and label;
  - if the x and y data are transposed, then do not give the scale and label mark;
  - if the graph used less than 50% of the axes, then do not give the scale and label mark;
  - if 0 is plotted when no data is given, then do not give the plot mark (ie candidates should only plot the data given);
  - no distinction is made between bar graphs and histograms for marking purposes;
  - in a pie chart lines must originate from the central point and extend to tick marks. Labels must be given in full.
- (m) Marks awarded only for a valid response to the questions asked. For example, in response to questions that ask candidates to:
  - identity, name, give or state, they need only answer or present in brief form;
  - **describe**, they must provide a statement as opposed to simply one word;
  - **explain**, they must provide a reason for the information given;
  - **compare**, they must demonstrate knowledge and understanding of the similarities and/or differences between topics being examined;
  - calculate, they must determine a number from given facts, figures or information;
  - predict, they must indicate what may happen based on available information;
  - suggest, they must apply their knowledge and understanding to anew situation.

# Marking instructions for each question

## Section 1

Question	Answer	Max Mark		
1.	В	1		
2.	D	1		
3.	А	1		
4.	В	1		
5.	В	1		
6.	В	1		
7.	D	1		
8.	С	1		
9.	D	1		
10.	А	1		
11.	А	1		
12.	С	1		
13.	В	1		
14.	А	1		
15.	С	1		
16.	С	1		
17.	D	1		
18.	С	1		
19.	В	1		
20.	С	1		

## Section 2

or Controls what enters/exits OR Nucleus - controls (all) cell activity/activities  (ii) Osmosis 1  (b) Cell wall 1  2. (a) (i) Pairs of chromatids are pulled apart  (iii) Spindle (fibre) 1  (b) 40 1  3. (a) 1 = cytosine 2 = thymine 2 = thymine  (b) Sequence/order of bases  (c) Messenger RNA/mRNA/MRNA 4. (a) Appropriate scale and label Scale must have 0, 108 or 120 and one other number in between  Label - Time (taken) for disc(s) to return to (the) surface s/seconds  Bars correctly plotted  (b) Liver has the highest catalase activity/animal tissue has higher catalase activity/different catalase activity/animal tissue has higher catalase activity/animal tissue has higher catalase activity (han plants) or other  Not acceptable - contain genetic material; but not negating geneti	Question	Expected answer(s)	Max mark	Additional guidance
(ii) Osmosis  (b) Cell wall  2. (a) (i) Pairs of chromatids are pulled apart  (ii) Spindle (fibre)  (b) 40  1  3. (a) 1 = cytosine 2 = thymine  (b) Sequence/order of bases  (c) Messenger RNA/mRNA/MRNA  4. (a) Appropriate scale and label (1) Scale must have 0, 108 or 120 and one other number in between  Label - Time (taken) for disc(s) to return to (the) surface s/seconds  Bars correctly plotted  (b) Liver has the highest catalase activity/ animal tissue has higher catalase activity (than plants) or other  (c) Resemble - restate in the surface service of the surface of the surface service of the surface of the surface of the surface service of the surface of the s	1. (a) (i)	reactions  OR  Cell membrane - controls/allows/lets entry and/or exit/passage of materials/substances/molecules or Controls what enters/exits  OR  Nucleus - controls (all) cell	1	Not acceptable - things/particles  Not acceptable - contains genetic material; but not
(b) Cell wall  2. (a) (i) Pairs of chromatids are pulled apart  (ii) Spindle (fibre)  (b) 40  3. (a) 1 = cytosine 2 = thymine  (b) Sequence/order of bases  (c) Messenger RNA/mRNA/MRNA  4. (a) Appropriate scale and label (1) Scale must have 0, 108 or 120 and one other number in between  Label - Time (taken) for disc(s) to return to (the) surface s/seconds  Bars correctly plotted  (b) Liver has the highest catalase activity/apple has the lowest catalase activity/different catalase activity/animal tissue has higher catalase activity/ animal tissue has higher catalase activity (than plants) or other  1 Not acceptable - letters instead of words, thyamine/thiamine  1 Accept - examples of diff base order Not acceptable - referen pairs of bases  1 Not acceptable - common zero on scale  Not acceptable - 'secs' as an abbreviation  If incorrect scale but plo accurate to that scale (1)  Answer must relate to ca activity/rate and be comparative  Not acceptable - restated activity/rate and be comparative  Not acceptable - restated activity/rate and be comparative	(ii	,	1	negating
2. (a) (i) 3 Pairs of chromatids are pulled apart 1 No penalty for any other in any other place - igno More than one '3' negate (ii) Spindle (fibre) 1  (b) 40 1  3. (a) 1 = cytosine 2 = thymine 2 Not acceptable - letters instead of words, thyamine/thiamine (b) Sequence/order of bases 1 Accept - examples of diff base order Not acceptable - referen pairs of bases (c) Messenger RNA/mRNA/MRNA 1  4. (a) Appropriate scale and label (1) Scale must have 0, 108 or 120 and one other number in between Label - Time (taken) for disc(s) to return to (the) surface s/seconds Bars correctly plotted (1) If incorrect scale but plo accurate to that scale (1) (b) Liver has the highest catalase activity/apple has the lowest catalase activity/different catalase activity/animal tissue has higher catalase has higher catalase activity/animal tissue has higher catalase has higher		, , , , , , , , , , , , , , , , , , , ,		
(b) 40 1  3. (a) 1 = cytosine 2 = thymine 2 Not acceptable - letters instead of words, thyamine/thiamine 5 letters instead of words, thyamine/thiamine 6 letters instead of words, thyamine/thiamine 7 letters instead of words, thyamine/thiamine 7 letters instead of words, thyamine/thiamine 8 letters instead of words, thyamine/thiamine 8 letters instead of words, thyamine/thiamine 8 letters instead of words, thyamine/thiamine 9 letters instead of words, thyamine/thiamine 1 letters instead of words, thyamine/thiamine 1 letters instead of words, thyamine/thiamine 1 letters instead or examples or examples of different pairs of bases 9 letters instead or examples		) Pairs of chromatids are	1	No penalty for any other number in any other place - ignore. More than one '3' negates
3. (a) 1 = cytosine 2 = thymine 2 = thymin	(ii	i) Spindle (fibre)	1	
2 = thymine   letters instead of words, thyamine/thiamine     (b)   Sequence/order of bases   1   Accept - examples of diff base order   Not acceptable - referen pairs of bases     (c)   Messenger RNA/mRNA/MRNA   1     4. (a)   Appropriate scale and label   (1)   Scale must have 0, 108 or 120 and one other number in between   Label - Time (taken) for disc(s) to return to (the) surface s/seconds   Not acceptable - common zero on scale     Label - Time (taken) for disc(s) to return to (the) surface s/seconds   Not acceptable - 'secs' as an abbreviation   If incorrect scale but plo accurate to that scale (1)     (b)   Liver has the highest catalase activity/apple has the lowest catalase activity/different tissues have different catalase activity/ animal tissue has higher catalase activity   Not acceptable - restate results   Not acceptable - restate restate restate results   Not	(b)	40	1	
base order Not acceptable - referen pairs of bases  (c) Messenger RNA/mRNA/MRNA  4. (a) Appropriate scale and label Scale must have 0, 108 or 120 and one other number in between  Label - Time (taken) for disc(s) to return to (the) surface s/seconds  Bars correctly plotted  (b) Liver has the highest catalase activity/apple has the lowest catalase activity/different tissues have different catalase activity/ animal tissue has higher catalase activity (than plants) or other  Answer must relate to catalise activity/ Not acceptable - common zero on scale  Not acceptable - rescale but plo accurate to that scale (1)  Answer must relate to catalise activity/ animal tissue has higher catalase activity (than plants) or other	3. (a)		2	letters instead of words,
4. (a) Appropriate scale and label (1) Scale must have 0, 108 or 120 and one other number in between  Label - Time (taken) for disc(s) to return to (the) surface s/seconds  Bars correctly plotted (1) If incorrect scale but plo accurate to that scale (1)  (b) Liver has the highest catalase activity/apple has the lowest catalase activity/different tissues have different catalase activity/ animal tissue has higher catalase activity (than plants) or other  Answer must relate to catalactivity/ Not acceptable - restated results	(b)	Sequence/order of bases	1	Not acceptable - reference to
Scale must have 0, 108 or 120 and one other number in between  Label - Time (taken) for disc(s) to return to (the) surface s/seconds  Bars correctly plotted  (1)  If incorrect scale but plo accurate to that scale (1)  Liver has the highest catalase activity/apple has the lowest catalase activity/different tissues have different catalase activity/ animal tissue has higher catalase activity (than plants) or other  Not acceptable - 'secs' as an abbreviation  If incorrect scale but plo accurate to that scale (1)  Answer must relate to catalase activity/rate and be comparative  Not acceptable - restate results	(c)	Messenger RNA/mRNA/MRNA	1	
(b) Liver has the highest catalase activity/apple has the lowest catalase activity/different tissues have different catalase activity/ animal tissue has higher catalase activity (than plants) or other  1 Answer must relate to catality/rate and be comparative  1 Answer must relate to catality/rate and be comparative  Not acceptable - restated results	4. (a)	Scale must have 0, 108 or 120 and one other number in between  Label - Time (taken) for disc(s) to return to (the) surface s/seconds	2	common zero on scale
(c) Decrease 1		activity/apple has the lowest catalase activity/different tissues have different catalase activity/ animal tissue has higher catalase activity (than plants) or other appropriate conclusion		Answer must relate to catalase activity/rate and be comparative  Not acceptable - restatement of

Question		on	Expected answer(s)	Max mark	Additional guidance	
5.	(a)	(i)	1.3	1	Acceptable - correct answer but not in table	
		(ii)	Temperature	1		
		(iii)	(Respiration is) controlled by enzymes/enzymes are needed 1	2	Enzymes must be mentioned at least once for both marks to be awarded.	
			Enzymes have been denatured (at 60°C) or description of denatured 1		Not acceptable - reference to denaturing at temperatures 'above optimum'	
		(iv)	To show it is the <b>germinating/live</b> peas that are producing the result/using oxygen/respiring <b>OR</b> To show that <u>dead</u> peas do not respire	1	Reference to 'temperature having no effect on dead peas' does not negate an otherwise correct answer	
	(b)		X - Pyruvate OR Y - Ethanol/alcohol	1		
6.	(a)		Discrete (1) Heterozygous (1)	2		
	(b)	(i)	Testis/testes	1	Accept testicles	
		(ii)	Sperm <u>nucleus</u> and egg <u>nucleus</u> fuse or join together/sperm and egg <u>nuclei</u> fuse/gamete <u>nuclei</u> fuse or join together	1	Must be clear it is the two nuclei which are involved	
		(iii)	Haploid cell or egg has half the number of chromosomes  OR  Diploid cell or zygote has double/twice the number of chromosomes  OR  Haploid cell or egg has one set of chromosomes/23 chromosomes whereas diploid cell or zygote has two sets of chromosomes/46 chromosomes	1	Must refer to chromosomes  Accept - sex cell or gamete as an alternative to egg	

Question		on	Expected answer(s)	Max mark	Additional guidance
7.	(a)		11:7	1	
	(b)	(i)	Oxygen/nutrients/glucose/amino acids	1	Not acceptable - food/blood
		(ii)	Reduce/stop smoking  Reduce fat in diet/cholesterol in diet/salt intake/sugar intake/alcohol intake/stress	1	Must be comparative or imply change
			Lose weight/healthier diet/ healthier eating		
	(c)		(Large) surface area /(rich) blood supply/(dense) capillary network	1	
8.	(a)		150	1	
	(b)	(i)	Will be less evaporation/water loss	1	
			OR		
			Plant will not require as much water		
		(ii)	Dry	1	
9.	(a)		Cerebellum	1	
	(b)		1. Detected by <u>receptors</u> (1)	4	
			2. Sent by <u>electrical</u> impulse/ signal (1)		If the brain is mentioned as being involved in the process this negates one correct point.
			3. (Message/information/impulse goes) from sensory to relay neuron/sensory → relay neuron (1)		Not acceptable - reference to 'electrical impulse' crossing synapse
			4. Across synapse  OR		
			Chemical transfer between neurons (1)		
10.	(a)	(i)	Pancreas	1	Not acceptable - pancrease
		(ii)	Glucose is needed to release/give out energy	1	
			OR		
			If cells do not have glucose they release/give out less/no energy		
	(b)	(i)	S	1	
		(ii)	Р	1	
	(c)		Receptor (protein)	1	

Qı	Question		Expected answer(s)	Max mark		Additional guidance
11.	(a)		Set up more than one field for each variety/ Repeat the (whole) investigation/ Use more potatoes/plants in each field	1	menti each separ	th varieties' are ioned, it must be clear that variety is grown in a ate field cceptable - repeat it/
	(b)		175	1		
	(c)		Number of potatoes/plants; Spacing between potatoes/plants; pH of soil; Nutrient content of soil; Moisture content of soil; Fertility of soil; Type of soil	1	Amou Temp Humid Light Rainfa	intensity
	(d)		Pesticides/insecticides/predator/ biological control/crop rotation	1		
12.	(a)		Niche	1		
	(b)		Mutation	1		
	(c)		(Offspring would be) infertile/ sterile	1		cceptable - offspring are e to reproduce, but not ing
13.				3		
			Statement	True	False	Correction
			Genetic variation within a population allows the population to adapt in a changing environment.	1		
			Isolation barriers can be geographical, <u>environmental</u> or reproductive.		1	Ecological
			Sub-populations evolve until they become genetically <u>identical</u> .		✓	Non-identical/varied/ different

Question		on	Expected answer(s)	Max marks	Additional guidance
14.	(a)	(i)	Nitrites	1	
		(ii)	3 OR 4	1	
	(b)	(i)	Plants/producers/denitrifying bacteria	1	Not acceptable - named example/leguminous plants
		(ii)	To make protein/amino acids	1	Not acceptable - to grow
	(c)		Fungi	1	
15.	(a)	(i)	Has most crusty lichen <b>and</b> these are common/found in high pollution	1	
		(ii)	6	1	
	(b)		Indicator (species)	1	

[END OF MARKING INSTRUCTIONS]